

**Mohammed Reabai J 250701435-2025-CSE** ▾**M2****Started on** Sunday, 30 August 2026, 9:56 PM**State** Finished**Completed on** Sunday, 30 August 2026, 9:57 PM**Time taken** 54 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct | Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int v, count = 0;
5      int coins[] = {1000, 500, 100, 50, 20, 10, 5, 2, 1};
6
7      scanf("%d", &v);
8
9      for (int i = 0; i < 9; i++) {
10         count += v / coins[i];
11         v %= coins[i];
12     }
13
14     printf("%d", count);
15
16     return 0;
17 }
```

	Input	Expected	Got	
✓	49	5	5	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

