



Started on	Saturday, 12 September 2026, 9:40 PM
State	Finished
Completed on	Saturday, 12 September 2026, 9:43 PM
Time taken	3 mins 20 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:

Input: `nums = [3,2,3]`

Output: 3

Example 2:

Input: `nums = [2,2,1,1,1,2,2]`

Output: 2

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 104`
- `-231 <= nums[i] <= 231 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int n;
5      scanf("%d", &n);
6
7      int nums[n];
8
9      for (int i = 0; i < n; i++) {
10         scanf("%d", &nums[i]);
11     }
12
13     int candidate = 0;
14     int count = 0;
15
16     for (int i = 0; i < n; i++) {
17         if (count == 0) {
18             candidate = nums[i];
19         }
20
21         if (nums[i] == candidate)
22             count++;
23         else
24             count--;
25     }
26
27     printf("%d", candidate);
28
29     return 0;
30 }
```

	Input	Expected	Got	
✓	3	3	3	✓
	3 2 3			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)