

# Rajalakshmi Engineering College

Name: Mohammed Rizwan  
Email: 240701327@rajalakshmi.edu.in  
Roll no: 240701327  
Phone: 9944383207  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

### ***Input Format***

The first line of input contains the email to be validated.

### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

### **Sample Test Case**

Input: sample@gmail.com

Output: Valid email address

### **Answer**

```
// You are using Java
import java.util.Scanner;
```

```
class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}
```

```
class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}
```

```
class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}
```

```
public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        String email = scanner.nextLine().trim();

        try {
            int atCount = email.length() - email.replace("@", "").length();
            if (atCount != 1 || email.startsWith("@") || email.endsWith("@") ||
                email.contains("@@")) {
                throw new AtTheRateException("AtTheRateException: Invalid @
                usage");
            }
        }
    }
}
```

```

    }
    if (email.startsWith(".") || email.endsWith(".") || email.contains("..")) {
        throw new DotException("DotException: Invalid Dot usage");
    }
    int atIndex = email.indexOf('@');
    String afterAt = email.substring(atIndex + 1);
    int dotCountAfterAt = afterAt.length() - afterAt.replace(".", "").length();
    if (dotCountAfterAt < 1) {
        throw new DotException("DotException: Invalid Dot usage");
    }
    int lastDot = email.lastIndexOf('.');
    String domain = email.substring(lastDot + 1);
    if (!(domain.equals("in") || domain.equals("com") || domain.equals("net") ||
domain.equals("biz"))) {
        throw new DomainException("DomainException: Invalid Domain");
    }
    System.out.println("Valid email address");

} catch (AtTheRateException | DotException | DomainException e) {
    System.out.println(e.getMessage());
    System.out.println("Invalid email address");
}
}
}

```

**Status :** Correct

**Marks :** 10/10