

# Rajalakshmi Engineering College

Name: Mohammed Rizwan  
Email: 240701327@rajalakshmi.edu.in  
Roll no: 240701327  
Phone: 9944383207  
Branch: REC  
Department: I CSE FC  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23221\_Python Programming

### REC\_Python\_Week 2\_CY

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

### Section 1 : Coding

#### 1. Problem Statement

Students are allowed to work on our computer center machines only after entering the correct secret code. If the code is correct, the message "Logged In" is displayed. They are not allowed to log in to the machine until they enter the correct secret code.

Write a program to allow the student to work only if he/she enters the correct secret code.

Note: Here, secret code means the last three digits should be divisible by the first digit of the number.

#### ***Input Format***

The input consists of an integer n, which represents the secret code.

### **Output Format**

The output displays either "Logged In" or "Incorrect code" based on the given condition.

Refer to the sample output for the formatting specifications.

### **Sample Test Case**

Input: 2345

Output: Incorrect code

### **Answer**

```
n=int(input())
first=int(str(n)[0])
last=n%1000
if last%first==0:
    print("Logged In")
else:
    print("Incorrect code")
```

**Status :** Correct

**Marks :** 10/10

## **2. Problem Statement**

Gabriel is working on a wildlife research project where he needs to compute various metrics for different animals based on their characteristics. Each animal type requires a different calculation: a deer's distance traveled, a bear's weight based on footprint size, or a bird's altitude based on its flying pattern.

Conditions:

For Deer (Mode 'D' or 'd'): Distance = speed of sound \* time taken, where the speed of sound in air is 343 meters per second. For Bear (Mode 'B' or 'b'): Weight = footprint size \* average weight, where the average weight per square inch for a bear is 5.0 pounds. For Bird (Mode 'F' or 'f'): Altitude = flying pattern \* distance covered (in meters).

Write a program to help Gabriel analyze the characteristics of animals based on the given inputs.

### ***Input Format***

The first line of input consists of a character, representing the type of animal 'D/d' for deer, 'B/b' for bear, and 'F/f' for bird.

If the choice is 'D' or 'd':

The second line of input consists of a floating-point value T, representing the time taken from the deer's location to the observer.

If the choice is 'B' or 'b':

The second line of input consists of a floating-point value S, representing the size of the bear's footprint in square inches.

If the choice is 'F' or 'f':

1. The second line of input consists of a floating-point value P, representing the bird's flying pattern.
2. The third line consists of a floating-point value D, representing the distance covered by the bird in meters.

### ***Output Format***

The output prints one of the following:

If the choice is 'D' or 'd':

The output prints "Distance: X m" where X is a floating point value rounded off to two decimal places, representing the calculated distance traveled by the sound wave in meters.

If the choice is 'B' or 'b':

The output prints "Weight: Y lb" where Y is a floating point value rounded off to two decimal places, representing the estimated weight of the bear in pounds.

If the choice is 'F' or 'f':

The output prints "Altitude: Z m" where Z is a floating point value rounded off to

two decimal places, representing the calculated altitude of the bird's flight in meters.

If the given choice is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: d

2.5

Output: Distance: 857.50 m

### **Answer**

```
# You are using Python
type=input().strip()
if type in ['D','d']:
    t=float(input())
    result=round(t*343,2)
    print(f"Distance:{result:.2f}m")
elif type in ['B','b']:
    s=float(input())
    result=round(s*5,2)
    print(f"Weight:{result:.2f}lb")
elif type in ['F','f']:
    p=float(input())
    d=float(input())
    result=round(p*d,2)
    print(f"Altitude:{result:.2f}m")
else:
    print("Invalid")
```

**Status :** Correct

**Marks :** 10/10

### **3. Problem Statement**

Rohith is a data analyst who needs to categorize countries based on their population growth rates. Each country is assigned a unique code. Rohith

will receive a code and corresponding data based on the code. If the data falls within specific thresholds, he needs to classify the country's priority level.

Your task is to write a program that reads a country code and its associated data, and then determines if the priority is "High" or "Low."

Thresholds: France: Priority is "High" if the percentage < 50, else "Low". Japan: Priority is "High" if life expectancy > 80, else "Low". Brazil: Priority is "High" if the urban population > 80, else "Low".

### ***Input Format***

The first line of input consists of an integer, representing the country code (1 for France, 2 for Japan, 3 for Brazil).

If the country code is 1,

- The second line consists of a floating-point value N, representing the percentage of the English-speaking population.

If the country code is 2,

- The second line consists of a floating-point value A, representing the average life expectancy in years.

If the country code is 3,

- The second line consists of a floating-point value P, representing the percentage of the urban population.

### ***Output Format***

The first line of output displays "Priority: High" or "Priority: Low" based on the input data.

If the country code is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1  
30.0

Output: Priority: High

**Answer**

```
a = int(input())
if a == 1:
    x = float(input())
    if x < 50:
        print("Priority: High")
    else:
        print("Priority: Low")
elif a == 2:
    y = float(input())
    if y > 80:
        print("Priority: High")
    else:
        print("Priority: Low")
elif a == 3:
    z = float(input())
    if z > 80:
        print("Priority: High")
    else:
        print("Priority: Low")
else:
    # Invalid country code
    print("Invalid")
```

**Status :** Correct

**Marks :** 10/10

#### 4. Problem Statement

John is tasked with configuring the lighting for a high-profile event, where different lighting modes affect the ambiance of the venue. He can choose from three distinct lighting modes, each requiring a specific adjustment to the initial light intensity:

Ambient Lighting (Mode 1): The intensity level is multiplied by 1.5. Stage Lighting (Mode 2): The intensity level is multiplied by 2.0. Spotlight (Mode 3): The intensity level is multiplied by 1.8.

In the event that an invalid mode is provided, the program should output an error message indicating the invalid selection.

Your task is to write a program that reads the selected lighting mode and the initial intensity level, applies the appropriate adjustment, and prints the final intensity.

### ***Input Format***

The first line of input is an integer  $n$ , representing the lighting mode.

The second line is a floating value  $m$ , representing the initial intensity level of the light.

### ***Output Format***

The output displays "Intensity: " followed by a float representing the adjusted intensity level, formatted to two decimal places, if the mode is valid.

If the mode is invalid, the output should display "Invalid".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

10.0

Output: Intensity: 15.00

### ***Answer***

```
# You are using Python
mode=int(input())
intensity=float(input())
if mode ==1:
    result=intensity*1.5
    print(f"Intensity: {result:.2f}")
elif mode==2:
    result=intensity*2
    print(f"Intensity: {result:.2f}")
elif mode==3:
    result=intensity*1.8
```

```
print(f"Intensity: {result:.2f}")  
else:  
    print("Invalid")
```

**Status :** Correct

**Marks :** 10/10