

AWS Elastic Beanstalk Environment Creation and Configuration

1.Description

- 1.create an environment inside beanstalk console.
- 2.choose the created environment for further changes and save configuration once the changes are completed.


2. Created Elastic Beanstalk Environment

The AWS Management Console was opened and **Elastic Beanstalk** was selected.

A new application and environment were created with the following configuration:

- **Application:** My-beanstalk-app
- **Environment:** My-beanstalk-app-env
- **Environment tier:** Web server environment
- **Platform:** PHP 8.5 running on 64-bit Amazon Linux 2023
- **Platform version:** 4.13.9
- **AWS Region:** Asia Pacific (Mumbai)

After the environment was created, Elastic Beanstalk provisioned the required resources and the environment became available.




3. Opened Environment Configuration

The created environment My-beanstalk-app-env was selected from the Elastic Beanstalk console.

The **Configuration** section was opened to make further changes to the environment.

The configuration page displayed the environment details, including:

- Platform branch
- Platform version
- Environment tier
- Environment properties
- Platform configuration



4. Modified Environment Properties


The **Environment details** configuration was edited.

An environment property was added to demonstrate a configuration change:

Key	Value
LAB_NAME	elastic-beanstalk-lab

The configuration changes were saved/applied to the environment.

This demonstrated how an existing Elastic Beanstalk environment could be selected and modified after its creation.



5. Verified the Elastic Beanstalk Website

After the environment was created and configured, the Elastic Beanstalk environment URL was opened in a web browser.

The following environment URL was used:

<http://my-beanstalk-app-env.eba-tsarsmdk.ap-south-1.elasticbeanstalk.com>

The default Elastic Beanstalk application page was displayed successfully.


The webpage showed:

AWS Elastic Beanstalk

Welcome to Your Elastic Beanstalk Application

Congratulations! Your PHP application is now running on your own dedicated environment in the AWS Cloud.

This confirmed that the Elastic Beanstalk environment was running successfully and was accessible through its environment URL.



6. Concepts Studied

Elastic Beanstalk

AWS Elastic Beanstalk is a service that helps deploy and manage applications in AWS.

Application

An Elastic Beanstalk application is a logical container for environments and application versions.

Environment

An environment is the running infrastructure used by Elastic Beanstalk to host an application.

Environment Tier

The **Web server environment** tier was used to host the PHP application and make it accessible through a web URL.

Environment Properties

Environment properties are key-value settings that can be configured for an Elastic Beanstalk environment.

Example:

LAB_NAME = elastic-beanstalk-lab

Environment URL

Elastic Beanstalk provides an environment URL that can be used to access the deployed application through a web browser.

Conclusion

The Elastic Beanstalk practical was completed successfully. A web server environment was created through the Elastic Beanstalk console, the created environment was selected for further configuration, an environment property was added and saved, and the environment URL was accessed successfully to verify that the application was running.