


**Self-Assessment Exam – NEU 205 (CNS, Eye & Ear)**

**A) Match column A with column B:**



| Column A      | Column B                                    |
|---------------|---------------------------------------------|
| 1) Label 1... | a) Second order neuron for crude touch.     |
| 2) Label 2... | b) Second order neuron for proprioception.  |
| 3) Label 3... | c) Originates from Clark's nucleus.         |
| 4) Label 4... | d) Forms the ventral tegmental decussation. |
| 5) Label 5... | e) Originates from SGR.                     |
|               | f) Forms the dorsal tegmental decussation.  |
|               | g) Terminates in superior colliculus.       |

- 1. The 2<sup>nd</sup> order neuron for conscious proprioceptive sensation from the upper half of the body is:**
  - a. Gracile nucleus
  - b. Cuneate nucleus
  - c. Substantia Gelatinosa of Rolandi nucleus
  - d. Main sensory nucleus
  
- 2. One of the long sensory tracts to the subcortical levels is:**
  - a. Ventral spinothalamic tract
  - b. Lateral spinothalamic tract
  - c. Cuneate tract
  - d. Spinoolivary tract
  
- 3. The pia matter is formed of:**
  - a. Modified fibroblasts
  - b. Border cells
  - c. Trabecular cells
  - d. Modified Schwann cells

**4. The lateral corticobulbar tract terminates in:**

- a. The 3<sup>rd</sup> cranial nerve nucleus
- b. The 4<sup>th</sup> cranial nerve nucleus
- c. The 5<sup>th</sup> cranial nerve nucleus
- d. The 6<sup>th</sup> cranial nerve nucleus

**5. Purkinje cells are stimulated by:**

- a. Basket cells
- b. Stellate cells
- c. Golgi cells
- d. Granular cells



**6. Retinal pigment epithelium is characterized by:**

- a. Presence of photoreceptors
- b. Phagocytosis of worn out part of photoreceptor cells
- c. Presence of amacrine cells
- d. Synthesis of vitreous humor

**7. In reference to the iris:**

- a. Fibroblasts and melanocytes cover the posterior surface
- b. Pigmented epithelium covers the anterior surface
- c. Its stroma contains pupillae smooth muscle.
- d. It is the posterior part of the vascular coat

**8. Success of corneal transplantation is usually explained by:**

- a. Cornea is transparent
- b. Cornea is avascular
- c. Excess collagen fibrils
- d. Regular arrangement of collagen



**9. The organ of Corti is characterized by:**

- a. Border cells support its inner edge
- b. It is a neuroreceptor for balance
- c. It is present in the scala vestibuli
- d. Covered by the basilar membrane

**10. A patient having infection spread from nasopharynx to middle ear. The spread is expected to be via:**

- a. Ossicles
- b. Chorda tympani
- c. Eustachian tube
- d. Oval window

