

let Examples

1. let firstName;
2. let lastName;
3. let surName;
4. let EmployeeName;
5. let StudentName;
6. let userName;
7. let studentAge;
8. let emailAddress;
9. let phoneNumbers;
10. let licenseNumber;
11. let userGender;
12. let employeeFeedback;
13. let homeAddress;
14. let scorePercentage;
15. let totalMark;
16. let titleCard;
17. let ~~Note~~ notePad;
18. let ~~main~~ mainHeading;
19. let subHeading;
20. let footerContent;

21. let firstParagraph;
22. let lastParagraph;
23. let MainBanner;
24. let homePage;
25. let contentPage;
26. let firstSection;
27. let lastSection;
28. let MiddleSection;
29. let outBorder;
30. let navBorder;
31. let fontSize;
32. let fontWeight;
33. let loginTime;
34. let closeTime;
35. let courseName;
36. let jobTitle;
37. let formPage;
38. let mediaTag;
39. let ~~meta~~ metaTag;
40. let inlineTag;

41. let firstTask;
42. let lastTask;
43. let totalValue;
44. let dataStore;
45. let dataTypes;
46. let database;
47. let ParentFolder;
48. let childFolder;

var - Examples

1. var userName;
2. var studentClass;
3. var Home Address;
4. var userCity;
5. var userPassword;
6. var idCard;
7. var itemName;
8. var itemPrice;
9. var itemQuantity;
10. var borderRadius;
11. var textColour;
12. var imageSize;

13. var displayOutput;
14. var displayValue;
15. var projectName;
16. var taskCount;
17. var subjectName;
18. var enrollmentId;
19. var resultStatus;
20. var taskPortal;
21. var courseFee;
22. var paymentType;
23. var orderItems;
24. var orderStatus;
25. var gameLevel;
26. var Bank Account;
27. var product Name;

28. var socialID;
29. var personalBrand;
30. var localhost;
31. var frontend Developer;
32. var fullStack;
33. var paperBook;
34. var cityName;
35. var testScore;
36. var studentID;
37. var studentClass;
38. var studentNumber;
39. var lineNumber;
40. var MailBox;
41. var Box One;

42. var box Model;

43. var box Sizing;

44. var Project Name;

45. var Project Id;

46. var Project Code;

47. var textDisplay;

48. var Image Shown;

Const - Examples

1. const pageUp;
2. const pageDown;
3. const numLock;
4. const HomeTab;
5. const maxScore;
6. const minScore;
7. const avgScore;
8. const MatchNumber;
9. const RoomNumber;
10. const pageNumber;
11. const pageCount;
12. const fileName;
13. const fileSize;

14. const breakLine;
15. const firstPara;
16. const middlePara;
17. const lastPara;
18. const timeLevel;
19. const timeSpeed;
20. const favColor;
21. const favPlace;
22. const favFood;
23. const freeTime;
24. const studyTime;
25. const workTime;
26. const breakTime;

27. const sleepTime;
28. const wakeTime;
29. const roomTemp;
30. const rollNo;
31. const bikeNo;
32. const busNo;
33. const seatNo;
34. const MovieTime;
35. const ticketNo;
36. const MovieTitle;
37. const songName;
38. const MovieName;
39. const songTitle;

40. const subjectName;
41. const subjectTitle;
42. const playlistName;
43. const authorName;
44. const singerName;
45. const lyricWriter;
46. const bookName;
47. const bookTitle;
48. const bookNo;

1. What is JavaScript?

A. * It is a programming language used to make web pages interactive & dynamic.

+ Eg: buttons, pop-ups, form, animation can be done using Js.

2. What is a variable?

A. A variable is a named container used to store data in a program.

eg: let name = "Mohan";

↳ variable.

3. What is variable declaration?

A. * It means creating a variable by specifying its name.

eg: let name;

Here, name is declared but no value has given.

4. What is initialization?

A. * It means giving a value to a variable for 1st time.

eg: let name = "Mohan";

↳ initial value of name.

6. Assignment Operator:

A. * It is used to assign a value to a variable.

eg: let age;
age = 20;

Here, = assigns 20 to age.

6. What are var, let & const?

* These are keywords used to declare variables in JS.

Eg: let name = "Mohan";
var age = 20;
const pi = 3.14;

7. Diff btw

	Features	var	let	const
1.	Scope	Function	Block	Block
2.	Re-assign	Yes, we can	Yes, we can	No, we can't
3.	Re-declare	yes	No	No
4.	Initialize	No	No	yes

Eg: let age = 20;
age = 21; // Allowed

const pi = 3.14;
pi = 3.15; // Error.

+ Prefer `const` by default, use `let` when value needs to change. `var` is generally avoided in modern JS.

8. What is ES6?

A. + It stands for ECMAScript 2015. It is a major version of JS that introduced many modern Features such as :-

- + `let` and `const`
- + Arrow functions
- + Template Literals
- + classes

- + Destructuring
- + Default parameters
- + Promises
- + Modules.

9. What is a JS engine?

A. + It is a program that reads, interprets/compiles, executes JS code.

Eg: `VB` → Chrome, Node.js
SpiderMonkey → Firefox
JSCore → Safari.

10. What is V8?

A. + It is an open source JS engine developed by Google.
+ Mainly used in Chrome, Node.js.
+ It takes JS code and compiles & executes it, allowing JS programs to run efficiently.