


BASIC SQL QUERIES FOR E-COMMERCE ORDER MANAGEMENT SYSTEM

1. SELECT

Display all customers:

SELECT *

FROM Customer;




The screenshot shows a database management tool interface. On the left, a 'SCHEMAS' pane lists various databases, with 'ecommerce_order_mana' selected. The main area displays a SQL query: `SELECT * FROM Customer;`. Below the query, a 'Result Grid' shows the data returned by the query. The grid has columns for Customer_ID, Customer_Name, Email, Phone, Address, and Registration_Date. The data includes five rows of customer information.

Customer_ID	Customer_Name	Email	Phone	Address	Registration_Date
101	Arun Kumar	arun.kumar@email.com	9876543210	Chennai	2026-01-10
102	Priya Sharma	priya.sharma@email.com	9876543211	Madurai	2026-01-15
103	Rahul Raj	rahul.raj@email.com	9876543212	Coimbatore	2026-02-01
104	Divya S	divya.s@email.com	9876543213	Trichy	2026-02-10
105	Karthik M	karthik.m@email.com	9876543214	Salem	2026-03-05
NULL	NULL	NULL	NULL	NULL	NULL

Display selected product details:

SELECT Product_ID, Product_Name, Price

FROM Product;



The screenshot shows the same database management tool interface. The SQL query is now: `SELECT Product_ID, Product_Name, Price FROM Product;`. The 'Result Grid' displays the product details. The grid has columns for Product_ID, Product_Name, and Price. The data includes six rows of product information.

Product_ID	Product_Name	Price
401	Wireless Mouse	799.00
402	Bluetooth Headphones	2499.00
403	Cotton T-Shirt	599.00
404	Denim Jeans	1499.00
405	Database Management Book	850.00
406	Java Programming Book	950.00
NULL	NULL	NULL

2. WHERE

Find products with a price greater than ₹1,000:

SELECT Product_Name, Price

FROM Product

WHERE Price > 1000;

The screenshot shows a database query editor with a Navigator pane on the left and a Query editor on the right. The Navigator pane shows a tree of schemas, with 'ecommerce_order_man...' expanded to show tables like 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', 'shipping', 'Views', 'Stored Procedures', 'Functions', 'jdbc_demo', and 'sakila'. The Query editor shows a query named 'Query 1' with the following SQL:

```
1 • SELECT Product_Name, Price
2 FROM Product
3 WHERE Price > 1000;
4
```

The result grid shows the following data:

Product_Name	Price
Bluetooth Headphones	2499.00
Denim Jeans	1499.00

Find delivered orders:

SELECT Order_ID, Customer_ID, Total_Amount

FROM Orders

WHERE Order_Status = 'Delivered';

The screenshot shows a database query editor with a Navigator pane on the left and a Query editor on the right. The Navigator pane shows a tree of schemas, with 'ecommerce_order_man...' expanded to show tables like 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', 'shipping', 'Views', 'Stored Procedures', 'Functions', 'jdbc_demo', and 'sakila'. The Query editor shows a query named 'Query 1' with the following SQL:

```
1 • SELECT Order_ID, Customer_ID, Total_Amount
2 FROM Orders
3 WHERE Order_Status = 'Delivered';
4
```

The result grid shows the following data:

Order_ID	Customer_ID	Total_Amount
501	101	799.00
505	105	2449.00
NULL	NULL	NULL


3. ORDER BY

Display products from highest to lowest price:

SELECT Product_Name, Price

FROM Product

ORDER BY Price DESC;



The screenshot shows a database query editor interface. On the left is a 'Navigator' pane with a tree view of schemas. The 'ecommerce_order_mana' schema is expanded, showing tables like 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', and 'shipping'. The main area is titled 'Query 1' and contains the following SQL query:

```
1 • SELECT Product_Name, Price
2 FROM Product
3 ORDER BY Price DESC;
4
```

Below the query editor is a 'Result Grid' showing the results of the query. The grid has two columns: 'Product_Name' and 'Price'. The results are sorted in descending order of price.

Product_Name	Price
Bluetooth Headphones	2499.00
Denim Jeans	1499.00
Java Programming Book	950.00
Database Management Book	850.00
Wireless Mouse	799.00
Cotton T-Shirt	599.00

Display customers alphabetically:

SELECT Customer_ID, Customer_Name

FROM Customer

ORDER BY Customer_Name ASC;

Navigator: SCHEMAS

Filter objects

- college
- collegedb
- company
- ecommerce_order
- ecommerce_order_mana**
 - Tables
 - category
 - customer
 - order_details
 - orders
 - payment
 - product
 - seller
 - shipping
 - Views
 - Stored Procedures
 - Functions
- jdbc_demo
- sakila

Query 1

```

1 SELECT Customer_ID, Customer_Name
2 FROM Customer
3 ORDER BY Customer_Name ASC;
4

```

Result Grid

Customer_ID	Customer_Name
101	Arun Kumar
104	Divya S
105	Karthik M
102	Priya Sharma
103	Rahul Raj
NULL	NULL

4. GROUP BY

Count products in each category:

SELECT Category_ID, COUNT(*) AS Total_Products

FROM Product

GROUP BY Category_ID;

Navigator: SCHEMAS

Filter objects

- college
- collegedb
- company
- ecommerce_order
- ecommerce_order_mana**
 - Tables
 - category
 - customer
 - order_details
 - orders
 - payment
 - product
 - seller
 - shipping
 - Views
 - Stored Procedures
 - Functions
- jdbc_demo
- sakila

Query 1

```

1 SELECT Category_ID, COUNT(*) AS Total_Products
2 FROM Product
3 GROUP BY Category_ID;
4

```

Result Grid

Category_ID	Total_Products
301	2
302	2
303	2

Find the number of orders for each customer:

```
SELECT Customer_ID, COUNT(*) AS Total_Orders
```

```
FROM Orders
```

```
GROUP BY Customer_ID;
```

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a 'SCHEMAS' section containing a tree view of database objects. The 'ecommerce_order_mana' schema is expanded, showing tables like 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', and 'shipping'. The main area displays 'Query 1' with the following SQL code:

```
1 • SELECT Customer_ID, COUNT(*) AS Total_Orders
2 FROM Orders
3 GROUP BY Customer_ID;
4
```

Below the query editor is a 'Result Grid' showing the results of the query. It has columns 'Customer_ID' and 'Total_Orders'.

Customer_ID	Total_Orders
101	1
102	1
103	1
104	1
105	1

5. HAVING

Find customers who have placed more than one order:

```
SELECT Customer_ID, COUNT(*) AS Total_Orders
```

```
FROM Orders
```

```
GROUP BY Customer_ID
```

```
HAVING COUNT(*) > 1;
```

Find categories having more than one product:

```
SELECT Category_ID, COUNT(*) AS Total_Products
```

```
FROM Product
```

```
GROUP BY Category_ID
```

```
HAVING COUNT(*) > 1;
```

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a 'SCHEMAS' tree. The 'ecommerce_order_man...' schema is expanded, showing a list of tables including 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', 'shipping', 'Views', 'Stored Procedures', and 'Functions'. The 'product' table is selected. The main pane shows 'Query 1' with the following SQL code:

```
1 • SELECT Category_ID, COUNT(*) AS Total_Products
2   FROM Product
3  GROUP BY Category_ID
4  HAVING COUNT(*) > 1;
5
```

Below the query editor is a 'Result Grid' showing the results of the query:

Category_ID	Total_Products
301	2
302	2
303	2

6. Aggregate Functions

COUNT() – Count total products:

```
SELECT COUNT(*) AS Total_Products
```

```
FROM Product;
```

The screenshot shows the same database management tool interface. The 'Navigator' pane is the same. The main pane shows 'Query 1' with the following SQL code:

```
1 • SELECT COUNT(*) AS Total_Products
2   FROM Product;
3
```

Below the query editor is a 'Result Grid' showing the results of the query:

Total_Products
6

SUM() – Calculate total order amount:

```
SELECT SUM(Total_Amount) AS Total_Sales
```

```
FROM Orders;
```

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a 'SCHEMAS' tree. The tree is expanded to show 'ecommerce_order_mana' and its 'Tables' sub-tree, which includes 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', and 'shipping'. The main pane displays 'Query 1' with the following SQL code:

```
1 • SELECT SUM(Total_Amount) AS Total_Sales
2 FROM Orders;
3
```

Below the query editor, the 'Result Grid' is visible, showing a single row with the value 7795.00 under the column 'Total_Sales'.

AVG() – Calculate average product price:

SELECT AVG(Price) AS Average_Price

FROM Product;

The screenshot shows the same database management tool interface. The 'Navigator' pane is identical. The main pane displays 'Query 1' with the following SQL code:

```
1 • SELECT AVG(Price) AS Average_Price
2 FROM Product;
3
```

Below the query editor, the 'Result Grid' is visible, showing a single row with the value 1199.333333 under the column 'Average_Price'.

MAX() – Find the most expensive product:

SELECT MAX(Price) AS Highest_Price

FROM Product;

The screenshot shows a database management tool interface. On the left, the 'SCHEMAS' pane lists various databases, with 'ecommerce_order_mana' expanded to show a list of tables including 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', and 'shipping'. The main query editor, titled 'Query 1', contains the following SQL code:

```
1 • SELECT MAX(Price) AS Highest_Price
2 FROM Product;
3
```

Below the query editor, the 'Result Grid' shows the output of the query:

Highest_Price
2499.00

MIN() – Find the cheapest product:

SELECT MIN(Price) AS Lowest_Price

FROM Product;

The screenshot shows the same database management tool interface. The 'Query 1' editor now contains the following SQL code:

```
1 • SELECT MIN(Price) AS Lowest_Price
2 FROM Product;
3
```

The 'Result Grid' shows the output of this query:

Lowest_Price
599.00

Combined Query

Find the total sales for each order status and display only statuses with sales above ₹1,000:

SELECT Order_Status,

COUNT(*) AS Total_Orders,


SUM(Total_Amount) AS Total_Sales

FROM Orders

GROUP BY Order_Status

HAVING SUM(Total_Amount) > 1000

ORDER BY Total_Sales DESC;



The screenshot shows a database management interface. On the left, a 'SCHEMAS' panel lists various databases, with 'ecommerce_order_mana' selected. Below it, a list of tables is shown, including 'category', 'customer', 'order_details', 'orders', 'payment', 'product', 'seller', 'shipping', 'Views', 'Stored Procedures', 'Functions', 'jdbc_demo', and 'sakila'. The main area displays a SQL query:

```
1 • SELECT Order_Status,  
2       COUNT(*) AS Total_Orders,  
3       SUM(Total_Amount) AS Total_Sales  
4 FROM Orders  
5 GROUP BY Order_Status  
6 HAVING SUM(Total_Amount) > 1000  
7 ORDER BY Total_Sales DESC;  
8
```

Below the query, a 'Result Grid' shows the results of the query. The grid has three columns: 'Order_Status', 'Total_Orders', and 'Total_Sales'. The results are as follows:

Order_Status	Total_Orders	Total_Sales
Delivered	2	3248.00
Shipped	1	2499.00
Confirmed	1	1198.00

These queries use the tables and sample data from your E-Commerce Order Management System, including Customer, Product, Orders, Order_Details, Category, and Payment.