Historical Britannica: extracted source

Encyclopaedia Britannica: or, A dictionary of arts and sciences, compiled upon a new plan - First edition, 1773, Volume 1, A-B - EB.3

Source row 202. Parser: nvidia/nemotron-3.5-parse.

This is model-extracted text, not a corrected transcription. OCR errors, reading order and region alignment require human review.

Part I.

Region region-0; provider order 0.

A N A T O M Y.

Region region-1; provider order 1.

fpongiofum inferitis refl.—Along the curdide of this plate, the perpendicular folla made by the palate-never is obferable.

Region region-2; provider order 2.

At the upper part of this nafal plate, the palate-bono divides into two procesfies, which were already named or_ _blary–between which and the body of the Ephendol bons; that the is formed, which was mentioned as the half of the holes common to the fphenoid bone.—Some times this hole is wholly formed in the so palist, by a costs placing along from the one unitar proceed to the o- ther. A nerve, artery, and vein belonging to the no frirls, pals here.—The anterior of the two orbiter pro ciesfeis in the largest, and has its fore-part contiguous to the back-part of the maxillary firms, and is upper far face appears in the bottom of the other, behind the back- part of the on maxillure and phums.—It has cels be kindly refreshing thoof of the ethmond bones, to which it is conspicuous, it is placed on the aperture of the finns fphendolids, fo is to leave on a round hole as its upper fore-part.—The other part of the orbiter proceeds is ex tended along the internal fide of the upper-back-part of the maxillary tuborify, to the bafe of the fphenoid bone, between the root of the procesfia zygus and the prery- goid procris.

Region region-3; provider order 3.

The palce-bons are joined to the maxillary, by the first-edge of the palce-founder, by the tranr verfe fine-future —by their thin nafal plates, and part of their orbit procesfies, to the fame bones, by the pa litro-maxillures futures.—By either prezygoid procesfies, and back part of the nafal plates, to the also verperilio-nuary, by the fphenoid future.—By the tranrvele rigles of the nafal plates, to the offiging infantion, by course); hence frequented the riz an intrinsic union of the fuablance of the fiebones in old ficlia.——By the chlorit procesfies, to the oils plans, and chila ethmci- ders, by the ethmonds future. ——To the body of the fphenoid bone, by the fphenoid future: —By the inter- nal edge of the figure-bones, to each other, by the lon- genidual palce-founder, and by their nafal joints, to the vomer, by the fpnoons future

Region region-4; provider order 4.

The palce-bons form part of the palace, nofrilis or bits, and follo pergyoides, and they cover part of the finns maxillars, fphenoidales, and ethmonds.

Region region-5; provider order 5.

Ossa Turbabata, or _fpungiefa inferiors_, refemble the forgotten ofa fpongiofa in shape and fholates, but have their anterior and upper edges conqugeons to the traranferle ridges of the nafal procesfes of the maxillary each palce-bone.—From their upper flight edge, two final procesfes than out: i the perforier, which is the broadeft, defends to cover forms of the antrum Highmo- trium; the anterior rife up to join the os ungus, and to make part of the lateral dud.

Region region-6; provider order 6.

Below the fpongy bones already mentioned, there are fonestines two others, one in each match), which fresh to be a production of the fides of the maxillary films turned downwards. When this third fort of

fpongy bones is found, the middle one of the three in each noif is the largest, and the bowl is the finish!——Be fides all blefs, there are often several other small boxes flanding out into the nofrils, that, from their shape,

Region region-7; provider order 7.

might alfo deferre the name of _turbinate_, but are under- tun in their bulk, frustration, and number.

Region region-8; provider order 8.

They are joined to the maxillaria, palati, and una guis, depicted in old subjects.

Region region-9; provider order 9.

Their uleis, to fraiten the nofrilis, to afford a large furthers for extending the organ of fnelling, to cover part of the anteroxillars, and to alfifth in forming the under part of the lacrymal duties, the orifices of which into the note he to encended by theirbones.

Region region-10; provider order 10.

Yorks, or bone, reforming a ploughhare, is the thirteenth of the upper jaw, without a fellow, forming the lower and back-parts of the partition of the roof.

Region region-11; provider order 11.

The figure of the bone is an irregular chorobid— Its fides are flat and smooth——Is preferred edge ap- pears in an oblique direction at the back-part of the nofrilis —the upper one is firmly suited to the bafé of the fphenoid bone, and to the nafal plate of the ethmoid; and, when it can be got figaraed, is hollow, for receiving the procesfia zygus of the fphenoid.—The tierrier edge has a long known in where the middle cartilage of the nofe enters.— The lower edge is firm ly united to the nafal lipions of the maxillary and palce- bones.— Their edges of this bone are much thicker than its middle, which is as thin as the linell paper.

Region region-12; provider order 12.

Its function is not always perpendicular, but often in- clinical and bended to one fide, as well as the nafal plate of the ethmoid-bone.

Region region-13; provider order 13.

The vortex is convex as its upper part, and then is flexibly as its extended downward and forward, where it is composed of two places; the edges of which have a great number of final procesfes, dipfedefomewhat like be such of a flaw, but more irreagely, and level of them are reflected back. Between the fla plates, a deep folla is left, which, for far as the top of the curvature, wide, and the strong fingers, for receiving the proces azygo of the fphenoid.— Beyond the arch for wards, the folli is narrower and fhallower gradually to the point of the bone, revamping for home way the nafal humile ethmoids, which is fit closely united to the vo- mer, by the little procesfies piercing into its fullform, as to prevent any separation. The middle cartilage of the nose fills up what remains of the folla at its fore-part.

Region region-14; provider order 14.

The policeman edge of the vomer, which appears a bove the back-part of the palate-bones, is broader above; but as it defends forwards, because thinner, though it is fulfill faith and firm.—The lower edge of this bone, which refs on the nafal spine of the palate and maxil- hy bones, has a little throw on each fide, of a final middle ridge… enforcing to the future of the bones of different fides, and the interfice between them. This edge and the upper one meet in the pointed fore-end of this bone.

Region region-15; provider order 15.

The body of the vomer has a finood furriese, and fo- lid, but this faiblance; and towards its fides, where it and thicket, fome cancelli may be observed, when the bone is broken.

Region region-16; provider order 16.

It is joined above to the fphenoid and ethmoid bones, and to the middle cartilage of the nofe, by Ichindylefe; —below, to the maxillary and palce-bones, by the fpi- nous future.

Region region-17; provider order 17.

The

Region region-18; provider order 18.

Source record

bri-0202-d974d662c888

Image SHA-256: d974d662c888e8d1ae2a25821b645143

aacf1c162948d297f96fe9f1694777b6

Dataset revision: 309f765b1ecc83e0a7f7762e44b4a927a7555443

National Library of Scotland, Encyclopaedia Britannica Illustrated (CC0).

https://huggingface.co/datasets/NationalLibraryOfScotland/encyclopaedia_britannica_illustrated/viewer/default/train?row=202