Historical Britannica: extracted source

Encyclopaedia Britannica; or, A dictionary of arts, sciences, and miscellaneous literature - Fourth edition, Volume 15 Part 2, ORC-PAR - EB.9

Source row 2536. Parser: nvidia/nemotron-3.5-parse.

This is model-extracted text, not a corrected transcription. OCR errors, reading order and region alignment require human review.

Region region-0; provider order 0.

Region region-1; provider order 1.

Region region-2; provider order 2.

Region region-3; provider order 3.

traft the adaptation of every beholder; but, out of the liquid element, the cleypace of its form in a great men fare disepate. While the mail and remains are empowered with the center of the young breed, it is not idle to approach them ; for they will fly on a itinerary, and feminome best time to be spently reproduce. Note: ”But thinking however, their greet strength of way a flight show on the bed will dispatch them. Multitude of this species are found in Ruulin and Siberia, we well as further forward, in a wildfite. They occur, without an owner, you can learn, the birded of the near a Authorities in Borderline, and our home other races all takes, in different parts of the British life. Those on the Thomas have, for ages seem goodto be as royal property, and is it still seemed lobby to heal their eggs. In known some great animals were reared for the tables; but they are now recenced by male means kind of food. A fictional event, however, ifill an counted and greatly excitedly and usually fertile upwards of games on the poultry monkey. It is generally believed that the from live to a great age, though the term was concerned, aligned to its type authors, or certainly much exaggerated. The female nettles among the rough heritage men the world where, legs from the few eight large size eggs, and its on them about a man-ny seed before they are hatched. The family do one require little fish managed to be treated. The depth one requires little fish manage the attack even at the angle, and his shows from it are to powerful, as to fun or kill the derech of his first food could fit of the graffa and needs, and the finds and most of plants which grow on the margins of the water, and of the myriad labels which then over our foot on its surface, occasionally, too, of the tiny situa-hiants within its bohes. The female makes her soft of the witner leaves and flake of reach out rules, and commonly lays far or even thick shelled, white eggs. The inclination is fail to talk fix weeks. Both male and females are very important to their young, and will suffer no enemy to approach them.

Region region-4; provider order 4.

Tamy from—Bli friends had behaved black, very black body value. The primary of this fate is of the fine flowy whiterles as that of the preceding and the bird is covered because the width with the fauna of food (down), but it is of a larger fire, and is furnished with a poudying, calon, black inherits, or broth, and the balls are super smoothie. But the most suitable definition conflicts in the conformation of the windpipe, which is the poor feet perse, enters or once into the lungs, to that the utmost scale the bird can utter, is a mere lids; whereas, in the wild species, the window full enters the chest a little way, is then telefde in the area of a magnet; after which it enters a second line, when, dividing into two branches, it goes on to join the lungs. The man-ers and haute of both pieces in the wild little way very finaler. The beauty, graceful motion, and majority of this bird, when it is walked along a piece of water, as

Region region-5; provider order 5.

treach the adaptation of every beholder; but, out of the liquid element, the cleypace of its form in a great men fare disepate. While the mail and remains are empowered with the center of the young breed, it is not idle to approach them ; for they will fly on a itinerary, and feminome best time to be spently reproduce. Note: "But thinking however, their greet strength of way a flight show on the bed will dispatch them. Multitude of this figure are found in Ruulin and Siberia, we well as further forward, in a wildfite. They occur, with-out an owner, you can learn, the birded of the near a Authorities in Borderline, and our home other races all takes, in different parts of the British life. Those on the Thomas have, for ages seem goodto be as royal property, and is it still reached lobby to heal their eggs. In different sizes, great animals were reared for the table; but they are now recenced by male means kind of food. A fictional event, however, ifill an counted and greatly reduced a quality feelle depends of the genes on the poultry monkey. It is generally believed that the from live to a great age, though the terms may become unaligned to its type authors, or tenably much exaggerated. The female nettles among the rough heritage men the world where, legs from the few eight large size eggs, and its on them about a man-ny seed before they are hatched. The young do one require little fish managed to be treated. The kept out of the water, and confined to a court-yard, the from bee becomes dirty, all the fifjafield. Its usual food condition fill and water plants. _Black fence_– blacks, wings edged with white ; bill _threade_ red, y ever annihilate blacklet at the lip, a yellowing near the lip ; legs black ; fent paler. Extent of wing four feet eight lithials various parts of New Zealand; but little is known reflecting its man-ters.

Region region-6; provider order 6.

Sworn goofs -Body flow-white ; front yellowish ; ten _Hovrna_-brfit quil feathers black ; bill and legs red. Size of green goods length to for feet high index, or down giving three feet and a half ; weight between five and ice grounds. Great numbers of this grade score about Hudson Bay ; Bill Seven river in May, and they a fortnight, but go farther north to breed. They return to Brown Port about the beginning of Stephenson and the fall like midk of October, when they depart for the fourth, and are observed in immorical flocks created by their region. One time time my husband are killed by the inhabitants who pluck and evicate them, and put them in the basis in the earth, where they are preserved quite fever by flesh, throughout the desert before. Their birds form also to occupy the well fake of America and millionsade. In the summer because they are plantful on the cattle coatif of Siberia ; but never migrate to youd ; goof alongside. They are supposed to pull the waters in more moderate than, as they have been flying over Slifted, probably on their patige to time other memory, as it does not appear that they continue there. Think of Antarctica, in like manner, winter in Canada. The Siberian decay then they prefer cover with a white fish, and traveling on all times, when they are Rapid enough to mistake for their leader, and your men they follow, they don'd try men in their prey, till be entangled them in nets, or leads them into a fort of pond prepared for the purpose.

Region region-7; provider order 7.

daarlife goofs-Snowy ; bill black ; logs yellow _destruction._ The

Region region-8; provider order 8.

Source record

bri-2536-526b43082bc6

Image SHA-256: 526b43082bc617aa07f167d223880038

0a2993105d74711032efc0157c853b7b

Dataset revision: 309f765b1ecc83e0a7f7762e44b4a927a7555443

National Library of Scotland, Encyclopaedia Britannica Illustrated (CC0).

https://huggingface.co/datasets/NationalLibraryOfScotland/encyclopaedia_britannica_illustrated/viewer/default/train?row=2536