

EXERCISE-01

1.CREATE TABLE "EMPLOYEE"

```
(  "EMPLOYEE_ID" NUMBER(6,0),  
  "FIRST_NAME" VARCHAR2(20),  
  "LAST_NAME" VARCHAR2(20) NOT NULL ENABLE,  
  "EMAIL" VARCHAR2(20) NOT NULL ENABLE,  
  "PHONE_NUMBER" VARCHAR2(10) NOT NULL ENABLE,  
  "HIRE_DATE" DATE NOT NULL ENABLE,  
  "JOB_ID" VARCHAR2(10) NOT NULL ENABLE,  
  "SALARY" NUMBER(8,2),  
  "COMMISION_PCT" NUMBER(2,2),  
  "MANAGER_ID" NUMBER(6,0),  
  "DEPARTMENT_ID" NUMBER(4,0)  
);
```

Table: EMPLOYEE ?					
Column	Data Type	Length	Precision	Scale	Nullable
EMPLOYEE_ID	NUMBER	22	6	0	Yes
FIRST_NAME	VARCHAR2	20	-	-	Yes
LAST_NAME	VARCHAR2	20	-	-	No
EMAIL	VARCHAR2	20	-	-	No
PHONE_NUMBER	VARCHAR2	10	-	-	No
HIRE_DATE	DATE	7	-	-	No
JOB_ID	VARCHAR2	10	-	-	No
SALARY	NUMBER	22	8	2	Yes
COMMISION_PCT	NUMBER	22	2	2	Yes
MANAGER_ID	NUMBER	22	6	0	Yes
DEPARTMENT_ID	NUMBER	22	4	0	Yes

```
2. CREATE TABLE "DEPARTMENT_NEW"  
  (    "DEPT_ID" NUMBER(6,0) NOT NULL ENABLE,  
    "DEPT_NAME" VARCHAR2(20) NOT NULL ENABLE,  
    "MANAGER_ID" NUMBER(6,0),  
    "LOCATION_ID" NUMBER(4,0),  
    PRIMARY KEY ("DEPT_ID")  
  USING INDEX ENABLE  
  );
```

Table: DEPARTMENT_NEW ?					
Column	Data Type	Length	Precision	Scale	Nullable
DEPT_ID	NUMBER	22	6	0	No
DEPT_NAME	VARCHAR2	20	-	-	No
MANAGER_ID	NUMBER	22	6	0	Yes
LOCATION_ID	NUMBER	22	4	0	Yes

```
3. CREATE TABLE "JOB_GRADE"  
  (    "GRADE_LEVEL" VARCHAR2(2),  
    "LOWEST_SAL" NUMBER,  
    "HIGHEST_SAL" NUMBER  
  );
```

Table: JOB_GRADE ?					
Column	Data Type	Length	Precision	Scale	Nullable
GRADE_LEVEL	VARCHAR2	2	-	-	Yes
LOWEST_SAL	NUMBER	22	-	-	Yes
HIGHEST_SAL	NUMBER	22	-	-	Yes

```
4. CREATE TABLE "LOCATION_NEW"  
(  
    "LOCATION_ID" NUMBER(4,0) NOT NULL ENABLE,  
    "ST_ADDR" VARCHAR2(40),  
    "POSTAL_CODE" VARCHAR2(12),  
    "CITY" VARCHAR2(30) NOT NULL ENABLE,  
    "STATE_PROVINCE" VARCHAR2(25),  
    "COUNTRY_ID" CHAR(2)  
);
```

Table: LOCATION_NEW ?					
Column	Data Type	Length	Precision	Scale	Nullable
LOCATION_ID	NUMBER	22	4	0	No
ST_ADDR	VARCHAR2	40	-	-	Yes
POSTAL_CODE	VARCHAR2	12	-	-	Yes
CITY	VARCHAR2	30	-	-	No
STATE_PROVINCE	VARCHAR2	25	-	-	Yes
COUNTRY_ID	CHAR	2	-	-	Yes

1 - 6

```
5. CREATE TABLE "EMP"  
(  
    "ID" NUMBER(7,0),  
    "FIRST_NAME" VARCHAR2(25),  
    "LAST_NAME" VARCHAR2(25),  
    "SALARY" NUMBER(8,2),  
    "DEPT_ID" NUMBER(7,0)  
);
```

Table: EMP ?					
Column	Data Type	Length	Precision	Scale	Nullable
ID	NUMBER	22	7	0	Yes
FIRST_NAME	VARCHAR2	25	-	-	Yes
LAST_NAME	VARCHAR2	25	-	-	Yes
SALARY	NUMBER	22	8	2	Yes
DEPT_ID	NUMBER	22	7	0	Yes

```
6.CREATE TABLE "EMPLOYEE1"  
(  "ID1" NUMBER(7,0),  
  "LAST_NAME" VARCHAR2(50),  
  "FIRST_NAME" VARCHAR2(25),  
  "DEPT_ID" NUMBER(7,0),  
  PRIMARY KEY ("ID1")  
  USING INDEX ENABLE,  
  UNIQUE ("DEPT_ID")  
  USING INDEX ENABLE  
);
```

Table: EMPLOYEE1 ?					
Column	Data Type	Length	Precision	Scale	Nullable
ID1	NUMBER	22	7	0	No
LAST_NAME	VARCHAR2	50	-	-	Yes
FIRST_NAME	VARCHAR2	25	-	-	Yes
DEPT_ID	NUMBER	22	7	0	Yes

```
7.drop table EMPLOYEE1;
```

Results	Explain	Describe	Save
Table dropped.			
0.82 seconds			

```
8.RENAME EMP to EMP1;
```

Statement processed.
0.04 seconds

9.ALTER TABLE EMP1 DROP COLUMN FIRST_NAME;
DESC EMP1;

Table: EMP1 ⓘ					
Column	Data Type	Length	Precision	Scale	Nullable
ID	NUMBER	22	7	0	Yes
LAST_NAME	VARCHAR2	25	-	-	Yes
SALARY	NUMBER	22	8	2	Yes
DEPT_ID	NUMBER	22	7	0	Yes