


# Remalli Mohanachandra – QuizApplication Endpoint testing

## Testing Question's Endpoints -



```
GET http://localhost:8080/api/v1/question/getAllQuestions

Params
Authorization
Headers (6)
Body
Pre-request Script
Tests
Settings


Query Params

Key
Value

body
Cookies
Headers (5)
Test Results

Pretty
Raw
Preview
Visualize
JSON

29  "option3": "@EnableAutoConfiguration",
30  "option4": "@SpringBootApplication",
31  "correctAnswer": "@SpringBootApplication",
32  "difficulty": "EASY",
33  "category": "SPRING"
34  },
35  {
36    "id": 4,
37    "questionTitle": "What is the default scope of a Spring bean?",
38    "option1": "singleton",
39    "option2": "prototype",
40    "option3": "request",
41    "option4": "session",
42    "correctAnswer": "singleton",
43    "difficulty": "MEDIUM",
44    "category": "SPRING"
45  },
46  {
47    "id": 5,
48    "questionTitle": "Which command is used to clone a repository in Git?",
49    "option1": "git copy",
50    "option2": "git clone",
51    "option3": "git pull",
52    "option4": "git push",
53    "correctAnswer": "git clone",
54    "difficulty": "EASY",
55    "category": "GIT"
56  }
57  ]
58  }
```



```
POST http://localhost:8080/api/v1/question/addNewQuestion

Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings


none
form-data
x-www-form-urlencoded
raw
binary
JSON

1  {
2    "questionTitle": "Which file is used to configure properties in a Spring Boot application?",
3    "option1": "application.properties",
4    "option2": "pom.xml",
5    "option3": "config.yaml",
6    "option4": "settings.xml",
7    "correctAnswer": "application.properties",
8    "difficulty": "EASY",
9    "category": "SPRINGBOOT"
10  }
11  }
```


body
Cookies
Headers (5)
Test Results
Status: 200 OK

```
Pretty
Raw
Preview
Visualize
JSON

1  {
2    "id": 6,
3    "questionTitle": "Which file is used to configure properties in a Spring Boot application?",
4    "option1": "application.properties",
5    "option2": "pom.xml",
6    "option3": "config.yaml",
7    "option4": "settings.xml",
8    "correctAnswer": "application.properties",
9    "difficulty": "EASY",
10   "category": "SPRINGBOOT"
11  }
```



## Testing Quiz Endpoints



## Final Calculated Score


**POST** ⌵ <http://localhost:8080/api/v1/quiz/submitQuiz/1>

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ⌵

```
1  [  
2    {  
3      "id": 1,  
4      "userAnswer": "4 bytes"  
5    }  
6  ]
```

**body** Cookies Headers (5) Test Results

Pretty Raw Preview Visualize JSON ⌵ 

```
1  1
```