

## SOFTWARE REQUIREMENTS SPECIFICATION

# Tamara AiQ Fluency Assessment Platform

A structured framework for defining, assessing, measuring, and developing AI fluency across the Tamara workforce.

**Document version:** 1.0

**Date:** 9 July 2026

**Status:** Draft for product & engineering alignment

**Baseline codebase:** aiq\_csuite (prototype)

**Framework reference:** AiQ Executive Summary v1.2 (April 2026)

---

Confidential — Internal Tamara use. This document was prepared to align engineering, design, People/L&D, and Legal on requirements to move from prototype to pilot-ready product.

## Table of contents

1. Introduction
2. Overall description
3. Current state baseline
4. Target product vision
5. User classes and personas
6. Functional requirements
7. Assessment framework requirements
8. User journey requirements
9. Reporting and coaching requirements
10. Admin and workforce analytics requirements
11. Data requirements
12. API requirements
13. Non-functional requirements
14. Security, privacy, and compliance
15. Integration requirements
16. Design and branding requirements
17. Phased delivery plan
18. Acceptance criteria
19. Out of scope
20. Open decisions
21. Appendices

# 1. Introduction

## 1.1 Purpose

This SRS defines the software requirements for **Tamara's AiQ Fluency Assessment** — an enterprise platform to define, assess, measure, and develop AI fluency across Tamara's workforce using a structured conversational assessment aligned to the **AiQ Framework** (6 dimensions, role-specific weighting, 0–100 composite score, 4 maturity bands).

The document bridges the strategic framework (Executive Summary PDF v1.2), the working prototype (aiq\_csuite), and competitive UX patterns (AISA) adapted to Tamara's brand, regulated context, and internal use case.

## 1.2 Scope

**In scope:** Self-serve conversational AiQ assessment (~10 minutes); role × seniority calibration; evidence-based scoring and participant-facing coaching report; admin session review and telemetry; org-level fluency dashboards (later); executive framework deck; pilot for internal reflection & L&D with path to hiring and performance integration.

**Out of scope for initial releases:** See Section 19.

## 1.3 Definitions

| Term              | Definition                                                               |
|-------------------|--------------------------------------------------------------------------|
| AiQ               | AI Quotient — composite measure of practical AI fluency (0–100)          |
| Dimension (D1–D6) | One of six competency areas in the AiQ rubric                            |
| Criterion         | Sub-component within a dimension (target: 2 per dimension = 12 total)    |
| Maturity band     | AiQ1 (0–25), AiQ2 (26–55), AiQ3 (56–80), AiQ4 (81–100)                   |
| Level             | Seniority: ic, people_manager, head_of, executive                        |
| Job family        | Function slug, e.g. product_engineering, risk_legal                      |
| Scenario stack    | Structured flow: anchor → primary → complication → standards → close     |
| Track A / B / C   | Interviewer / per-turn evaluator / end calibration (target architecture) |
| Evidence quote    | Verbatim transcript excerpt supporting a dimension score                 |

1.4 References

| Ref | Document                                                              |
|-----|-----------------------------------------------------------------------|
| R1  | AiQ Executive Summary v1.2                                            |
| R2  | Tamara Visual Identity Guidelines 2025                                |
| R3  | U.S. DOL AI Literacy Framework (TEN 07-25) — alignment appendix (TBD) |
| R4  | Anthropic AI Fluency Index (2026) — alignment appendix (TBD)          |
| R5  | AISA methodology (competitive benchmark)                              |
| R6  | aiq_csuite README and knowledge/aiq_context_rag.md                    |

1.5 Conventions

Requirements use **SHALL** (mandatory), **SHOULD** (recommended), **MAY** (optional). Priority: P0 (MVP blocker), P1 (pilot complete), P2 (scale), P3 (future).

## 2. Overall description

### 2.1 Product perspective

---

Tamara AiQ is a measurement + development system, not a certification marketplace. It sits as a competency layer across: Hiring (AiQ Challenge) → Onboarding → Quarterly refresh → Performance/L&D → Workforce planning. The pilot focuses on current employees, self-assessment, reflection & coaching, with admin visibility.

### 2.2 Product principles

---

1. Conversational, not multiple-choice — measures demonstrated behavior.
2. Augmentation, not automation — rewards extending human expertise with AI.
3. Role-fair — same rubric, different weights and scenario emphasis.
4. Evidence-backed — every dimension score traceable to transcript quotes.
5. Regulated-context aware — D6 is a floor for everyone; deeper for risk/legal/finance.
6. Tamara-native — brand, tone, fintech governance embedded.
7. Short enough for executives — target ~10 minutes; max ~6 user turns in scenario mode.
8. Transparent to participants — respectful second-person copy.

### 2.3 Constraints

---

| Constraint     | Detail                                                   |
|----------------|----------------------------------------------------------|
| Dependencies   | No new packages without security approval                |
| Secrets        | Environment variables only; no .env in source control    |
| LLM cost       | Default 1 main LLM call per user message; scoring at end |
| Pilot audience | Internal; VPN/SSO or IP allow list                       |
| Duration       | AIQ_TARGET_SEC default 900s; scenario max 6 user turns   |
| Branding       | Lavender #9600F1, Purple #5300BA, Plus Jakarta Sans      |

### 3. Current state baseline

| Area                       | Status    | Notes                              |
|----------------------------|-----------|------------------------------------|
| Conversational assessment  | Built     | Flask, chat UI, session resume     |
| 6-dimension scoring        | Built     | D1–D6, AiQ_0_100, maturity band    |
| Level × job family weights | Built     | assessment_profiles.py             |
| Scenario stack v2          | Built     | 5 phases, max 6 user turns         |
| Single LLM scoring         | Built     | gemini_service.score_transcript    |
| Participant report + PDF   | Built     | Results page, session_report_pdf   |
| Coaching / courses         | Built     | Per-dimension gaps, external links |
| Admin + orchestrator       | Built     | Telemetry, weight editor           |
| Executive deck             | Built     | /deck/executive, PDF route         |
| Dual-track scoring         | Not built | Single model interviews and scores |
| Pre-assessment wizard      | Not built | Level/family on intro only         |
| 5-slide report reveal      | Not built | Instant results                    |
| Personas                   | Not built | Maturity bands only                |
| 12 sub-criteria            | Not built | 1 score per dimension              |
| Org dashboard              | Not built | Per-session admin only             |
| SSO / manager mode         | Not built | Framework doc only                 |

### 4. Target product vision

| Tier | Name                   | Goal                                                    |
|------|------------------------|---------------------------------------------------------|
| R1   | Pilot MVP              | Internal self-assessment, credible report, admin review |
| R2   | Enhanced experience    | Journey quality, evidence quotes, personas, playbook    |
| R3   | Workforce intelligence | Team/org dashboards, dual-track scoring, manager mode   |
| R4   | Enterprise             | SSO, ATS, performance systems, hiring challenge         |

**Pilot success metrics**

| Metric                            | Target       |
|-----------------------------------|--------------|
| Session completion rate           | ≥ 70%        |
| Median duration                   | 8–12 minutes |
| Participant NPS                   | ≥ 30         |
| Sessions with 6 dimension signals | ≥ 80%        |
| Scoring failure rate              | < 5%         |
| PII incidents                     | 0            |

## 5. User classes

| User class                | Needs                                       |
|---------------------------|---------------------------------------------|
| Participant (employee)    | Clear expectations, actionable report       |
| L&D / People partner      | Cohort progress, gap themes, training hooks |
| Hiring manager (Phase 3+) | Comparable scores, integrity signals        |
| Function leader           | Team dimension breakdown                    |
| Platform admin            | Session audit, rubric tuning                |
| Executive sponsor         | Org AiQ index, trend, risk posture          |

## 6. Functional requirements

### 6.1 Session lifecycle

| ID        | Pri | Requirement                                                      |
|-----------|-----|------------------------------------------------------------------|
| FR-SLC-01 | P0  | System SHALL create unique session_id (UUID) on start.           |
| FR-SLC-02 | P0  | System SHALL persist transcript and client events.               |
| FR-SLC-03 | P0  | System SHALL allow resume via URL or localStorage.               |
| FR-SLC-04 | P0  | System SHALL block messages on ended sessions (HTTP 410).        |
| FR-SLC-05 | P0  | System SHALL auto-expire open sessions after 24h (configurable). |
| FR-SLC-06 | P0  | User SHALL complete anytime after $\geq 1$ user turn.            |
| FR-SLC-07 | P1  | System SHOULD warn if dimension breadth < 4 before early end.    |
| FR-SLC-08 | P1  | Scoring SHALL be idempotent on /complete retry.                  |

### 6.2 Assessment configuration

| ID        | Pri | Requirement                                                   |
|-----------|-----|---------------------------------------------------------------|
| FR-CFG-01 | P0  | Participant SHALL select level and job family before start.   |
| FR-CFG-02 | P0  | System SHALL compute frozen dimension weights from profile.   |
| FR-CFG-04 | P1  | System SHOULD capture participant intent (6 options).         |
| FR-CFG-06 | P2  | System SHOULD support modes: self, manager, hiring_challenge. |



## 6.3 Conversational interview (Track A)

| ID        | Pri | Requirement                                            |
|-----------|-----|--------------------------------------------------------|
| FR-INT-01 | P0  | One clear question at a time.                          |
| FR-INT-02 | P0  | Focus on generative AI / copilot use in real work.     |
| FR-INT-03 | P0  | Scenario stack v2 as default for new sessions.         |
| FR-INT-05 | P0  | ≤ 6 user turns in scenario mode.                       |
| FR-INT-07 | P0  | Probe tools used and what for by mid-session.          |
| FR-INT-08 | P0  | No accusation of paste; may ask for concrete example.  |
| FR-INT-11 | P1  | UI shows phase/dimension progress and timer.           |
| FR-INT-13 | P2  | Interviewer receives Track B steering notes each turn. |

## 6.4 Scoring

| ID        | Pri | Requirement                                   |
|-----------|-----|-----------------------------------------------|
| FR-SCR-01 | P0  | Score D1–D6 on 0–10 (0.5 steps).              |
| FR-SCR-02 | P0  | Compute AiQ_0_100 from frozen weights.        |
| FR-SCR-04 | P0  | Rationales in second person or neutral tone.  |
| FR-SCR-06 | P1  | 1–2 evidence quotes per dimension in report.  |
| FR-SCR-08 | P1  | Assign AiQ persona from score shape.          |
| FR-SCR-09 | P2  | 12 sub-criteria with 1–10 behavioral anchors. |
| FR-SCR-10 | P2  | Track B evaluates each message in parallel.   |
| FR-SCR-11 | P2  | Track C calibration pass on full transcript.  |

## 6.5 Integrity

| ID         | Pri | Requirement                                                     |
|------------|-----|-----------------------------------------------------------------|
| FR-INTG-01 | P0  | Heuristic paste detection per message.                          |
| FR-INTG-02 | P0  | Tab/window blur/focus client events.                            |
| FR-INTG-04 | P1  | Admin integrity section in telemetry.                           |
| FR-INTG-07 | P1  | Integrity signals transparent, not auto-disqualifying in pilot. |

## 6.6 Coaching

| ID          | Pri | Requirement                                      |
|-------------|-----|--------------------------------------------------|
| FR-COACH-01 | P0  | Report: composite, 6 dimensions, maturity blurb. |
| FR-COACH-03 | P0  | Per-dimension concrete next step.                |
| FR-COACH-05 | P1  | 30-day structured plan for top gaps.             |
| FR-COACH-07 | P2  | Map gaps to AiQ Playbook (30+ articles).         |

## 7. Assessment framework requirements

### 7.1 Six dimensions

| Code | Name                        | Measures                                       |
|------|-----------------------------|------------------------------------------------|
| D1   | Awareness & opportunity     | Tool landscape, value/risk prioritization      |
| D2   | Prompts & communication     | Context, constraints, iteration                |
| D3   | Critical judgment           | Verification, human vs model judgment          |
| D4   | Workflows & org design      | Process embedding, handoffs, accountability    |
| D5   | Clarity, craft & output fit | Quality of AI-supported work others rely on    |
| D6   | Risk & responsible use      | Data/IP, vendor access, escalation, governance |

### 7.2 Maturity bands

| Band | Score  | Label                                      |
|------|--------|--------------------------------------------|
| AiQ1 | 0–25   | Aware — occasional use                     |
| AiQ2 | 26–55  | Proficient — daily use, evaluates output   |
| AiQ3 | 56–80  | Builder — designs workflows, teaches peers |
| AiQ4 | 81–100 | Strategist — org-level AI strategy         |

### 7.3 Default executive weights

| Dimension       | Weight |
|-----------------|--------|
| D1 Awareness    | 16%    |
| D2 Prompts      | 10%    |
| D3 Judgment     | 16%    |
| D4 Workflows    | 20%    |
| D5 Output craft | 8%     |
| D6 Risk         | 30%    |

## 7.4 Interview depth ("6 + 2")

Light pass across all six dimensions; deeper follow-up on the two highest-weighted dimensions for the participant's level × job family. Pilot framing: reflection and coaching, not hiring rank.

## 7.5 Tamara personas (target R2)

| Persona      | Signal pattern              |
|--------------|-----------------------------|
| Strategist   | High D4+D6, executive level |
| Builder      | High D4+D2, hands-on        |
| Sceptic      | High D3+D6, lower D4        |
| Operator     | High D2+D4, moderate D3     |
| Explorer     | High D1, lower D4           |
| Craftsperson | High D5+D3                  |
| Delegator    | High D2, low D3 (risk flag) |
| Bystander    | Low across D1–D4            |

## 8. User journey requirements

**Target flow:** Landing → Onboarding (5 steps) → Chat → Scoring wait → Report slides (5) → PDF → Playbook.

### 8.1 Landing (P0–P1)

Explain conversational ~10 min assessment; Tamara branding; CTA “Begin assessment”; optional badges (6 dimensions, 0 multiple choice, role-weighted).

### 8.2 Onboarding wizard (P1)

| Step | Content                                   |
|------|-------------------------------------------|
| 1    | Ready for a chat — duration, deliverables |
| 2    | Benchmark preview / sample chart          |
| 3    | Intent: what brings you here (6 options)  |
| 4    | Level + job family                        |
| 5    | Expectations + privacy note               |

### 8.3 Chat (P0–P1)

Phase/dimension banners; timer; progress pill; composer; “View results”; mobile-responsive (min 320px).

### 8.4 Scoring interstitial (P1)

“Reviewing your conversation for evidence...”; ETA; progress bar; optional links while waiting.

### 8.5 Report reveal — 5 slides (P1)

1. Your results are ready
2. Composite score + persona (+ percentile if cohort exists)
3. 6-dimension chart with weights
4. Top gaps + evidence quotes + next steps
5. Learning plan + PDF download

## 9. Reporting and coaching

**Participant report SHALL include:** AiQ 0–100; maturity band; 6 dimension scores with rationales; strength + risk lines; top gaps vs target; per-dimension actions; up to 4 learning links; pilot disclaimer.

**SHOULD include (R2):** Persona; evidence quotes; neutral integrity note if flagged.

**Org reporting (R3):** AiQ Index; dimension averages; band distribution; team filters; QoQ trend; CSV export.

## 10. Admin requirements

| ID        | Requirement                                                    |
|-----------|----------------------------------------------------------------|
| FR-ADM-01 | Admin APIs require AIQ_ADMIN_SECRET (Bearer, token, or header) |
| FR-ADM-10 | List sessions with scores and assessment profile               |
| FR-ADM-11 | Detail: transcript, events, telemetry, per-turn analysis       |
| FR-ADM-13 | Optional participant_name label                                |
| FR-ADM-14 | Delete session (GDPR erasure)                                  |
| FR-ADM-15 | Filter by date, family, level, score (R2)                      |

## 11. Data requirements

### 11.1 Core entities

**sessions:** id, timestamps, variation\_json, last\_scores\_json, completed, user\_agent, client\_meta, participant\_name, session\_enrichment\_json.

**messages:** id, session\_id, role, content, created\_at, flags\_json.

**events:** id, session\_id, type, payload\_json, created\_at.

### 11.2 Scores JSON (target)

```
{
  "D1": { "score": 6.5, "rationale_1line": "...", "evidence_quotes": ["..."] },
  "AiQ_0_100": 62.4, "maturity_band": "AiQ3", "persona": "Builder",
  "strength_1line": "...", "risk_1line": "..."
}
```

### 11.3 Retention

Pilot: 12 months for transcripts unless deleted. Production policy TBD with Legal. Admin delete cascades messages and events.

## 12. API requirements

| Method | Path                         | Pri |
|--------|------------------------------|-----|
| POST   | /api/session/start           | P0  |
| POST   | /api/session/{id}/message    | P0  |
| POST   | /api/session/{id}/complete   | P0  |
| GET    | /api/session/{id}/report.pdf | P0  |
| GET    | /api/admin/sessions          | P0  |
| GET    | /api/orchestrator/state      | P1  |

User messages capped at 12,000 characters. Rate limit: 30 messages/session (configurable). CORS restricted in production.

## 13. Non-functional requirements

| ID           | Requirement                              |
|--------------|------------------------------------------|
| NFR-PERF-01  | Message round-trip p95 < 15s (cloud LLM) |
| NFR-PERF-02  | Scoring p95 < 60s typical transcript     |
| NFR-AVAIL-01 | Pilot uptime 99% business hours (KSA)    |
| NFR-AVAIL-02 | Fallback to Ollama on 429/quota          |
| NFR-SCALE-01 | Postgres for production                  |
| NFR-A11Y-01  | WCAG 2.1 AA participant path (R2)        |
| NFR-I18N-01  | Arabic UI RTL (R4)                       |

## 14. Security, privacy, compliance

| ID     | Requirement                                                    |
|--------|----------------------------------------------------------------|
| SEC-01 | No secrets in client or public repos                           |
| SEC-02 | Admin secret $\geq$ 32 random chars in production              |
| SEC-03 | Deploy behind VPN/SSO/IP allow list (pilot)                    |
| SEC-05 | Supabase RLS default deny                                      |
| SEC-10 | Transcripts: internal confidential                             |
| SEC-11 | No full message content in app logs                            |
| SEC-13 | Pre-chat warning: no customer PII, card data                   |
| SEC-20 | Approved LLM: OpenAI, Gemini, Ollama (dev)                     |
| SEC-30 | D6 aligned with Tamara AI policy, AML/security training spirit |



## 15. Integration requirements

| Integration                   | Priority |
|-------------------------------|----------|
| Email notification            | P2       |
| HRIS (employee ID, org unit)  | P3       |
| ATS (hiring challenge scores) | P3       |
| SSO (Okta/Azure AD)           | P3       |
| LMS / performance mgmt        | P4       |

## 16. Design and branding

**Colors:** Lavender #9600F1, Purple #5300BA. **Font:** Plus Jakarta Sans. **Logo:** tamara wordmark on purple/lavender; no brightness filter on PNG.

**UX patterns to adopt (Tamara-styled):** Multi-step onboarding; in-chat progress pill; scoring wait; 5-slide report; internal cohort percentile chart ( $n \geq 30$ ). Do not copy AISA dark/neon as primary identity.

## 17. Phased delivery plan

### R1 — Pilot MVP (4–6 weeks)

---

- Stabilize core flow, scoring retry, session resume
- Finalize weights vs executive deck
- Evidence quotes in scoring JSON + report
- Postgres prod, VPN deploy, admin training
- Legal disclaimer and retention policy

**Exit:** 50 employees complete; L&D sign-off on rubric tone.

### R2 — Enhanced experience (6–8 weeks)

---

- 5-step onboarding wizard
- 5-slide report reveal + PDF
- 8 personas; scoring interstitial
- 12 sub-criteria in rubric; AiQ Playbook (30 articles)
- DOL + Anthropic alignment appendix

### R3 — Workforce intelligence (8–10 weeks)

---

- Org dashboard (AiQ Index, histograms, team filters)
- Dual-track + calibration scoring
- Manager assessment mode; enhanced integrity

### R4 — Enterprise (ongoing)

---

SSO, HRIS, AiQ Challenge (30–45 min exercise), ATS, quarterly campaigns, Arabic.

## 18. Acceptance criteria

### R1

---

- End-to-end completion without admin help
- Report: AiQ, 6 dimensions, band, 3+ coaching actions
- PDF download works
- Admin views transcript + telemetry
- Session survives browser refresh
- Scoring success  $\geq 95\%$

## 19. Out of scope

1. Public LinkedIn certification / global leaderboard
2. MCQ as primary assessment
3. Automated hiring decisions from score alone
4. Webcam proctoring
5. Custom fine-tuned Tamara LLM (v1)
6. Native mobile apps
7. Copilot tenant usage analytics (separate project)
8. Performance management process implementation
9. New dependencies without security review

## 20. Open decisions

| #     | Decision                    | Owner          | By |
|-------|-----------------------------|----------------|----|
| OD-01 | Production hosting region   | Infra          | R1 |
| OD-02 | Primary LLM vendor          | Eng + Security | R1 |
| OD-03 | Anonymous vs SSO in pilot   | People + IT    | R1 |
| OD-04 | Transcript retention period | Legal          | R1 |
| OD-05 | Persona set (6 vs 8)        | Product        | R2 |
| OD-06 | Cohort benchmark visibility | People         | R2 |
| OD-07 | Manager mode priority       | COO            | R3 |

## Appendix A — Competitive differentiation

| Capability         | AISA                   | Tamara AiQ            |
|--------------------|------------------------|-----------------------|
| Dimensions         | 5                      | 6 (+ D5 output craft) |
| Duration           | 20–40 min              | ~10 min               |
| Audience           | Global / certification | Tamara workforce      |
| D6 weight          | 10%                    | Up to 30%             |
| Org dashboard      | Mature                 | R3                    |
| Dual-track scoring | Yes                    | R3                    |

## Appendix B — Prototype traceability

| File                         | SRS sections      |
|------------------------------|-------------------|
| app.py                       | \$6, \$12, \$10   |
| gemini_service.py            | \$6.3–6.4, \$7    |
| scenario_engine.py           | \$6.3, \$7.4, \$8 |
| assessment_profiles.py       | \$7.3–7.5         |
| static/index.html, app.js    | \$8               |
| knowledge/aiq_context_rag.md | \$7               |