

Getting Daily Attendance Data

This API allows the user to fetch daily attendance data for employees over a specified time duration and for specific user groups.

Action

action=get

Syntax

```
http://<servername>/api.svc/v2/attendance-daily?action=get;<argument>=<value>...
```

User Rights

User	Rights
System Account	Enabled
ESS	Enabled

Parameters

Table: Getting Daily Attendance Data - Parameters

Argument	Valid Values	Mandatory	Default Value	Description
Field-name	The list of fields is mentioned in the Response Fields table.	No	-	If "field-name" is not mentioned, then configured "field-name" for the respective template in 'API Data Template' will be fetched. User can select multiple "field-name", each separated by ", (comma)" e.g.: "userid, username, orgid..."
date-range	ddmmyyyy-ddmmyyyy	No	Current Day	This is the date range for which data is to be fetched.
range	all organization branch department designation section category grade user	No	All	
Id	1 to 999 (for all the ranges except all & user) Note: This is the min to max range. In case of a system with only 1-50 id defined then valid range shall be 1-50.	Yes, if mentioned range is other than 'All'.	-	Each range (except all) shall have specific id. System should allow user to select multiple id, each separated by ", (comma)" e.g.: "1, 3, 7, 9..." Or Select a range of id E.g. "1-50".

Table: Getting Daily Attendance Data - Parameters

Argument	Valid Values	Mandatory	Default Value	Description
shift-end-elapsed	HH:MM-HH:MM	No	-	If mentioned, only those records will be shown for which: [API Request Date Time - Range(to)] <= Working Shift End Date Time <= [API Request Date Time - Range(from)]
return-field-name	0: display name (As per export template config) 1: actual field (As per view column) 2: both	No	-	If "return-field-name" is not mentioned the response will be as per existing system (i.e. 0 = display name)
Active	0 : inactive 1: active 2:all	No	1	Return users as per their active flag status.

Response Fields**Table: Getting Daily Attendance Data - Response Fields**

Field Name	Tag Name	Valid Values	Remarks
User ID	USERID	15 characters.	-
User Name	USERNAME	45 characters	-
Short Name	short_name	max 15 alphanumeric characters	-
Integration Reference	integration_reference	max 20 alphanumeric characters	-
Organization ID	ORGID	1-999999	-
Branch ID	BRCID	1-999999	-
Department ID	DPTID	1-999999	-
Section ID	SECID	1-999999	-
Category ID	CTGID	1-999999	-
Grade ID	GRDID	1-999999	-
Designation ID	DSGID	1-999999	-
Reference No.	ADLUSERID	numeric (8 digits)	-
Gender	GENDER	M : Male F: Female NA : Not available	-
Marital Status	MRTLSTAT	M : Married U : Unmarried NA : Not available	-
Birth Date	BIRTHDT	dd/mm/yyyy	-
Joining Date	JOINDT	dd/mm/yyyy	-
Leaving Date	LEAVEDT	dd/mm/yyyy	-
Process Date	PROCESSDATE	dd/mm/yyyy	-
Process Date	PROCESSDATE_D	mm/dd/yy HH:MM:SS	-

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
1st Punch	PUNCH1	dd/mm/yyyy HH:MM	-
1st Punch	PUNCH1_DATE	dd/mm/yyyy	-
1st Punch	PUNCH1_TIME	HH:MM	-
2nd Punch	PUNCH2	dd/mm/yyyy HH:MM	-
2nd Punch	PUNCH2_DATE	dd/mm/yyyy	-
2nd Punch	PUNCH2_TIME	HH:MM	-
3rd Punch	PUNCH3	dd/mm/yyyy HH:MM	-
3rd Punch	PUNCH3_DATE	dd/mm/yyyy	-
3rd Punch	PUNCH3_TIME	HH:MM	-
4th Punch	PUNCH4	dd/mm/yyyy HH:MM	-
2nd Punch	PUNCH2_TIME	HH:MM	-
4th Punch	PUNCH4_DATE	dd/mm/yyyy	-
4th Punch	PUNCH4_TIME	HH:MM	-
5th Punch	PUNCH5	dd/mm/yyyy HH:MM	-
5th Punch	PUNCH5_DATE	dd/mm/yyyy	-
5th Punch	PUNCH5_TIME	HH:MM	-
6th Punch	PUNCH6	dd/mm/yyyy HH:MM	-
6th Punch	PUNCH6_DATE	dd/mm/yyyy	-
6th Punch	PUNCH6_TIME	HH:MM	-
7th Punch	PUNCH7	dd/mm/yyyy HH:MM	-
7th Punch	PUNCH7_DATE	dd/mm/yyyy	-
7th Punch	PUNCH7_TIME	HH:MM	-
8th Punch	PUNCH8	dd/mm/yyyy HH:MM	-
8th Punch	PUNCH8_DATE	dd/mm/yyyy	-
8th Punch	PUNCH8_TIME	HH:MM	-
9th Punch	PUNCH9	dd/mm/yyyy HH:MM	-
9th Punch	PUNCH9_DATE	dd/mm/yyyy	-
9th Punch	PUNCH9_TIME	HH:MM	-
10th Punch	PUNCH10	dd/mm/yyyy HH:MM	-
10th Punch	PUNCH10_DATE	dd/mm/yyyy	-
10th Punch	PUNCH10_TIME	HH:MM	-
11th Punch	PUNCH11	dd/mm/yyyy HH:MM	-
11th Punch	PUNCH11_DATE	dd/mm/yyyy	-
11th Punch	PUNCH11_TIME	HH:MM	-
12th Punch	PUNCH12	dd/mm/yyyy HH:MM	-
12th Punch	PUNCH12_DATE	dd/mm/yyyy	-

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
12th Punch	PUNCH12_TIME	HH:MM	-
Special Function 1	SPFID1	1-10	1=Official In, 2=Official Out, 3=ShortLeave In, 4=ShortLeave Out, 5=Regular In, 6=Regular Out, 7=Lunch In, 8=Lunch Out, 9=Overtime In, 10=Overtime Out
Special Function 2	SPFID2	1-10	Same as above
Special Function 3	SPFID3	1-10	Same as above
Special Function 4	SPFID4	1-10	Same as above
Special Function 5	SPFID5	1-10	Same as above
Special Function 6	SPFID6	1-10	Same as above
Special Function 7	SPFID7	1-10	Same as above
Special Function 8	SPFID8	1-10	Same as above
Special Function 9	SPFID9	1-10	Same as above
Special Function 10	SPFID10	1-10	Same as above
Special Function 11	SPFID11	1-10	Same as above
Special Function 12	SPFID12	1-10	Same as above
Scheduled Shift	SCHEDULESHIFT	Two Character Code	-
Work Shift	WORKINGSHIFT	Two Character Code	-
Early In	EARLYIN	minutes	-
Early In	EARLYIN_HHMM	HH:MM	-
Late In	LATEIN	minutes	-
Late In	LATEIN_HHMM	HH:MM	-
Early Out	EARLYOUT	minutes	-
Early Out	EARLYOUT_HHMM	HH:MM	-
Overstay	OVERSTAY	minutes	-
Overstay	OVERSTAY_HHMM	HH:MM	-
Overtime	OVERTIME	minutes	-
Overtime	OVERTIME	HHHHHH:MM	-
Work time	WORKTIME	minutes	-
Work time	WORKTIME_HHMM	HH:MM	-

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
First Half	FIRSTHALF	PR : Present AB : Absent WO : Week Off PH : Public Holiday FB : Field Break RD : Rest Day IN : Official In <Leave Codes>	<Leave Codes> as configured in COSEC
Second Half	SECONDHAF	PR : Present AB : Absent WO : Week Off PH : Public Holiday FB : Field Break RD : Rest Day IN : Official In <Leave Codes>	<Leave Codes> as configured in COSEC
Manual OT Credit	MANUALOVERTIME_CREDIT	minutes	-
Manual OT Credit	MANUALOVERTIME_CREDIT_HHMM	HH:MM	-
Manual OT Debit	MANUALOVERTIME_DEBIT	minutes	-
Manual OT Debit	MANUALOVERTIME_DEBIT_HHMM	HH:MM	-
Authorized OT	AUTHORIZEDOVERTIME	minutes	-
Authorized OT	AUTHORIZEDOVERTIME	HHHHHH:MM	-
OT Authorization Date	OVERTIMEAUTHORIZATION DATE	dd/mm/yyyy	-
Manual C-Off Credit	MANUALCOFF_CREDIT	minutes	-
Manual C-Off Credit	MANUALCOFF_CREDIT_HHMM	HH:MM	-
Manual C-Off Debit	MANUALCOFF_DEBIT	minutes	-
Manual C-Off Debit	MANUALCOFF_DEBIT_HHMM	HH:MM	-
Authorized C-Off	AUTHORIZEDCOFF	minutes	-
Authorized C-Off	AUTHORIZEDCOFF_HHMM	HH:MM	-
Authorized C-Off Date	AUTHORIZEDCOFFDATE	dd/mm/yyyy	-
Availed C-Off	AVAILEDCOFF	minutes	-
Availed C-Off	AVAILEDCOFF_HHMM	HH:MM	-
Encashed C-Off	ENCASHEDCOFF	minutes	-
Encashed C-Off	ENCASHEDCOFF_HHMM	HH:MM	-
Lunch Duration	LUNCHDURATION	minutes	-
Lunch Duration	LUNCHDURATION_HHMM	HH:MM	-
Late In Lunch	LATEINLUNCH	minutes	-
Late In Lunch	LATEINLUNCH_HHMM	HH:MM	-
Early Out Lunch	EARLYOUTLUNCH	minutes	-
Early Out Lunch	EARLYOUTLUNCH_HHMM	HH:MM	-

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
WO and PH	WEEKOFFANDHOLIDAY	0 : status is not WO/PH 1 : status is WO/PH	-
Official Duration	OFFICIALDURATION	minutes	-
Personal Duration	PERSONALDURATION	minutes	-
Shift Start	SHIFTSTART	HH:MM	-
Shift End	SHIFTEND	HH:MM	-
Lunch Start	LUNCHSTART	HH:MM	-
Lunch End	LUNCHEEND	HH:MM	-
Out Punch	OUTPUNCH	mm/dd/yyyy HH:MM	-
Out Punch	OUTPUNCH_DATE	mm/dd/yyyy	-
Out Punch	OUTPUNCH_TIME	HH:MM	-
Out Special Function	OUTSPFID	1-10	Format same as SPFID1-SPFID12
Site ID	SITEID	1-999	-
Minimum Work hours for Full day	MINWRKHRSFDAY	minutes	-
Minimum Work hours for Full day	MINWRKHRSFDAY_HHMM	HH:MM	-
Minimum Work hours for Half Day	MINWRKHRSFHDAY	minutes	-
Minimum Work hours for Half day	MINWRKHRSFHDAY_HHMM	HH:MM	-
Shift Type	SHIFTTYPE	0,1,2	0 : Normal 1 : Field Break 2 : Rest Day
Summary	SUMMARY	50 alpha-numeric characters(max)	The summary statement for the attendance date. Eg. : Absent due to late-in
Day Status	DAYSTATUS	0 : WO 1 : PH 2 : WO/PH 3 : Normal	-
Net Work Hours	NETWORKHRS	HHHHHH:MM	Calculated as per Net-work hours policy defined for the user.
Adjusted work hours	ADJUSTEDHRS	HH:MM	The overtime adjustment done in month process for less work hours correction.
In/Out Reason for Punch 1	punch_reason1	30 alphanumeric characters	Return If available.Else blank. From V10R2, Manually entered reasons will also be considered.
In/Out Reason for Punch 2	punch_reason2	30 alphanumeric characters	-
In/Out Reason for Punch 3	punch_reason3	30 alphanumeric characters	-
In/Out Reason for Punch 4	punch_reason4	30 alphanumeric characters	-

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
In/Out Reason for Punch 5	punch_reason5	30 alphanumeric characters	-
In/Out Reason for Punch 6	punch_reason6	30 alphanumeric characters	-
In/Out Reason for Punch 7	punch_reason7	30 alphanumeric characters	-
In/Out Reason for Punch 8	punch_reason8	30 alphanumeric characters	-
In/Out Reason for Punch 9	punch_reason9	30 alphanumeric characters	-
In/Out Reason for Punch 10	punch_reason10	30 alphanumeric characters	-
In/Out Reason for Punch 11	punch_reason11	30 alphanumeric characters	-
In/Out Reason for Punch 12	punch_reason12	30 alphanumeric characters	-
Actual OT for OT1	OVERTIME1	minutes	Value of actual overtime
Actual OT for OT2	OVERTIME2	minutes	Value of actual overtime
Actual OT for OT3	OVERTIME3	minutes	Value of actual overtime
Actual OT for OT4	OVERTIME4	minutes	Value of actual overtime
Actual OT for OT5	OVERTIME5	minutes	Value of actual overtime
Authorized OT for OT1	AUTHOT1	minutes	Value of authorized overtime
Authorized OT for OT2	AUTHOT2	minutes	Value of authorized overtime
Authorized OT for OT3	AUTHOT3	minutes	Value of authorized overtime
Authorized OT for OT4	AUTHOT4	minutes	Value of authorized overtime
Authorized OT for OT5	AUTHOT5	minutes	Value of authorized overtime
Custom Field 1-10	field1-10	upto 100 characters	Valid Characters : A-Z a-z 0-9 space [] () . - _
Short Leave Count	short_leave_count	0-99	Availed Short Leave Count
Short Leave Hours	short_leave_hours	HH:MM	Availed Short Leave Duration
Official Hours	official_hours	HH:MM	Availed Official Duration
Organization Name	organization_name	40 Characters	Allowed Characters A-Z a-z 0-9 -_. ()[]

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Branch Name	branch_name	40 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Designation Name	designation_name	30 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Section Name	section_name	30 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Department Name	department_name	30 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Category Name	category_name	30 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Grade Name	grade_name	30 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Custom Group 1 ID	CustomGroup1ID	1-999999	
Custom Group 2 ID	CustomGroup2ID	1-999999	
Custom Group 3 ID	CustomGroup3ID	1-999999	
Custom Group 1 Name	CustomGroup1_Name	45 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Custom Group 2 Name	CustomGroup2_Name	45 Characters	Allowed Characters A-Z a-z 0-9 -_. ()
Custom Group 3 Name	CustomGroup3_Name	45 Characters	Allowed Characters A-Z a-z 0-9 -_. ()

Table: Getting Daily Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Full Name	full-name	max 200 alphanumeric characters	Allowed Characters A-Z a-z 0 - 9 () [] _ (underscore) - (Hyphen) . (full Stop) / & , (comma) @ ' (single quote) [Space] When Multi Language is On, Invalid Character set = Set3
Hourly Paid Leave Hours	AVAILEDPLHOURS	HH:MM	Defines the total Availed Hourly Paid Leave Hours for that particular attendance day
Hourly Unpaid Leave Hours	AVAILEDULHOURS	HH:MM	Defines the total Availed Hourly Unpaid Leave Hours for that particular attendance day

Example1

Following are some sample cases for this API:

Sample Request:

To fetch attendance data for the current date (default):

```
http://192.168.104.13/cosec/api.svc/v2/attendance-daily?action=get;
```

Sample Response:

```
UserID|USER NAME|ProcessDate|Punch1|Punch2|WorkingShift|LateIn|EARLY OUT|Overtime|WorkTime
vegaworker|vegaworker|02/01/2018|01/01/2018 22:23:38||GS|||
<EOT>
```

Example2**Sample Request:**

To fetch daily-attendance records for a specified date-range and for a particular user..

```
http://192.168.104.11/cosec/api.svc/v2/attendance-daily?action=get;date-range=01102016-05102016;range=user;Id=1690
```

Sample Response:

```
UserID|UserName|Punch1|Punch2|ProcessDate|WorkingShift|LateIn|EarlyOut|Overtime|WorkTime|CustomGroup1_Name|CustomGroup2_Name|CustomGroup3_Name
1690|Priyank Bora|||01/10/2016||0|0|0|0|Custom Group 1|Custom Group 2|custom grp 3.2
1690|Priyank Bora|||02/10/2016||0|0|0|0|Custom Group 1|Custom Group 2|custom grp 3.2
1690|Priyank Bora|||03/10/2016||0|0|0|0|Custom Group 1|Custom Group 2|custom grp 3.2
1690|Priyank Bora|||04/10/2016||0|0|0|0|Custom Group 1|Custom Group 2|custom grp 3.2
1690|Priyank Bora|||05/10/2016||0|0|0|0|Custom Group 1|Custom Group 2|custom grp 3.2
<EOT>
```

Example3

Sample Request:

To fetch specific fields in response using the **field-name** optional argument.

```
http://matrixserver/api.svc/v2/attendance-daily?action=get;field-name=userid,firsthalf,secondhalf;date-range=01012013-02012013
```

Sample Response:

```
UserID|firsthalf|secondhalf
1|WO|WO
10|WO|WO
1001|AB|AB
1002|AB|AB
1003|AB|PR
1004|AB|AB
1007|AB|AB
1008|AB|AB
1009|AB|AB
1010|AB|AB
1011|AB|AB
1012|AB|AB
1015|AB|AB
1016|PR|PR
102|AB|AB
1020|AB|AB
1022|AB|AB
1028|PR|PR
1030|AB|AB
<EOT>
```