

Accessing User Data

This function allows you to retrieve specific data for a single user or multiple users. For instance, this method can be used to retrieve an employee's name, date-of-birth, joining date, blood-group, Passport Number etc.

Action

action=get

Syntax

```
http://<servername>/api.svc/v2/user?action=get;<argument>=<value>...
```

Parameters

Table: Accessing User Data - Parameters

Argument	Valid Values	Mandatory	Default Value	Description
range	All, organization, branch, department, designation, section, category, grade, user, custom-group-1, custom-group-2, custom-group-3	No	If "id" parameter is not mentioned, consider range=all. If "id" parameter is mentioned, consider range=user	This is used to fetch the data for selected range of users. Note: Response shall be provided with an error message, in case of invalid range. Note: Here "all" means the IDs of all the users that login user has rights over Note: If range is not mentioned and "id" is specified, it will be considered as range = user. And the IDs mentioned will be considered as user IDs.
id	1 to 999999 (for all the ranges except all & user) Max 15 alphanumeric characters (for user)	Yes (if mentioned range is other than "all")	-	This can be the organization or user id (as per the selected range). Note: Multiple IDs can be selected, each separated by a 'comma'. e.g.: "1, 3, 7, 9..." Note: If neither range nor id are mentioned, return data for all the users the login user has rights on.
Cwm-enabled	0 : if user is not a worker 1: if user is worker	No		
field-name	Any of the field names that can be updated using set option (list is available in set table)	No	all	These are the fields that can be specified to fetch User's specific data.

Response Fields

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Id	id	max 15 characters	Allowed Characters A-Z a-z 0-9 /_\.,@:
Reference Code	reference-code	1 to 99999999 (max 8 digits)	-
User Name	name	max 45 alphanumeric characters	Allowed Characters A-Z a-z 0-9 -_. ()[]
Short Name	short-name	max 15 alphanumeric characters	-
Active	active	1 : Active 0 : Inactive 2 : Inactive and Revoke Devices	-
Module	module	U- T&A User	-
Date of Birth	date-of-birth	ddmmyyyy	-
Joining Date	joining-date	ddmmyyyy	-
Confirmation Date	confirmation-date	ddmmyyyy	-
Leaving Date	leaving-date	ddmmyyyy	-
Reason For Leaving	reason-for-leaving	max 15 alphanumeric characters	-
PF No.	pf-no	max 30 alphanumeric characters	-
Vehicle Registration No	vehicle-reg-no	max 50 alphanumeric characters and comma(,)	-
Driving License	driving-license	max 30 alphanumeric characters	-
PAN No.	pan	max 30 alphanumeric characters	-
ESI No.	esi-no	max 30 alphanumeric characters	-
Passport No.	passport-no	max 30 alphanumeric characters	-
Aadhar No.	aadhar-no	max 12 numeric characters	-
UAN	uan	max 12 numeric characters	-
Voter ID	voter-id	max 10 alphanumeric characters	-
Visa No.	visa-no	max 12 alphanumeric characters	-
Visa Expiry Date	visa-expiry	ddmmyyyy	-
Integration Reference	integration-reference	max 20 alphanumeric characters	-
Height	height	0 - 999	-
Weight	weight	0 - 999	-
Gender	gender	na male female	-
Blood Group	blood-group	na,a+,a-,b+,b-,ab+,ab-,o+,o-,A1-,A1+,A1B-,A1B+,A2-,A2+,A2B-,A2B+,B1+	-

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Marital Status	marital-status	married unmarried na	-
Nationality	nationality	max 20 alphanumeric characters	-
Father/Spouse Name	father-spouse-name	max 30 alphanumeric characters	-
Qualification	qualification	max 50 alphanumeric characters	-
Experience	experience	max 50 alphanumeric characters	-
Medical History	medical-history	max 50 alphanumeric characters	-
Local Address1	local-address1	max 30 alphanumeric characters	-
Local Address2	local-address2	max 30 alphanumeric characters	-
Local Street	local-street	max 30 alphanumeric characters	-
Local City	local-city	max 30 alphanumeric characters	-
Local Pin code	local-pincode	max 10 alphanumeric characters	-
Local State	local-state	max 40 alphanumeric characters	-
Local Country	local-country	max 20 alphanumeric characters	-
Permanent Address1	permanent-address1	max 30 alphanumeric characters	-
Permanent Address2	permanent-address2	max 30 alphanumeric characters	-
Permanent Street	permanent-street	max 20 alphanumeric characters	-
Permanent City	permanent-city	max 30 alphanumeric characters	-
Permanent Pin Code	permanent-pincode	max 20 alphanumeric characters	-
Permanent State	permanent-state	max 40 alphanumeric characters	-
Permanent Country	permanent-country	max 20 alphanumeric characters	-
Personal Phone	personal-phone	max 30 numeric characters or -	-
Personal Cell	personal-cell	max 20 numeric characters or -	-
Personal E-mail	personal-email	max 100 alphanumeric characters	-
Official Phone	official-phone	max 30 numeric characters or -	-
Official Extension	official-extension	max 4 numeric characters	-
Official Cell	official-cell	max 20 numeric characters or -	-
Official E-mail	official-email	max 100 alphanumeric characters	-
Organization ID	organization	1 - 999999	-
Branch ID	branch	1 - 999999	-
Department ID	department	1 - 999999	-
Section ID	section	1 - 999999	-
Category ID	category	1 - 999999	-
Grade ID	grade	1 - 999999	-
Designation ID	designation	1 - 999999	-
Reporting In-Charge	reporting-incharge	1 - 9999	-

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
ESS Login	ess-login	1 : enabled 0 : disabled	-
ESS Detail Edit	ess-detail-edit	1 : editing allowed 0 : editing not allowed	-
Attendance via ESS	attendance-via-ess	1 : enabled 0 : disabled	-
Active Directory Login	active-directory-login	1 : enabled 0 : disabled	-
Active Directory Username	active-directory-username	max 128 alphanumeric characters	-
Active Directory Domain	active-directory-domain	max 128 alphanumeric characters	-
Attendance Calculation	attendance-calc	1 : enabled 0 : disabled	-
Max Personal hours	max-personal-hrs	0 - 99	-
Bus Route	bus-route	1 - 999	-
Bypass Fingerprint/Palm	bypass-finpalm	1 – enable bypass 0 – disable bypass	-
Employment Profile	employment-profile	max 4 alphanumeric characters	-
Employment Type	employment-type	max 4 alphanumeric characters	-
Award and Penalty	award-penalty	max 4 alphanumeric characters	-
Work Profile	work-profile	max 4 alphanumeric characters	-
Hour Exception	hour-exception	max 4 alphanumeric characters	-
Attendance Policy (T&A)	attendance-policy	1-99	-
Late-In Policy	lateIn-policy	1-99	-
Early Out policy	earlyOut-policy	1-99	-
Overtime Policy	overtime-policy	1-99	-
Absentee Policy	absentee-policy	1-99	-
C-Off Policy	coff-policy	1-99	-
PIN	pin	0-999999	-
Card-1	card-1	max 20 numeric characters	Value will be "0" if login user is ESS user.
Card-2	card-2	max 20 numeric characters	Value will be "0" if login user is ESS user.
Access Validity Date	access-validity-date	ddmmyyyy format	-
Access Level	access-level	1 - 15	-
Bypass Finger	bypass-finger	1 – enable bypass 0 – disable bypass	-
Bypass Palm	bypass-palm	1 – enable bypass 0 – disable bypass	-
Shift based access	shiftbased-access	1 – access allowed 0 – access denied	-
Shift Schedule	shift-schedule	1- 99	-

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Start Shift	start-shift	max 2 numeric characters	-
Holiday Schedule	holiday-schedule	1 - 99	-
Device Group ID	device-group-id	max 600 VARCHARcharacters	If more than one group is assigned, then it should fetch multiple device group id separated with comma.
Device Group Name	device-group-name	max 600 VARCHARcharacters	If more than one group is assigned, then it should fetch multiple device group name separated with comma.
Smart access route	smart-access-route	1 - 99	-
Max route level	max-route-level	1 - 75	-
Allow e-Canteen	allow-ecanteen	1 - allowed 0 – not allowed	-
Discount Level	discount-level	0 to 4	-
Account Type	account-type	1 - postpaid 0 - prepaid	-
Max Allowed Limit	max-allowed-limit	0.0 to 9999999.9	-
Max Usage Limit	max-usage-limit	0.0 to 9999999.9	-
Organization Code	organization_code	max 6 alphanumeric characters	-
Branch Code	branch_code	max 6 alphanumeric characters	-
Department Code	department_code	max 6 alphanumeric characters	-
Category Code	category_code	max 6 alphanumeric characters	-
Grade Code	grade_code	max 6 alphanumeric characters	-
Designation Code	designation_code	max 6 alphanumeric characters	-
Section Code	section_code	max 6 alphanumeric characters	-
Leave Group ID	leave_group	1-99	-
PVR Group Number	pvr_group	If user has palm enrolled, the PVR group number will be returned here.	PVR Group Number
Enrolled Fingers	enrolled_fingers	0-30	Total Number of fingers (all the template types) enrolled for this user
Enrolled Palms	enrolled_palms	0-10	Number of palms enrolled for this user
Reporting Group ID	rg_id	1-999	ID of the reporting group to which user belongs
Reporting Group Name	rg_name	upto 30 characters	Name of the reporting group to which user belongs
Reporting Group Incharge 1's ID	rg_incharge_1	upto 15 characters	User ID of reporting group incharge 1
Reporting Group Incharge 2's ID	rg_incharge_2	upto 15 characters	User ID of reporting group incharge 2

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
IMEI Number	imei	upto 40 characters. Allowed characters: Alphanumeric -	-
IMEI Authorized or not	imei-authorized	0: Pending 1: Authorized 2: Rejected	-
Custom Field 1 -10	field1-10	Max 100 characters ddmmyyyy	Valid Characters : A-Z a-z 0-9 space []() . - _ /
Week Off Group	week-off-group	1-99	Numeric Only
Punch Marking Via API	punch-api	0 : Disabled 1 : Enabled	-
Auto-Punch Marking	auto-attendance	0 : Disabled 1 : Enabled	-
Manual Punch Marking	manual-punch	0 : Disabled 1 : Enabled	-
Location Data Mandatory from Apps	location-mandatory	0 : None 1 : Any Location 2 : Configured Locations	-
Door Access Through API	door-access-api	0 : Disabled 1 : Enabled	-
FVM Flag	FVM-enable	0 : Disabled 1 : Enabled	-
Job Assignment Type	job-assignment-type	0: None 1: Fixed 2: Device Based	-
Blacklisted	blacklisted	0: Not Blacklisted 1: Blacklisted	-
Enrolled Fingers - Suprema Proprietary	suprema-proprietary-count	0-10	Number of fingers enrolled in suprema proprietary type against a user
Enrolled Fingers - Suprema ISO	suprema-iso-count	0-10	Number of fingers enrolled in suprema ISO type against a user.
Enrolled Fingers - Lumidigm ISO	lumidigm-iso-count	0-10	Number of fingers enrolled in Lumidigm ISO type against a user.
Restrict Half Day Considerations	Restrict-half-day	0 : Disabled 1 : Enabled	

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Organization Name	organization-name		Should return the Organization Name of User
Branch Name	branch-name		Should return the Branch Name of User
Department Name	department-name		Should return the Department Name of User
Category Name	category-name		Should return the Category Name of User
Grade Name	grade-name		Should return the Grade Name of User
Designation Name	designation-name		Should return the Designation Name of User
Section Name	section-name		Should return the Section Name of User
Restrict Half Day Considerations	Restrict-half-day	0 : Disabled 1 : Enabled	
Custom Group 1 ID	customgroup1ID	1-999999	
Custom Group 2 ID	customgroup2ID	1-999999	
Custom Group 3 ID	customgroup3ID	1-999999	
Custom Group 1 Code	customgroup1_code	max 6 alphanumeric characters	
Custom Group 2 Code	customgroup2_code	max 6 alphanumeric characters	
Custom Group 3 Code	customgroup3_code	max 6 alphanumeric characters	
Custom Group 1 Name	customgroup1_name	45 Characters	Allowed Characters A-Z a-z 0-9 - _ . () []
Custom Group 2 Name	customgroup2_name	45 Characters	Allowed Characters A-Z a-z 0-9 - _ . () []
Custom Group 3 Name	customgroup3_name	45 Characters	Allowed Characters A-Z a-z 0-9 - _ . () []
Cafeteria Usage Policy	Cafeteria-usage-policy	1-99	
Show Attendance Details On Device	show-atd-details	0 : Disabled 1 : Enabled	

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Full Name	full-name	max 200 alphanumeric characters	Allowed Characters A-Z a-z 0 - 9 () [] _ (underscore) - (Hyphen) . (full Stop) / & , (comma) @ ' (single quote) [Space] When Multi Language is On, Invalid Character set = Set3
Approval Policy ID	approval-policy	1-999	ID of the approval policy which is assigned to selected user.
Approval Policy Name	approval-policy-name	30 Characters	Returns the Approval Policy Name of the selected Policy ID.
Timezone for Punch Marking	Punch-marking-timezone	0: Server Timezone 1: Local Timezone	Returns the time zone selected for punch marking.
Elevator Access Control	enable-elevator-access-control	0 or 1	Returns the status of EAC feature
Elevator Floor Group	elevator-floor-group	1 - 99	Returns the number of floor groups configured.
Enable Face Recognition	enable-fr	0 : Disabled 1 : Enabled	Returns the Status of FR as enabled/disabled
Enable Face Recognition For	enable-fr-for	0 : For Attendance 1 : For Access Control 2 : Both	
Enable Self Enrollment FR	enable-fr-self-enroll	0: Disabled 1: Enabled	
Bypass Face	bypass-face	1 - enable bypass 0 - disable bypass	Bypass Face
Enrolled faces	enrolled_faces	0-40	Total Number of faces enrolled for this user
Authorized Host User	auth-host-user	0: Unauthorized Host 1: Authorized Host	Returns the value set for User.
Face Mandatory For Punch	face-mandatory	0 : None 1 : Attendance 2 : Access Control 3 : Both	If Enable FR/Punch Marking Via API/Manual Punch Marking is disabled for a user, face-mandatory tag will be available only for value 0 : None

Table: Accessing User Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Prefix	prefix	Max 15 alphanumeric characters A-Z a-z 0-9 /_\.,@:	
PIN Authentication For Door Access	pin-authentication	0 : Disabled 1 : Enabled	
Driving License Expiry Date	driving-license-expiry	ddmmyyyy	
Passport Expiry Date	passport-expiry	ddmmyyyy	
Blacklisted reason	Blacklisted-reason		Max 50 chars Valid Values : A-Z a-z 0-9 [space] ! @ \$ * () _ - + \ [] , . :
Reason for punching from unassigned location	punch-reason-flg	0 : unchecked 1 : checked	enabled only when Location Mandatory For Punch = 0,1
Uploaded-doc	uploaded-doc	12: driving-license 13: passport-no 14: pan 16: pf-no 18: esi-no 21: field1 22: field2 23: field3 24: field4 41: field5 42: field6 43: field7 44: field8 45: field9 46: field10	Uploaded document tag is added for checking the status of uploaded images for respective field. Multiple values are possible in this field. If documents/images are present in field1,2 and 5 then uploaded-doc should contain value of field1, field 2 and 5 be provided in respective field.

Example1

Sample Request: A sample request for fetching employee data with specific fields.

```
http://192.168.104.16/cosec/api.svc/v2/user?action=get;id=836,837,838,840;field-name=id,name,reference-code,active,gender,marital-status,blood-group,nationality
```

Sample Response:

```
id|name|reference-code|active|gender|marital-status|blood-group|nationality
836|RAJUBHAI VANKAR|836|1|male|married|b+|Indian
837|SHIRIN Y PATEL|837|1|female|unmarried|a-|Indian
838|VIPUL B SOLANKI|838|1|male|unmarried|o+|Indian
840|KANTIBHAI VASAVA|840|1|male|na|a+|Indian
<EOT>
```

Sample Request: A sample request for fetching all the data of an employee.

Sample Response:

Matrix COSEC Web API User Guide