

Getting Monthly Attendance Data

This API allows the user to obtain attendance data for employees for a specific month and for specific user groups in a specific format.

Action

action=get

Syntax

```
http://<servername>/api.svc/v2/attendance-monthly?action=get;<argument>=<value>...
```

User Rights

Same as *Getting Daily Attendance Data*.

Parameters

Table: Getting Monthly Attendance Data - Parameters

Argument	Valid Values	Mandatory	Default Value	Description
field-name	The list of fields is mentioned in response table.	No	-	If "field-name" is not mentioned, then configured "field-name" for the respective template in 'API Data Template' will be fetched. User can select multiple "field-name", each separated by ", (comma)" e.g.: "userid, username, orgid..."
month-year	the format shall be mmyyyy	No	Current Month and Current Year	The Month and Year for which the data is to be fetched.
range	all organization branch department designation section category grade user	No	All	Range of users for whom data is to be fetched.
id	1 to 999 (for all the ranges except all & user) Note: This is the min to max range. In case of a system with only 1-50 id defined then valid range shall be 1-50.	Yes, if mentioned range is other than 'All'.	-	Each range (except all) shall have specific id. System should allow user to select multiple id, each separated by ", (coma)" e.g.: "1, 3, 7, 9..." Or Select a range of id E.g. "1-50". Note: - ID is mandatory, if mentioned range is other than all.
return-field-name	0: display name (As per export template config) 1: actual field (As per view column) 2: both	No	-	If "return-field-name" is not mentioned the response will be as per existing system (i.e. 0 = display name)

Table: Getting Monthly Attendance Data - Parameters

Argument	Valid Values	Mandatory	Default Value	Description
Active	0 : inactive 1: active 2:all	No	1	Return users as per their active flag status.

Response Fields**Table: Getting Monthly Attendance Data - Response Fields**

Field Name	Tag Name	Valid Values	Remarks
User ID	USERID	15 characters.	Allowed Characters : 15 alphanumeric Char. A to Z a to z 0 to 9 /_\.\.@:?,~!\$`*+`
User Name	USERNAME	45 characters	-
Short Name	short_name	max 15 alphanumeric characters	-
Integration Reference	integration_reference	max 20 alphanumeric characters	-
Organization ID	ORGID	1-999999	-
Branch ID	BRCID	1-999999	-
Department ID	DPTID	1-999999	-
Section ID	SECID	1-999999	-
Category ID	CTGID	1-999999	-
Grade ID	GRDID	1-999999	-
Designation ID	DSGID	1-999999	-
Reference No.	ADLUSERID	numeric (8 digits)	-
Gender	GENDER	M : Male F: Female NA : Not available	-
Marital Status	MRTLSTAT	M : Married U : Unmarried NA : Not available	-
Birth Date	BIRTHDT	dd/mm/yyyy	-
Joining Date	JOINDT	dd/mm/yyyy	-
Leaving Date	LEAVEDT	dd/mm/yyyy	-
Process Year	PYEAR	yyyy	-
Process Month	PMONTH	mm	
Present Days	PRDAYS	Numeric	Multiples of 0.5
Absent Days	ABDAYS	Numeric	Multiples of 0.5
Week-Off Days	WODAYS	Numeric	Multiples of 0.5
Public Holiday Days	PHDAYS	Numeric	Multiples of 0.5

Table: Getting Monthly Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Paid Leave Days	PLDAYS	Numeric	Multiples of 0.5
Tour Days	TRDAYS	Numeric	Multiples of 0.5
Unpaid Leave Days	ULDAYS	Numeric	Multiples of 0.5
Lay Off Days	LODAYS	Numeric	Multiples of 0.5
Early In	EARLYIN	minutes	-
Early In	EARLYIN_HHMM	HH:MM	-
Late In	LATEIN	minutes	-
Late In	LATEIN_HHMM	HH:MM	-
Early Out	EARLYOUT	minutes	-
Early Out	EARLYOUT_HHMM	HH:MM	-
Overstay	OVERSTAY	minutes	-
Overstay	OVERSTAY_HHMM	HH:MM	-
Total Overtime	OVERTIME	minutes	-
Total Overtime hrs.	OVERTIME	HHHHHH:MM	-
Worktime	WORKTIME	minutes	-
Worktime hrs.	WORKTIME_HHMM	HH:MM	-
Manual OT Credit	MANOTCR	minutes	-
Manual OT Credit	MANOTCR_HHMM	HH:MM	-
Manual OT Debit	MANOTDB	minutes	-
Manual OT Debit	MANOTDB_HHMM	HH:MM	-
Authorized OT	AUTHOT	minutes	-
Authorized OT	AUTHOT	HHHHHH:MM	-
Manual COFF Credit	MANCOFFCR	minutes	-
Manual COFF Credit	MANCOFFCR_HHMM	HH:MM	-
Manual COFF Debit	MANCOFFDB	minutes	-
Manual COFF Debit	MANCOFFDB_HHMM	HH:MM	-
Authorized COFF	AUTHCOFF	minutes	-
Authorized COFF	AUTHCOFF_HHMM	HH:MM	-
Availed COFF	AVLCOFF	minutes	-
Availed COFF	AVLCOFF_HHMM	HH:MM	-
Encashed COFF	ENCCOFF	minutes	-
Encashed COFF	ENCCOFF_HHMM	HH:MM	-
Shift Allowance	SFTALW	-	-
Lunch Break.	LUNCHBREAK	minutes	-
Lunch Break hrs.	LUNCHBREAK_HHMM	HH:MM	-
Lunch Late	LUNCHLATE	minutes	-

Table: Getting Monthly Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Lunch Late	LUNCHLATE_HHMM	HH:MM	-
Lunch Early	LUNCHEARLY	minutes	-
Lunch Early	LUNCHEARLY_HHMM	HH:MM	-
Weekly Overtime component	OTW1	minutes	OT for first week of the month
Weekly Overtime component	OTW1	HHHHHH:MM	OT for first week of the month
Weekly Overtime component	OTW2	minutes	OT for second week of the month
Weekly Overtime component	OTW2	HHHHHH:MM	OT for second week of the month
Weekly Overtime component	OTW3	minutes	OT for third week of the month
Weekly Overtime component	OTW3	HHHHHH:MM	OT for third week of the month
Weekly Overtime component	OTW4	minutes	OT for fourth week of the month
Weekly Overtime component	OTW4	HHHHHH:MM	OT for fourth week of the month
Weekly Overtime component	OTW5	minutes	OT for fifth week of the month
Weekly Overtime component	OTW5	HHHHHH:MM	OT for fifth week of the month
Week 1 Work Time	WRKTIMEW1	minutes	-
Week 1 Work Time	WRKTIMEW1_HHMM	HH:MM	-
Week 2 Work Time	WRKTIMEW2	minutes	-
Week 2 Work Time	WRKTIMEW2_HHMM	HH:MM	-
Week 3 Work Time	WRKTIMEW3	minutes	-
Week 3 Work Time	WRKTIMEW3_HHMM	HH:MM	-
Week 4 Work Time	WRKTIMEW4	minutes	-
Week 4 Work Time	WRKTIMEW4_HHMM	HH:MM	-
Week 5 Work Time	WRKTIMEW5	minutes	-
Week 5 Work Time	WRKTIMEW5_HHMM	HH:MM	-
Previous Adjustment days	PREVDAYS	Numeric	Multiples of 0.5
Previous Overtime.	PREVOT	minutes	-
Previous Overtime hrs.	PREVOT	HHHHHH:MM	-
Previous Work.	PREVWRKTIME	minutes	-
Previous Work hrs.	PREVWRKTIME_HHMM	HH:MM	-
Previous Shift Allowance	PREVSFTALW		-

Table: Getting Monthly Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Net Work Time	NETWORKTIME	minutes	-
Net Work Time	NETWORKTIME	HHHHHH:MM	-
Total OT1 (Actual)	TOTAL_OT1	minutes	-
Total OT1 (Actual)	TOTAL_OT1	HHHHHH:MM	-
Total OT2 (Actual)	TOTAL_OT2	minutes	-
Total OT2 (Actual)	TOTAL_OT2	HHHHHH:MM	-
Total OT3 (Actual)	TOTAL_OT3	minutes	-
Total OT3 (Actual)	TOTAL_OT3	HHHHHH:MM	-
Total OT4 (Actual)	TOTAL_OT4	minutes	-
Total OT4 (Actual)	TOTAL_OT4	HHHHHH:MM	-
Total OT5 (Actual)	TOTAL_OT5	minutes	-
Total OT5 (Actual)	TOTAL_OT5	HHHHHH:MM	-
Total Authorized OT1	TOTAL_AUTH_OT1	minutes	-
Total Authorized OT1	TOTAL_AUTH_OT1	HHHHHH:MM	-
Total Authorized OT2	TOTAL_AUTH_OT2	minutes	-
Total Authorized OT2	TOTAL_AUTH_OT2	HHHHHH:MM	-
Total Authorized OT3	TOTAL_AUTH_OT3	minutes	-
Total Authorized OT3	TOTAL_AUTH_OT3	HHHHHH:MM	-
Total Authorized OT4	TOTAL_AUTH_OT4	minutes	-
Total Authorized OT4	TOTAL_AUTH_OT4	HHHHHH:MM	-
Total Authorized OT5	TOTAL_AUTH_OT5	minutes	-
Total Authorized OT5	TOTAL_AUTH_OT5	HHHHHH:MM	-
Custom Field 1-10	field1-10	upto 30 characters	Valid Characters : A-Z a-z 0-9 space [] () . - _
Short Leave Count	short_leave_count	0-9999	Availed Short Leave Count
Short Leave Hours	short_leave_hours	HH:MM	Availed Short Leave Duration
Official Hours	official_hours	HH:MM	Availed Official Duration
Max Short Leave Count	max_short_leave_count	0-99	Maximum Allowed Short Leave Count
Max Short Leave Hours	max_short_leave_hours	HHHH:MM	Maximum Allowed Short Leave Duration
Late In Count	late_in_count	0-99	Availed Late IN Count

Table: Getting Monthly Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Max Late In Count	max_late_in_count	0-99	Maximum Allowed Late IN Count
Late In Duration	late_in_duration	minutes	Availed Late IN Duration
Late In Duration	late_in_duration_HHMM	HHH:MM	Availed Late IN Duration HHH:MM
Max Late In Duration	max_late_in_duration	minutes	Maximum Allowed Late IN Duration
Max Late In Duration	max_late_in_duration_HHMM	HHH:MM	Maximum Allowed Late IN Duration HHH:MM
Early Out Count	early_out_count	0-99	Availed Early Out Count
Max Early Out Count	max_early_out_count	0-99	Maximum Allowed Early Out Count
Early Out Duration	early_out_duration	minutes	Availed Early OUT Duration
Early Out Duration	early_out_duration_HHMM	HHH:MM	Availed Early OUT Duration HHH:MM
Max Early Out Duration	max_early_out_duration	minutes	Maximum Allowed Early OUT Duration
Max Early Out Duration	max_early_out_duration_HHMM	HHH:MM	Maximum Allowed Early OUT Duration HHH:MM
Late-IN-Early Out Count	late_in_early_out_count	0-99	Availed Late IN- Early Out Count (Combined)
Max Late-IN-Early Out Count	max_late_in_early_out_count	0-99	Maximum Allowed Late IN- Early Out Count (Combined)
Late-IN-Early Out Duration	late_in_early_out_duration	minutes	Availed Late IN Duration HHH:MM
Late-IN-Early Out Duration	late_in_early_out_duration_HHMM	HHH:MM	Availed Late IN- Early Out Duration HHH:MM
Max Late-IN-Early Out Duration	max_late_in_early_out_duration	minutes	Maximum Allowed Late IN- Early Out Duration
Max Late-IN-Early Out Duration	max_late_in_early_out_duration_HHMM	HHH:MM	Maximum Allowed Late IN- Early Out Duration HHH:MM
Less Work Hours Duration	less_work_hours_duration	minutes	Availed Less Work hours Duration
Less Work Hours Duration	less_work_hours_duration_HHMM	HHH:MM	Availed Less Work hours Duration HHH:MM
Max Less Work Hours Duration	max_less_work_hours_duration	minutes	Maximum Allowed Less Work Hours Duration

Table: Getting Monthly Attendance Data - Response Fields

Field Name	Tag Name	Valid Values	Remarks
Max Less Work Hours Duration	max_less_work_hours_duration_HHMM	HHH:MM	Maximum Allowed Less Work Hours Duration HHH:MM
Custom Group 1 ID	CustomGroup1ID	1-999999	
Custom Group 2 ID	CustomGroup2ID	1-999999	
Custom Group 3 ID	CustomGroup3ID	1-999999	
Full Name	full-name	max 200 alphanumeric characters	Allowed Characters A -Z a-z 0 - 9 () [] _ (underscore) - (Hyphen) . (full Stop) / & , (comma) @ ' (single quote) [Space] When Multi Language is On, Invalid Character set = Set3
Job Allowance	Job_Allowance		Allowed Chars 0-9
Award_Duration	Award_Duration	Minutes	
Award_Duration_HHMM	Award_Duration_HHMM	HHH:MM	
Penalty_Duration	Penalty_Duration	Minutes	
Penalty_Duration_HHMM	Penalty_Duration_HHMM	HHH:MM	
<Leave Type>Days-<Leave Code>	<Leave Type>Days-<Leave Code>	0-9	multiples of 0.5
Hourly Paid Leave Hours	AVAILEDPLHOURS	HH:MM	Defines the total Availed Hourly Paid Leave Hours in that particular month
Hourly Unpaid Leave Hours	HULHOURS	HH:MM	Defines the total Availed Hourly Unpaid Leave Hours in that particular month

Example

This example presents a case where monthly-attendance records are to be fetched for Organization ID '1'.

Sample Request:

```
http://matrixserver/api.svc/v2/attendance-monthly?action=get;range=organization;id=1
```

Sample Response:

```
UserID|UserName|PYear|PMonth|PRDays|ABDays|WorkTime_HHMM|PLDays|TRDays
007|ANAND RATHOD|2015|1|0.0|23.0|000:00|0.0|0.0
1053|JINU SAM|2015|1|19.5|0.5|197:20|2.0|0.0
1054|PARSHV SHAH|2015|1|19.0|1.0|217:27|1.0|0.0
1059|PRATIK PATEL|2015|1|0.0|21.0|000:00|0.0|0.0
1062|MANZHAN PATEL|2015|1|22.0|0.0|199:25|0.0|0.0
1110|Nishit Gandhi|2015|1|20.0|0.0|191:31|2.0|0.0
1256|Arvind|2015|1|0.0|21.0|000:00|0.0|0.0
1309|KAMAL TALUKDAR|2015|1|26.0|0.0|000:00|0.0|0.0
1311|PANKIL GANDA|2015|1|17.5|2.0|160:21|1.5|0.0
<EOT>
```