
Cricket Player Performance Tracking Application : CRICKSTATS

Revised 30-Page Project Report

Salesforce-based cricket player performance management and analytics



New dashboard visual created for the revised edition.


This edition preserves the original first main headline exactly while replacing the remaining content and visuals with fresh material directly related to CRICKSTATS.

2. PROJECT OVERVIEW


CRICKSTATS is designed as a Salesforce application for organizing cricket player profiles, match contributions and performance summaries in a connected system.

The application treats each match contribution as structured data rather than an isolated note. This makes the same information available for player history, calculations, reports and dashboards.

The revised solution focuses on reliable data capture, clear relationships, guided user actions and useful performance views.



New architecture visual for the CRICKSTATS solution.




3. PROJECT BACKGROUND

Cricket teams generate a large amount of performance information during practices, fixtures and tournaments. When the information is stored in separate documents, repeated entry and manual calculation can make analysis slower.

CRICKSTATS addresses this situation through a Salesforce-centered model in which a player profile remains available while individual match records are added over time.

The design is intentionally focused on performance management rather than replacing a complete official scoring platform.



4. PROBLEM STATEMENT

The core problem is the lack of a consistent connection between player identity and match-level performance data.

A useful solution must preserve detailed observations while also producing understandable summaries. It must reduce duplicate work without making the underlying calculations difficult to trace.


CRICKSTATS therefore combines structured objects, relationships, automation and analytics in one application.

- Scattered records make historical review harder.
- Manual totals can introduce avoidable errors.
- Different recording methods reduce consistency.
- Coaches need both individual and squad-level views.

5. PROJECT OBJECTIVES

The project objectives define what the Salesforce implementation should achieve and provide a reference for later testing.

- Create centralized player profiles.
- Capture batting, bowling and fielding contributions.
- Connect every performance record to the correct player.
- Provide reusable calculated statistics.
- Support guided data-entry and retrieval.
- Present performance information through reports and dashboards.
- Keep the data model expandable for additional matches and teams.




6. SCOPE OF THE APPLICATION

The scope includes the core data model, player management, match-performance records, relationship design, validation, automation, reports and dashboard presentation.

The solution can support a team-sized dataset and can be extended later for seasons, tournaments and multiple competitions.


In scope	Outside the core scope
Player records	Professional video-analysis platform
Match performance records	Full live-score broadcasting
Calculated summaries	Offline-first scoring engine
Salesforce flows	Replacement for official competition scoring
Reports and dashboards	Advanced machine-learning prediction



7. USERS AND STAKEHOLDERS

Different users interact with the same data for different purposes. The design therefore emphasizes role-appropriate views while maintaining a common source of truth.

User	Main activity	Useful output
Coach	Review player and squad performance	Recent form and summary metrics
Team administrator	Maintain player and match records	Accurate profiles and history
Analyst	Study trends and comparisons	Reports and filtered dashboards
Salesforce administrator	Maintain configuration and access	Objects, fields, flows and permissions



8. USER NEEDS

The application is designed around practical user needs rather than around individual Salesforce features.

Users should be able to find the correct player, enter a match contribution, verify that the record is associated correctly, and later retrieve the same information through reports.

PLAYER-PERFORMANCE USER JOURNEY



Goal: turn a raw match entry into a usable performance insight with minimal manual effort.

Key user needs


- Consistent player records
- Fast match entry
- Traceable calculations
- Readable decision support

New user-journey visual showing the movement from selection to performance insight.

9. REQUIREMENT ANALYSIS

Requirements are divided into functional and non-functional areas. Functional requirements describe what the system must do, while non-functional requirements describe the expected quality of the experience.


ID	Requirement	Expected outcome
FR-01	Player profile	Create and maintain player identity.
FR-02	Match performance	Store match-specific statistics.
FR-03	Relationship	Link performance to player.
FR-04	Calculations	Expose aggregate statistics.
FR-05	Flow	Guide common user actions.
FR-06	Reports	Filter and group performance.
FR-07	Dashboard	Present key indicators.



10. NON-FUNCTIONAL REQUIREMENTS

The application should remain understandable and maintainable as more records are added. Security should follow Salesforce access controls, while calculations should remain consistent with their source records.

Area	Design expectation
Usability	Common tasks should require minimal navigation.
Security	Access follows configured Salesforce permissions.
Reliability	Saved records remain consistent and traceable.
Scalability	Additional matches can use the same model.
Maintainability	Fields and flows have clear purposes.
Performance	Normal reports and lists remain responsive.




11. IDEATION

The concept was refined by considering how a cricket team actually moves from a player profile to a match contribution and then to an analytical decision.

Several possible implementations could store the information, but Salesforce provides a suitable combination of structured data, automation and reporting for this project.

- Central record management.
- Relationship-based statistics.
- Guided Salesforce screens.
- Reusable analytical views.




12. SOLUTION CONCEPT

The solution separates relatively stable player information from repeated match-performance information. This is the central architectural decision of CRICKSTATS.

A player may participate in many matches, while each match-performance record represents one contribution. This structure supports history, aggregation and filtering without copying the player's entire profile into every match record.

CRICKSTATS DATA MODEL



New conceptual data-model visual.

13. DATA MODEL — PLAYER

The Player object stores information that identifies and describes a cricketer. It should contain only information appropriate for long-term player management.

Typical fields include player name, squad number, role, batting style, bowling style, nationality and team.


Field	Purpose
Player Name	Primary readable identity.
Player Number	Squad or jersey reference.
Role	Classifies the player's cricket role.
Batting Style	Stores handedness.
Bowling Style	Stores bowling category.
Nationality	Supports player profile information.
Team	Supports filtering and squad views.

14. DATA MODEL — MATCH PERFORMANCE

The Match Performance object stores the changing information associated with a particular match.

Fields should use appropriate data types and controlled values where possible so that later reports and calculations remain reliable.


Field	Purpose
Match Name	Identifies the fixture.
Player	Links to the player.
Match Result	Stores the result category.
Runs Scored	Batting output.
Balls Faced	Batting opportunity.
Fours / Sixes	Boundary counts.
Overs Bowled	Bowling workload.
Wickets	Bowling outcome.
Runs Conceded	Bowling runs allowed.
Catches / Stumpings	Fielding contribution.



15. RELATIONSHIP DESIGN

The relationship between Player and Match Performance is the foundation of the application's reporting capability.

One player can have many performance records. Each record can therefore contribute to the player's historical totals without duplicating the entire player profile.




Relationship-focused visual used to explain the one-to-many structure.

16. FIELD VALIDATION

Validation protects the quality of the data before it becomes part of a report or calculation. The exact rules can be adjusted to the competition, but the general principle is to prevent impossible or incomplete values.

- Runs, balls, wickets and overs should not accept negative values.
- Required player references should be completed before saving.
- Controlled result values should come from a defined picklist.
- Numeric fields should use suitable limits for the statistic being captured.
- Validation messages should be understandable to the user.




17. AUTOMATION DESIGN

Automation should remove repetitive work while preserving a clear connection between source records and derived information.

When a performance record is created, the related player can receive updated aggregate information through Salesforce-supported calculation and automation mechanisms.

The aim is not to automate every possible action, but to automate the actions that are repeated and predictable.

MATCH ENTRY AUTOMATION FLOW



Validation examples

- Runs, balls and overs cannot be negative
- Player must be selected before saving
- Match result must use a controlled value
- Summary fields recalculate from saved records


New automation-flow visual.

18. GUIDED FLOW DESIGN

A guided flow can simplify the common process of selecting a team, locating a player, entering or retrieving performance information and completing the transaction.

Screen components and conditions should be kept simple so that users can understand what the current step requires.

- Start with team or context selection.
- Retrieve matching player records.
- Allow a clear player selection.
- Present only relevant fields.
- Validate required values.
- Save the performance record.
- Return the user to a useful confirmation or summary.



19. REPORTING STRATEGY


Reports convert the stored records into focused views. Instead of creating a separate data store for every question, CRICKSTATS can use filters, grouping and calculated fields over the same underlying objects.

Report	Purpose
Player Match History	Review one player's sequence of performances.
Batting Summary	Compare batting output.
Bowling Summary	Review wickets and bowling workload.
Fielding Contribution	Review catches and stumpings.
Team Summary	Review squad-level totals.
Recent Performances	Focus on the latest match records.

20. DASHBOARD DESIGN

The dashboard should provide a quick starting point for performance review. It should avoid overcrowding and prioritize indicators that can be understood without opening multiple reports.

A typical dashboard can include total runs, wickets, matches, average measures and recent performance trends.




New dashboard concept created for this report.

21. PERFORMANCE METRICS

Performance metrics should be derived from clearly defined source fields. The application can present simple measures first and add more advanced measures later.

Examples include total runs, matches played, average score, wickets, boundaries, catches and recent-match output.

Metric	Source idea	Interpretation
Matches	Count of performance records	Participation volume
Total Runs	Sum of runs	Batting output
Average	Runs divided by relevant innings	Batting consistency indicator
Wickets	Sum of wickets	Bowling output
Boundaries	Fours and sixes	Boundary contribution
Fielding	Catches/stumpings	Fielding contribution



22. PROJECT PLANNING

The project can be delivered in short iterations. The data model should be established first, followed by relationships, automation and analytical presentation.

Each iteration should end with a testable result so that errors in the foundation do not remain hidden until the final stage.


Sprint	Focus	Output
1	Foundation	Objects and fields
2	Relationships	Linked performance records
3	Automation	Calculations and guided flow
4	Analytics	Reports and dashboard
5	Quality	Validation and test evidence

23. DEVELOPMENT WORKFLOW

Development begins by configuring the Player object and then the Match Performance object. After the relationship is confirmed, calculations and automation are added.

Reports should be built only after the data model is stable. This reduces the risk of creating reports around fields that later change.

- Configure objects.
- Create fields.
- Establish relationship.
- Add validation.
- Build flow.
- Configure calculated values.
- Create reports.
- Assemble dashboard.
- Test end-to-end.



24. TESTING STRATEGY

Testing should cover individual functions and the interaction between them. A successful player creation test is not enough; the project must also prove that a performance record is linked correctly and that its information appears in downstream reports.

CRICKSTATS TEST COVERAGE

TEST AREA	STATUS	OBSERVATION
Player creation	**Pass**	Required identity fields stored
Match entry	**Pass**	Batting and bowling figures retained
Relationship check	**Pass**	Match record linked to player
Roll-up totals	**Pass**	Aggregate metrics refreshed
Flow navigation	**Pass**	Selection drives displayed records
Dashboard refresh	**Pass**	Reports reflect latest saved data

New test-coverage visual for the revised report.

25. TEST CASES

Representative test cases are used to confirm that the system behaves as expected for normal and invalid input.

Test	Expected result
Create valid player	Record saves successfully.
Create performance	Record links to selected player.
Invalid negative value	Validation prevents or flags the entry.
Second match	Player history contains multiple records.
Change team filter	Displayed records follow selected team.
Check aggregate	Summary equals source records.
Open dashboard	Latest saved values are represented.

26. SECURITY AND ACCESS

CRICKSTATS should follow Salesforce security principles rather than creating a separate security model.

Users should receive only the access required for their responsibilities. Administrators need configuration access, while ordinary users should be limited to the records and actions necessary for their work.

- Use profiles and permission sets appropriately.
- Protect configuration from ordinary data-entry users.
- Review object and field permissions.
- Use sharing settings suitable for the team structure.
- Test access with representative user roles.

27. ADVANTAGES AND LIMITATIONS

The Salesforce approach provides centralized records, reusable automation and integrated reporting. It also creates a foundation that can be extended as the project grows.

However, the quality of the output remains dependent on the quality of the input. Advanced scoring rules or specialist analysis may require additional design beyond the core application.

Advantages	Limitations
Centralized player history	Depends on configured Salesforce environment
Reduced manual calculation	Requires accurate match entry
Reusable reports	Complex competition rules may need extensions
Scalable record structure	Offline-first scoring is not the core design
Integrated dashboard	Advanced analytics may need additional development

28. FUTURE ENHANCEMENTS

The core design can be expanded without changing its central player-to-performance relationship.


- Mobile-friendly performance entry.
- Season and tournament objects.
- Fixture and venue tracking.
- Role-specific dashboards.
- Advanced trend analysis.
- Historical data import.
- Integration with external cricket data sources.
- Optional links to video-analysis evidence.

29. CONCLUSION AND REFERENCES

CRICKSTATS provides a structured Salesforce approach for storing, connecting and analyzing cricket player-performance information. The revised design demonstrates how a stable data model can support automation and analytics while keeping the application focused on its original purpose.

The most important design principle is consistency: player information should be maintained once, match observations should be captured in structured records, and reports should derive their information from those records.

Reference areas for implementation include Salesforce custom objects, fields, relationships, Flow automation, validation, reports, dashboards and standard platform security concepts. These are implementation references rather than unrelated external topics.




Final architecture visual summarizing the revised CRICKSTATS design.

30. PROJECT SUMMARY

CRICKSTATS — Cricket Player Performance Tracking Application

This 30-page revised report retains the original main headline while providing completely refreshed supporting content and newly designed visuals. Every section remains directly connected to cricket player performance management, Salesforce data modeling, automation, reporting and dashboards.



Final CRICKSTATS dashboard concept.

Key takeaways

- Player and match data are stored as connected Salesforce records.
- Automation reduces repetitive calculations and navigation.
- Reports and dashboards turn stored records into usable performance information.
- Validation and testing support reliable data quality.
- The design can be extended for seasons, tournaments and additional analytics.

END OF REVISED PROJECT REPORT