







RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

EXP 5.1 D.H.R. x EXP 5.2 D.H.R. x EXP 5.3 D.H.R. x EXP 6.1 D.H.R. x EXP 6.2 D.H.R. x Untitled13* x Activity : >>

Source on Save Run Source

```
1 product <- c("Product A","Product B","Product C")
2 January <- c(2000,1500,1200)
3 February <- c(2200,1800,1400)
4 March <- c(2400,1600,1100)
5
6 sales_data <- data.frame(product,January,February,March)
7
8 print(sales_data)
```

8:18 (Top Level) R Script

Console Terminal Background Jobs

R 4.6.1 ~/

```
+ main="Overall Sales Trend")
>
> legend("topleft",
+       legend=c("Product A","Product B","Product C"),
+       col=1:3,
+       lty=1)
> product <- c("Product A","Product B","Product C")
> January <- c(2000,1500,1200)
> February <- c(2200,1800,1400)
> March <- c(2400,1600,1100)
>
> sales_data <- data.frame(product,January,February,March)
>
> print(sales_data)
  product January February March
1 Product A   2000    2200   2400
2 Product B   1500    1800   1600
3 Product C   1200    1400   1100
> |
```