




```
1 geo_data <- data.frame(  
2   City=c("City A","City B","City C"),  
3   Population=c(500000,700000,600000),  
4   Avg_Temperature=c(75,68,80),  
5   Elevation=c(1000,800,1200)  
6 )  
7  
8 print(gemo_data)|
```

8:16 (Top Level)

R Scr

Console Terminal x Background Jobs x

R - R 4.6.1 - ~/

+ Elevation=c(1000,800,1200)

+)

>

> print(gemo_data)

City Population Avg_Temperature Elevation

1 City A 5e+05 75 1000

2 City B 7e+05 68 800

3 City C 6e+05 80 1200

> geo_data <- data.frame(
+ City=c("City A","City B","City C"),
+ Population=c(500000,700000,600000),
+ Avg_Temperature=c(75,68,80),
+ Elevation=c(1000,800,1200)
+)
>
> print(gemo_data)

City Population Avg_Temperature Elevation

1 City A 5e+05 75 1000

2 City B 7e+05 68 800

3 City C 6e+05 80 1200

> |

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

AT1 5Q.R x Untitled18* x Untitled19* x Untitled20* x retail x shiny Rscript(DASHBOARD).R* x Untitled21* x

Source on Save Run Source

```
1 library(shiny)
2 library(shinydashboard)
3 library(leaflet)
4
5 geo_data <- data.frame(
6   City = c("City A", "City B", "City C"),
7   Population = c(500000, 700000, 600000),
8   Temperature = c(75, 68, 80),
9   Elevation = c(1000, 800, 1200),
10  Latitude = c(13.08, 12.97, 11.01),
11  Longitude = c(80.27, 77.59, 76.96)
12 )
13
14 ui <- dashboardPage(
15   dashboardHeader(title = "Geographic Data Dashboard"),
16   dashboardSidebar(
17     sidebarMenu(
18       menuItem("Dashboard", tabName = "dashboard", icon = icon("dashboard"))
19     )
20   ),
21   dashboardBody(
22     fluidRow(
23       box(
24         title = "Map Chart",
25         status = "primary",
26         solidHeader = TRUE,
27         width = 6,
28         leafletOutput("map", height = 300)
29       ),
30       box(
31         title = "Scatter Plot",
32         status = "success",
33         solidHeader = TRUE,
34         width = 6,
35         plotOutput("scatterPlot", height = 300)
36       )
37     ),
38     fluidRow(
39       box(
40         title = "Geographic Data Table"
```

93:30 server(input, output) R Script

Console

```
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help



Go to file/function Addins

AT1 5Q.R x Untitled18* x Untitled19* x Untitled20* x retail x shiny Rscript(DASHBOARD).R* x Untitled21* x >>>

Source on Save Run Source

59 ,
60
61 )
62
63 server <- function(input, output) {
64
65   output$map <- renderLeaflet({
66     leaflet(geo_data) %>%
67       addTiles() %>%
68       addMarkers(
69         lng = ~Longitude,
70         lat = ~Latitude,
71         popup = ~City,
72         label = ~City
73       )
74   })
75
76   output$scatterPlot <- renderPlot({
77     plot(
78       geo_data$Population,
79       geo_data$Temperature,
80       pch = 19,
81       col = "blue",
82       xlab = "Population",
83       ylab = "Average Temperature",
84       main = "Temperature vs Population"
85     )
86     text(
87       geo_data$Population,
88       geo_data$Temperature,
89       labels = geo_data$City,
90       pos = 3
91     )
92   })
93
94   output$table <- renderTable({
95     geo_data[,1:4]
96   })
97 }
98
99 shinyApp(ui, server)
```

Dashboard



Geographic Data Table

City	Population	Temperature	Elevation
City A	500000.00	75.00	1000.00
City B	700000.00	68.00	800.00
City C	600000.00	80.00	1200.00