

AI\_PHASE 5 IBM

TITLE: FAKE NEWS DETECTION USING NLP

Phase 5: Project documentation and submission



TEAM MEMBERS:

REG NO

1.SANTHOSH KUMAR P(LEADER)

712221106012

2.MOHAMMED ANSID K

712221106012

3.DEVARAJ KANNAN S

712221106002

4.MOHAN KUMAR P

712221106013

# FAKE NEWS DETECTION USING NLP

## **Problem Statement:**

Addressing this issue requires leveraging advanced technologies such as Natural Language Processing (NLP) and Artificial Intelligence (AI) to develop accurate and efficient fake news detection systems.

The problem at hand involves creating an innovative AI-based solution that can effectively identify and classify fake news articles from genuine ones, utilizing the power of NLP techniques.

## **Phases of development:**

### **Phase 1:**

We collected and explored a given dataset and explain about the project. Choose the fake news dataset available.

### **Phase 2:**

we can explore innovative techniques such as ensemble methods and deep learning architectures to improve the prediction system's accuracy and robustness.

Consider exploring advanced techniques like deep learning models (e.g., LSTM, BERT) for improved fake news detection accuracy.

### Phase 3:

Begin building your project by loading and preprocessing the dataset.

Begin building the fake news detection model by loading and preprocessing the dataset.

Load the fake news dataset and preprocess the textual data.

### Phase 4:

Continue building the fake news detection model by applying NLP techniques and training a classification Model. Text Preprocessing and Feature Extraction  
Model training and evaluation.

### Dataset description:

#### Dataset: [Fake news detection]

|    | title  | text  | subject | date              |
|----|--|---|---------|-------------------|
| 1  | Donald Trump Sends Out Embarrassing New Year's Eve Message; This is Disturbing               | Donald Trump just couldn't wish all Americans a Happy     | News    | December 31, 2017 |
| 2  | Drunk Bragging Trump Staffer Started Russian Collusion Investigation                         | House Intelligence Committee Chairman Devin Nunes is      | News    | December 31, 2017 |
| 3  | Sheriff David Clarke Becomes An Internet Joke For Threatening To Poke People "In The Eye"    | On Friday, it was revealed that former Milwaukee Sheri    | News    | December 30, 2017 |
| 4  | Trump Is So Obsessed He Even Has Obama's Name Coded Into His Website (IMAGES)                | On Christmas day, Donald Trump announced that he w        | News    | December 29, 2017 |
| 5  | Pope Francis Just Called Out Donald Trump During His Christmas Speech                        | Pope Francis used his annual Christmas Day message to     | News    | December 25, 2017 |
| 6  | Racist Alabama Cops Brutalize Black Boy While He Is In Handcuffs (GRAPHIC IMAGES)            | The number of cases of cops brutalizing and killing peop  | News    | December 25, 2017 |
| 7  | Fresh Off The Golf Course, Trump Lashes Out At FBI Deputy Director And James Comey           | Donald Trump spent a good portion of his day at his go    | News    | December 23, 2017 |
| 8  | Trump Said Some INSANELY Racist Stuff Inside The Oval Office, And Witnesses Back It Up       | In the wake of yet another court decision that derailed f | News    | December 23, 2017 |
| 9  | CIA Director Slams Trump Over UN Bullying, Openly Suggests He's Acting Like A Dictator (T    | Many people have raised the alarm regarding the fact th   | News    | December 22, 2017 |
| 10 | WATCH: Brand-New Pro-Trump Ad Features So Much A** Kissing It Will Make You Sick             | Just when you might have thought we'd get a break fro     | News    | December 21, 2017 |
| 11 | Papa John's Founder Retires, Figures Out Racism Is Bad For Business                          | A centerpiece of Donald Trump's campaign, and now hi      | News    | December 21, 2017 |
| 12 | WATCH: Paul Ryan Just Told Us He Doesn't Care About Struggling Families Living In Blue State | that only someone who grew up in a wealthy family ca      | News    | December 21, 2017 |
| 13 | Bad News For Trump "Mitch McConnell Says No To Repealing Obamacare In 2018                   | r could have done that in order to eradicate former Pres  | News    | December 21, 2017 |
| 14 | CH: Lindsey Graham Trashes Media For Portraying Trump As "Kooky," Forgets His Own We         | and coverage of the tax scam is no different. Coverage    | News    | December 20, 2017 |
| 15 | Heiress To Disney Empire Knows GOP Scammed Us "SHREDS Them For Tax Bill                      | natically and trickle down economics has turned out to    | News    | December 20, 2017 |
| 16 | Tone Deaf Trump: Congrats Rep. Scalise On Losing Weight After You Almost Died                | ed squatting in the White House almost a year ago. Thar   | News    | December 20, 2017 |
| 17 | The Internet Brutally Mocks Disney's New Trump Robot At Hall Of Presidents                   | in the Hall of Presidents looks like a 71-year-old Chucky | News    | December 19, 2017 |
| 18 | Mueller Spokesman Just F-cked Up Donald Trump's Christmas                                    | owners never received notification of the request and h   | News    | December 17, 2017 |
| 19 | SNL Hilariously Mocks Accused Child Molester Roy Moore For Losing AL Senate Race (VIDEO)     | oved as Chief Justice of the Alabama Supreme Court not    | News    | December 17, 2017 |
| 20 | Republican Senator Gets Dragged For Going After Robert Mueller                               | will not be tolerated. Cornyn retweeted Holder to say,    | News    | December 16, 2017 |
| 21 | In A Heartless Rebuke To Victims, Trump Invites NRA To Xmas Party On Sandy Hook Anniversary  | worse than we had expected.After 11 months of Donald      | News    | December 16, 2017 |
| 22 |  |   |         |                   |

Features: [List key features such as Title, text , subject , date ]

## Data Preprocessing:

There are a number of libraries available that can help with data preprocessing tasks, such as handling missing values, encoding categorical variables, and scaling the features.

```
In [2]: fake_data = pd.read_csv(r'C:\Users\arulm_x7s4ikd\Downloads\archive\Fake.csv')

In [3]: fake_data.head(10)
```

Out[3]:

|   |  | title   | text | subject           | date |
|---|--|---|------|-------------------|------|
| 0 | Donald Trump Sends Out Embarrassing New Year'... | Donald Trump just couldn t wish all Americans ... | News | December 31, 2017 |      |
| 1 | Drunk Bragging Trump Staffer Started Russian ... | House Intelligence Committee Chairman Devin Nu... | News | December 31, 2017 |      |
| 2 | Sheriff David Clarke Becomes An Internet Joke... | On Friday, it was revealed that former Milwauk... | News | December 30, 2017 |      |
| 3 | Trump Is So Obsessed He Even Has Obama's Name... | On Christmas day, Donald Trump announced that ... | News | December 29, 2017 |      |
| 4 | Pope Francis Just Called Out Donald Trump Dur... | Pope Francis used his annual Christmas Day mes... | News | December 25, 2017 |      |
| 5 | Racist Alabama Cops Brutalize Black Boy While... | The number of cases of cops brutalizing and ki... | News | December 25, 2017 |      |
| 6 | Fresh Off The Golf Course, Trump Lashes Out A... | Donald Trump spent a good portion of his day a... | News | December 23, 2017 |      |
| 7 | Trump Said Some INSANELY Racist Stuff Inside ... | In the wake of yet another court decision that... | News | December 23, 2017 |      |
| 8 | Former CIA Director Slams Trump Over UN Bully... | Many people have raised the alarm regarding th... | News | December 22, 2017 |      |
| 9 | WATCH: Brand-New Pro-Trump Ad Features So Muc... | Just when you might have thought we d get a br... | News | December 21, 2017 |      |

## [PREPROCESSING]

```
[56] real['class'] = 1
      fake['class'] = 0
      real.columns
      real = real[['text', 'class']]
      fake = fake[['text', 'class']]

[57] data = real.append(fake, ignore_index=True)
      data.sample(10)
```

<ipython-input-57-51d567e1739b>:1: FutureWarning: The frame.append method is deprecated and will be removed from pandas in a future version. Use pandas.concat instead.

```
data = real.append(fake, ignore_index=True)
```

|       | text  | class |
|-------|---|-------|
| 12149 | protesters injured in honduras clashes as elec... | 1     |
| 37477 | u.n. picks norwegian for myanmar role as tensi... | 0     |
| 147   | fund managers seek stocks benefiting from demo... | 1     |
| 14766 | hariri on twitter reaffirms he will return to ... | 1     |
| 39404 | swiss woman abducted in sudan by criminal gang... | 0     |
| 17524 | unesco selects france's azoulay as new chief p... | 1     |
| 10838 | u.s. recovers hellfire air-to-ground missile f... | 1     |
| 29264 | trump as president would pose global danger: u... | 0     |
| 15630 | south africa's ramaphosa picks female science ... | 1     |
| 3699  | treasury's mnuchin concerned about alternate s... | 1     |

Connected to Python 3 Google Compute Engine backend

## Outlier Detection and Treatment:

Explain the approach to identifying and addressing outliers.

## Feature Selection

Unknown publishers is the text ,object Feature Engineering;

```
In [10]: news_df = pd.concat([fake_df, real_df], ignore_index=True, sort=False)
print(news_df)
```

```

      title \
0    Donald Trump Sends Out Embarrassing New Year'...
1    Drunk Bragging Trump Staffer Started Russian ...
2    Sheriff David Clarke Becomes An Internet Joke...
3    Trump Is So Obsessed He Even Has Obama's Name...
4    Pope Francis Just Called Out Donald Trump Dur...
...
44893 'Fully committed' NATO backs new U.S. approach...
44894 LexisNexis withdrew two products from Chinese ...
44895 Minsk cultural hub becomes haven from authorities
44896 Vatican upbeat on possibility of Pope Francis ...
44897 Indonesia to buy $1.14 billion worth of Russia...

      text class
0    Donald Trump just couldn t wish all Americans ...      0
1    House Intelligence Committee Chairman Devin Nu...      0
2    On Friday, it was revealed that former Milwauk...      0
3    On Christmas day, Donald Trump announced that ...      0
4    Pope Francis used his annual Christmas Day mes...      0
...
44893 BRUSSELS (Reuters) - NATO allies on Tuesday we...      1
44894 LONDON (Reuters) - LexisNexis, a provider of l...      1
44895 MINSK (Reuters) - In the shadow of disused Sov...      1
44896 MOSCOW (Reuters) - Vatican Secretary of State ...      1
44897 JAKARTA (Reuters) - Indonesia will buy 11 Sukh...      1

[44898 rows x 3 columns]
```

Selecting a future direction for fake news detection using NLP involves considering emerging trends, challenges, and opportunities in the field of natural language processing and misinformation detection.

```
len(unknown_publishers)
```

```
21415
```

```
[42] fake.iloc[unknown_publishers].text
```

```

0    Donald Trump just couldn t wish all Americans ...
1    House Intelligence Committee Chairman Devin Nu...
2    On Friday, it was revealed that former Milwauk...
3    On Christmas day, Donald Trump announced that ...
4    Pope Francis used his annual Christmas Day mes...
...
21412 Meanwhile, most Americans can t afford to take...
21413 B b but does this mean global climate change i...
21414 Event organizers are asking protesters to come...
21415 It s hard for millennials to escape the leftis...
21416 Meanwhile, a Muslim boy with a radical activis...
Name: text, Length: 21417, dtype: object
```

```
[43] fake.iloc[8970]
```

```

title      This Anti-Government Oregon Terrorist Took Th...
text       One of the ringleaders of the terror-minded mi...
subject                                          News
date                                           January 4, 2016
Name: 8970, dtype: object
```

## Machine Learning Algorithm:

Chosen algorithm ; state the  
Machine learning algorithms used ( eg.. LSTM)

```
In [12]: features = news_df['text']
         targets = news_df['class']

         X_train, X_test, y_train, y_test = train_test_split(features, targets, test_size=0.20, random_state=18)

In [13]: max_vocab = 10000
         tokenizer = Tokenizer(num_words=max_vocab)
         tokenizer.fit_on_texts(X_train)

         # tokenize the text into vectors i.e. List
         X_train = tokenizer.texts_to_sequences(X_train)
         X_test = tokenizer.texts_to_sequences(X_test)

         X_train = tf.keras.preprocessing.sequence.pad_sequences(X_train, padding='post', maxlen=256)
         X_test = tf.keras.preprocessing.sequence.pad_sequences(X_test, padding='post', maxlen=256)
```

Machine learning algorithms used ( eg.. LSTM)

- First load in the data. The preprocessing only consist of normalization and the creation of windows.
- Creation of the LSTM model
- Training the LSTM model

```
In [14]: model = tf.keras.Sequential([
         tf.keras.layers.Embedding(max_vocab, 128),
         tf.keras.layers.Bidirectional(tf.keras.layers.LSTM(64, return_sequences=True)),
         tf.keras.layers.Bidirectional(tf.keras.layers.LSTM(16)),
         tf.keras.layers.Dense(64, activation='relu'),
         tf.keras.layers.Dropout(0.5),
         tf.keras.layers.Dense(1)
         ])

         model.summary()
```

Model: "sequential"

| Layer (type)                    | Output Shape      | Param # |
|---------------------------------|-------------------|---------|
| embedding (Embedding)           | (None, None, 128) | 1280000 |
| bidirectional (Bidirectional)   | (None, None, 128) | 98816   |
| bidirectional_1 (Bidirectional) | (None, 32)        | 18560   |
| dense (Dense)                   | (None, 64)        | 2112    |
| dropout (Dropout)               | (None, 64)        | 0       |
| dense_1 (Dense)                 | (None, 1)         | 65      |

=====  
Total params: 1399553 (5.34 MB)

```
In [15]: early_stop = tf.keras.callbacks.EarlyStopping(monitor='val_loss', patience=2, restore_best_weights=True)
model.compile(loss=tf.keras.losses.BinaryCrossentropy(from_logits=True),
              optimizer=tf.keras.optimizers.Adam(1e-4),
              metrics=['accuracy'])

history = model.fit(X_train, y_train, epochs=10, validation_split=0.1, batch_size=30, shuffle=True, callbacks=[early_stop])

Epoch 1/10
1078/1078 [=====] - 430s 388ms/step - loss: 0.2305 - accuracy: 0.8818 - val_loss: 0.0480 - val_accuracy: 0.9850
Epoch 2/10
1078/1078 [=====] - 402s 372ms/step - loss: 0.0442 - accuracy: 0.9886 - val_loss: 0.0313 - val_accuracy: 0.9908
Epoch 3/10
1078/1078 [=====] - 1211s 1s/step - loss: 0.0207 - accuracy: 0.9954 - val_loss: 0.0258 - val_accuracy: 0.9911
Epoch 4/10
1078/1078 [=====] - 405s 376ms/step - loss: 0.0094 - accuracy: 0.9983 - val_loss: 0.0194 - val_accuracy: 0.9930
Epoch 5/10
1078/1078 [=====] - 409s 379ms/step - loss: 0.0085 - accuracy: 0.9981 - val_loss: 0.0320 - val_accuracy: 0.9911
Epoch 6/10
1078/1078 [=====] - 402s 373ms/step - loss: 0.0082 - accuracy: 0.9978 - val_loss: 0.0386 - val_accuracy: 0.9914
```

## Evaluation Metrics:

Metrics used : define evaluation metrics such as accuracy , recall , F1- score explain the choice of metrics and how project goals.

```
In [99]: loss, accuracy, recall = model.evaluate(X_tst, y_tst, verbose=0)

# Print metrics
print('Accuracy : {:.4f}'.format(accuracy))
print('Recall : {:.4f}'.format(recall))

Accuracy : 0.9915
Recall : 0.9787
```

## Project Documentation and reporting:

Separate from the report, create documentation for your Fake news detection, including instructions for usage, system architecture, and any code-related documentation.

Remember to use clear and concise python language in your documentation and reporting.

## Final outcome:

We showed our final outcome for this project:

[203] X\_test

```
array([[ 0,  0,  0, ...,  1, 1645,  474],
       [ 0,  0,  0, ..., 47,  608, 2242],
       [ 0,  0,  0, ..., 515,  714,  703],
       ...,
       [ 0,  0,  0, ..., 2730, 9632, 109146],
       [ 0,  0,  0, ...,  85,   1,  2585],
       [ 0,  0,  0, ..., 620,   8,   260]], dtype=int32)
```

```
x = ['this is a news']
x = tokenizer.texts_to_sequences(x)
x = I
```

[[26, 11, 4, 93]]

```
[210] x = ['this is a news']
x = tokenizer.texts_to_sequences(x)
x = pad_sequences(x, maxlen=maxlen)
```

```
[212] (model.predict(x) >=0.5).astype(int)
```

array([[0]])

```
x = ['As many as 3,79,257 more people tested positive for Covid-19 in the last 24 hours, taking the cumulative caseload to 1,8
x = tokenizer.texts_to_sequences(x)
x = pad_sequences(x, maxlen=maxlen)
(model.predict(x) >=0.5).astype(int)
```

array([[1]])

## FAKE NEWS :-

```
In [2]: fake_data = pd.read_csv(r'C:\Users\arulm_x7s4ikd\Downloads\archive\Fake.csv')
```

```
In [3]: fake_data.head(10)
```

```
Out[3]:
```

|   | title  | text  | subject | date              |
|---|--|---|---------|-------------------|
| 0 | Donald Trump Sends Out Embarrassing New Year...  | Donald Trump just couldn't wish all Americans ... | News    | December 31, 2017 |
| 1 | Drunk Bragging Trump Staffer Started Russian ... | House Intelligence Committee Chairman Devin Nu... | News    | December 31, 2017 |
| 2 | Sheriff David Clarke Becomes An Internet Joke... | On Friday, it was revealed that former Milwauk... | News    | December 30, 2017 |
| 3 | Trump Is So Obsessed He Even Has Obama's Name... | On Christmas day, Donald Trump announced that ... | News    | December 29, 2017 |
| 4 | Pope Francis Just Called Out Donald Trump Dur... | Pope Francis used his annual Christmas Day mes... | News    | December 25, 2017 |
| 5 | Racist Alabama Cops Brutalize Black Boy While... | The number of cases of cops brutalizing and ki... | News    | December 25, 2017 |
| 6 | Fresh Off The Golf Course, Trump Lashes Out A... | Donald Trump spent a good portion of his day a... | News    | December 23, 2017 |
| 7 | Trump Said Some INSANELY Racist Stuff Inside ... | In the wake of yet another court decision that... | News    | December 23, 2017 |
| 8 | Former CIA Director Slams Trump Over UN Bully... | Many people have raised the alarm regarding th... | News    | December 22, 2017 |
| 9 | WATCH: Brand-New Pro-Trump Ad Features So Muc... | Just when you might have thought we'd get a br... | News    | December 21, 2017 |



**THANK YOU!**