

```
<!DOCTYPE html> <html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Kart</title>
  <style>
    body {
      font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial,
sans-serif;
      margin: 0;
      padding: 0;
      background-color: #f0f2f5;
      color: #333;
      line-height: 1.6;
    } .container {
      max-width: 900px;
      margin: 40px auto;
      padding: 30px;
      background: #fff;
      box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
      border-radius: 12px;
    }

    .page {
      display: none;
    }

    .page.active {
      display: block;
    }

    h1, h2, h3 {
      color: #1a237e;
      border-bottom: 1px solid #e0e0e0;
      padding-bottom: 15px;
      margin-top: 0;
    }

    hr {
      border: 0;
      height: 1px;
      background-color: #e0e0e0;
      margin: 20px 0;
    }
```

```
form {
  display: flex;
  flex-direction: column;
  gap: 20px;
  margin-bottom: 20px;
}

label {
  font-weight: 600;
  color: #555;
}

input,
textarea {
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 8px;
  box-sizing: border-box;
  transition: border-color 0.3s ease;
}

input:focus,
textarea:focus {
  outline: none;
  border-color: #1a237e;
}

input[type="file"] {
  padding: 0;
  border: none;
}

input[type="file"]::-webkit-file-upload-button {
  padding: 12px 18px;
  border: 1px solid #ccc;
  border-radius: 8px;
  background-color: #f5f5f5;
  cursor: pointer;
  transition: all 0.3s ease;
  font-weight: 600;
}
```

```
input[type="file"]::-webkit-file-upload-button:hover {  
  background-color: #e0e0e0;  
}
```

```
button {  
  padding: 12px 20px;  
  border: none;  
  background-color: #1a237e;  
  color: white;  
  cursor: pointer;  
  border-radius: 8px;  
  font-size: 16px;  
  font-weight: 600;  
  transition: background-color 0.3s ease;  
}
```

```
button:hover {  
  background-color: #0d1252;  
}
```

```
.product-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));  
  gap: 25px;  
}
```

```
.product-card {  
  border: 1px solid #e0e0e0;  
  border-radius: 12px;  
  padding: 20px;  
  text-align: center;  
  background: #fafafa;  
  box-shadow: 0 2px 5px rgba(0, 0, 0, 0.05);  
  transition: transform 0.3s ease;  
}
```

```
.product-card:hover {  
  transform: translateY(-5px);  
  box-shadow: 0 6px 15px rgba(0, 0, 0, 0.1);  
}
```

```
.product-card img {  
  width: 100%;  
  height: 220px;
```

```
    object-fit: cover;
    border-radius: 8px;
    margin-bottom: 15px;
}
```

```
.product-card h3 {
    font-size: 1.3em;
    margin: 0;
    border: none;
    padding-bottom: 0;
}
```

```
.product-price {
    font-weight: bold;
    color: #d81b60;
    font-size: 1.2em;
    margin: 10px 0;
}
```

```
.cart-item {
    display: flex;
    gap: 20px;
    align-items: center;
    border-bottom: 1px solid #e0e0e0;
    padding-bottom: 20px;
    margin-bottom: 20px;
}
```

```
.cart-item img {
    width: 100px;
    height: 100px;
    object-fit: cover;
    border-radius: 8px;
}
```

```
.cart-item-details {
    flex-grow: 1;
}
```

```
.cart-summary {
    margin-top: 30px;
    text-align: right;
    border-top: 1px solid #e0e0e0;
    padding-top: 20px;
}
```

```
}

.cart-summary h3 {
  margin: 0;
  border: none;
  color: #1a237e;
}

.order-details {
  border: 1px solid #e0e0e0;
  padding: 20px;
  margin-bottom: 25px;
  border-radius: 8px;
  background-color: #fafafa;
}

.order-details h3 {
  margin-top: 0;
  border-bottom: 1px solid #e0e0e0;
  padding-bottom: 10px;
}

.order-details ul {
  list-style: none;
  padding: 0;
  margin: 15px 0 0 0;
}

.order-details li {
  padding: 5px 0;
}

.gender-options {
  display: flex;
  gap: 20px;
}

.gender-options label {
  font-weight: normal;
}
</style>

</head>
<body> <div class="container">
```

```
<div id="login-view" class="page active">
  <h1>Welcome to My Kart</h1>
  <form id="login-form">
    <label for="username">Username:</label>
    <input type="text" id="username" required>
    <label for="password">Password:</label>
    <input type="password" id="password" required>
    <button type="submit">Login</button>
  </form>
</div>
```

```
<div id="admin-view" class="page">
  <h1>Admin Dashboard</h1>
  <button onclick="app.logout()">Logout</button>

  <hr>
  <h2>Add New Product</h2>
  <form id="add-product-form">
    <label for="product-name">Product Name:</label>
    <input type="text" id="product-name" required>
    <label for="product-price">Price (INR):</label>
    <input type="number" id="product-price" required>
    <label for="product-details">Details:</label>
    <textarea id="product-details" required></textarea>
    <label for="product-image">Product Image:</label>
    <input type="file" id="product-image" accept="image/*" required>
    <button type="submit">Add Product</button>
  </form>

  <hr>
  <h2>Customer Orders</h2>
  <div id="orders-list"></div>
</div>
```

```
<div id="customer-view" class="page">
  <h1>Welcome, Customer!</h1>
  <button onclick="app.logout()">Logout</button>
  <button onclick="app.showCart()">View My Cart</button>

  <hr>
  <h2>Our Products</h2>
  <div id="products-list" class="product-grid"></div>
</div>
```

```
<div id="cart-view" class="page">
  <h1>My Cart</h1>
  <div id="cart-items"></div>
  <div class="cart-summary">
    <h3>Total: ₹<span id="cart-total">0</span></h3>
    <button onclick="app.checkout()">Buy Now</button>
  </div>
  <button onclick="app.showView('customer-view')">Continue Shopping</button>
</div>
```

```
<div id="checkout-view" class="page">
  <h1>Checkout</h1>
  <form id="checkout-form">
    <label for="customer-name">Your Name:</label>
    <input type="text" id="customer-name" required>
    <label for="customer-address">Your Address:</label>
    <textarea id="customer-address" required></textarea>
    <label for="customer-contact">Contact Number:</label>
    <input type="text" id="customer-contact" required>

    <div class="gender-options">
      <label>Gender:</label>
      <label>
        <input type="radio" name="customer-gender" value="Male" required>
        Male
      </label>
      <label>
        <input type="radio" name="customer-gender" value="Female" required>
        Female
      </label>
    </div>

    <h3>Payment Method: Cash on Delivery</h3>
    <button type="submit">Place Order</button>
  </form>
</div>
</div>
```

```
<script>
const app = (function() {
  // --- State Management ---
  const state = {
    products: [],
    cart: [],
```

```

    orders: [],
    // Simple hardcoded credentials
    credentials: {
      admin: 'a123',
      customer: 'c123'
    }
  };

  // --- DOM Element Caching ---
  const dom = {
    loginForm: document.getElementById('login-form'),
    loginView: document.getElementById('login-view'),
    adminView: document.getElementById('admin-view'),
    customerView: document.getElementById('customer-view'),
    cartView: document.getElementById('cart-view'),
    checkoutView: document.getElementById('checkout-view'),
    addProductForm: document.getElementById('add-product-form'),
    productImageInput: document.getElementById('product-image'),
    productsList: document.getElementById('products-list'),
    cartItems: document.getElementById('cart-items'),
    cartTotal: document.getElementById('cart-total'),
    checkoutForm: document.getElementById('checkout-form'),
    ordersList: document.getElementById('orders-list'),
  };

  // --- View Management ---
  function showView(viewId) {
    document.querySelectorAll('.page').forEach(page => {
      page.classList.remove('active');
    });
    document.getElementById(viewId).classList.add('active');
  }

  // --- Admin Functions ---
  function renderOrders() {
    if (state.orders.length === 0) {
      dom.ordersList.innerHTML = '<p>No new orders.</p>';
      return;
    }
    dom.ordersList.innerHTML = state.orders.map(order => {
      const itemsHtml = order.items.map(item => `
<li>${item.product.name} (x${item.quantity}) - ₹${(item.product.price *
item.quantity).toFixed(2)}</li>

```



```

).join(""); return
<div class="order-details">
<h3>Order #${order.id}</h3>
<p><strong>Customer:</strong> ${order.customer.name}</p>
<p><strong>Gender:</strong> ${order.customer.gender}</p>
<p><strong>Address:</strong> ${order.customer.address}</p>
<p><strong>Contact:</strong> ${order.customer.contact}</p>
<p><strong>Total:</strong> ₹${order.total.toFixed(2)}</p>
<p><strong>Items:</strong></p>
<ul>${itemsHtml}</ul>
</div>
`;
}).join("");
}

function handleAddProduct(e) {
  e.preventDefault();
  const imageFile = dom.productImageInput.files[0];
  if (!imageFile) {
    alert('Please select an image file.');
```

return;

```

  }

  const reader = new FileReader();
  reader.onload = function(event) {
    const newProduct = {
      id: state.products.length + 1,
      name: dom.addProductForm['product-name'].value,
      price: parseFloat(dom.addProductForm['product-price'].value),
      details: dom.addProductForm['product-details'].value,
      image: event.target.result // Use the data URL from the file reader
    };
    state.products.push(newProduct);
    dom.addProductForm.reset();
    alert(`Product "${newProduct.name}" added successfully!`);
  };
  reader.readAsDataURL(imageFile);
}

// --- Customer Functions ---
function renderProductCards() {
  if (state.products.length === 0) {
    dom.productsList.innerHTML = '<p>No products available yet.</p>';
    return;
  }

```

```

    }
    dom.productsList.innerHTML = state.products.map(product => `
      <div class="product-card">
        
        <h3>${product.name}</h3>
        <p class="product-price">₹${product.price.toFixed(2)}</p>
        <p>${product.details}</p>
        <button onclick="app.addToCart(${product.id})">Add to Cart</button>
      </div>
    `).join("");
  }

```

```

function addToCart(productId) {
  const product = state.products.find(p => p.id === productId);
  if (product) {
    const existingItem = state.cart.find(item => item.product.id === productId);
    if (existingItem) {
      existingItem.quantity += 1;
    } else {
      state.cart.push({ product: product, quantity: 1 });
    }
    alert(` ${product.name} added to cart!`);
  }
}

```

```

function renderCartItems() {
  if (state.cart.length === 0) {
    dom.cartItems.innerHTML = '<p>Your cart is empty.</p>';
    dom.cartTotal.textContent = '0.00';
    return;
  }
}

```

```

const total = state.cart.reduce((sum, item) => sum + item.product.price * item.quantity,
0);

```

```

dom.cartTotal.textContent = total.toFixed(2);

```

```

dom.cartItems.innerHTML = state.cart.map(item => `
  <div class="cart-item">
    
    <div class="cart-item-details">
      <h4>${item.product.name}</h4>
      <p>Price: ₹${item.product.price.toFixed(2)}</p>
      <p>Quantity: ${item.quantity}</p>
    </div>
  </div>
`);

```

```

        </div>
    `).join(");
}

function checkout() {
    if (state.cart.length > 0) {
        showView('checkout-view');
    } else {
        alert('Your cart is empty. Please add some products.');
```

```

    e.preventDefault();
    const password = dom.loginForm['password'].value;
    if (password === state.credentials.admin) {
        showView('admin-view');
        renderOrders();
    } else if (password === state.credentials.customer) {
        showView('customer-view');
        renderProductCards();
    } else {
        alert('Invalid username or password. ');
    }
    dom.loginForm.reset();
}

function logout() {
    showView('login-view');
}

// --- Initialization ---
function setupEventListeners() {
    dom.loginForm.addEventListener('submit', handleLogin);
    dom.addProductForm.addEventListener('submit', handleAddProduct);
    dom.checkoutForm.addEventListener('submit', handlePlaceOrder);
}

function init() {
    setupEventListeners();
    showView('login-view');
}

init();

// Expose public methods
return {
    logout,
    showView,
    addToCart,
    showCart: () => {
        showView('cart-view');
        renderCartItems();
    },
    checkout
};
})();

```

</script>

</body>

</html>