

Programming Aptitude Test - 50 Tricky MCQs

Q1.

```
a = 10
b = a
a += 5
print(a, b)
```

- 1) 15 15 2) 10 10 3) 15 10 4) Error

Q2.

```
print(2 + 3 * 2 ** 2)
1) 20
```

- 2) 14 3) 10 4) 12

Q3.

```
for i in range(3):
    i += 2
    print(i, end=' ')
```

- 1) 0 1 2 2) 2 3 4 3) 2 4 6 4) Infinite loop

Q4.

```
i = 0
while i < 3:
    print(i, end=' ')
```

- 1) 0 1 2 2) 0 0 0... 3) Infinite loop 4) Error

Q5.

```
print(True + False + True)
1) 0
```

- 2) 1 3) 2 4) True

Q6.

```
for i in range(1, 5):
    if i == 3:
        continue
    print(i, end=' ')
```

- 1) 1 2 3 4 2) 1 2 4 3) 3 4) 1 2

Q7.

```
print(10 / 2 * 3)
1) 15.0
```

- 2) 5 3) 6 4) 30

Q8.

```
i = 1
while i < 10:
    i *= 2
    print(i)
```

- 1) 8 2) 10 3) 16 4) Infinite loop

Q9.

```
for i in range(2):
    for j in range(2):
        print(i + j, end=' ')
```

- 1) 0 1 1 2 2) 1 2 3 3) 0 1 2 4) 1 1 1 1

Q10.

```
print(5 > 3 == True)
1) True
```

- 2) False 3) Error 4) None

Q11.

```
a = 3
b = 4
print(a * b // 2)
```

- 1) 6 2) 12 3) 5 4) 7

Q12.

```
for i in range(1, 4):  
    print(i * '*')
```

1) *****

2) *** **

3) ***

4) Error

Q13.

```
i = 5  
while i:  
    print(i, end=' ')  
    i -= 2
```

1) 5 3 1

2) 5 4 3 2 1

3) Infinite loop

4) 1 3 5

Q14.

```
print(not(4 > 2 and 3 < 1))
```

1) True

2) False

3) Error

4) None

Q15.

```
for i in range(3):  
    for j in range(i):  
        print(j, end=' ')
```

1) 0 1 2

2) 0 0 1

3) 1 2 3

4) 0 1

Q16.

```
print(3 + 4 * 2 // 2)
```

1) 7

2) 11

3) 14

4) 5

Q17.

```
for i in range(3):  
    print(i, end='')
```

1) 0 1 2

2) 012

3) 123

4) Error

Q18.

```
a = 5  
print(a == 5 or a < 2)
```

1) True

2) False

3) Error

4) None

Q19.

```
i = 1  
while i < 5:  
    print(i, end=' ')  
    i += 1
```

1) 1 2 3 4

2) 0 1 2 3 4

3) 1 2 3 4 5

4) Infinite loop

Q20.

```
print(2 ** 3 ** 1)
```

1) 6

2) 8

3) 9

4) 12

Q21.

```
for i in range(2):  
    for j in range(2):  
        print('*', end='')
```

1) ****

2) ** **

3) * * * *

4) Error

Q22.

```
print(5 > 2 and 10 < 3)
```

1) True

2) False

3) Error

4) None

Q23.

```
i = 10  
while i > 0:  
    i -= 3  
    print(i, end=' ')
```

1) 7 4 1 -2

2) 10 7 4 1

3) 7 4 1

4) Infinite loop

Q24.

```
print(10 // 3 * 2)
```

1) 6

2) 6.6

3) 4

4) 5

Q25.

```
for i in range(1, 4):  
    print(i + 1, end=' ')
```

1) 1 2 3

2) 2 3 4

3) 0 1 2

4) 3 4 5

Q26.

```
print(bool(0))
```

1) True

2) False

3) 0

4) Error

Q27.

```
for i in range(3):  
    if i == 1:  
        break  
    print(i, end=' ')
```

1) 0 1 2

2) 0

3) 1 2

4) Infinite loop

Q28.

```
a = 4  
b = 2  
print(a / b + a // b)
```

1) 4.0

2) 6.0

3) 8

4) 2

Q29.

```
i = 1  
while i < 20:  
    print(i, end=' ')  
    i *= 3
```

1) 1 3 9

2) 1 2 4 8 16

3) 3 9 27

4) Infinite loop

Q30.

```
print(not(True and False))
```

1) True

2) False

3) Error

4) None

Q31.

```
print(7 % 3 + 2)
```

1) 2

2) 3

3) 4

4) 5

Q32.

```
x = 2  
x *= 3  
print(x)
```

1) 5

2) 6

3) 8

4) 9

Q33.

```
for i in range(5, 1, -2):  
    print(i, end=' ')
```

1) 5 3

2) 5 4 3

3) 1 3 5

4) 5 2

Q34.

```
print(4 == 4 and 2 > 1)
```

1) True

2) False

3) Error

4) 0

Q35.

```
i = 3  
while i > 0:  
    print(i, end=' ')  
    i -= 1
```

1) 3 2 1

2) 1 2 3

3) 0 1 2

4) Infinite

Q36.

```
print(3 * 2 ** 2)
```

	1) 12	2) 36	3) 9	4) 6
Q37.	<pre>for i in range(2): print(i + 5)</pre>			
	1) 5 6	2) 6 7	3) 0 1	4) 5
Q38.	<pre>print(False == 0)</pre>			
	1) True	2) False	3) 0	4) Error
Q39.	<pre>a = 2 b = 5 print(a < b or b < 1)</pre>			
	1) True	2) False	3) Error	4) None
Q40.	<pre>for i in range(1, 5, 2): print(i, end=' ')</pre>			
	1) 1 3	2) 1 2 3	3) 2 4	4) 1 3 5
Q41.	<pre>print(9 // 2)</pre>			
	1) 4	2) 4.5	3) 5	4) 3
Q42.	<pre>i = 1 while i < 8: i += 2 print(i)</pre>			
	1) 7	2) 8	3) 9	4) 6
Q43.	<pre>print(2 < 3 < 5)</pre>			
	1) True	2) False	3) Error	4) None
Q44.	<pre>for i in range(3): print('*' * i)</pre>			
	1) blank ***	2) * * * *	3) ***	4) Error
Q45.	<pre>print(5 and 0)</pre>			
	1) 5	2) 0	3) True	4) False
Q46.	<pre>a = 6 print(a % 4)</pre>			
	1) 1	2) 2	3) 3	4) 4
Q47.	<pre>for i in range(3): if i == 2: continue print(i, end=' ')</pre>			
	1) 0 1	2) 0 1 2	3) 1 2	4) 2
Q48.	<pre>print(not False)</pre>			
	1) True	2) False	3) 0	4) 1
Q49.				

```
i = 0
while i < 2:
    print(i)
    i += 1
```

1) 0 1

2) 1 2

3) 0 1 2

4) Infinite

Q50.

```
print(2 + 2 * 3)
```

1) 12

2) 8

3) 6

4) 10