# User Guide

of

# Instashop API





# **Document Control**

Version	Date	Author	Description of Change
1.0	12-05-2025		First release

X-Byte Confidential Page **2** of



#### **User Guide for**

Instashop API

#### Submitted to:

# **Contents**

Document Control	
About this Document	4
Introduction	5
Configuration of Instashop API	6
API KEY	6
API Endpoints	6
1. instashop_uae_app_store_listing	6
2. instashop_uae_app_store_data	10
3. instashop_uae_app_product_listing	14
4 instaction use ann product price	19

	User Guide for	Instashop API
X-BYTE		
ENTERPRISE CRAWLING		

## **About this Document**

X-Byte Technolabs Pvt. Ltd. (hereafter X-Byte) submits this User Guide which illustrates the functionalities of Instashop API . The document provides the details related to API Key, API Endpoints, headers, Input parameters, Output attributes, Example Output, Error Codes etc.

X-Byte Confidential Page **4** of

	User Guide for	Instashop API
X-BYTE ENTERPRISE CRAWLING	Submitted to:	

#### Introduction

**X-Byte Enterprise Crawling** (Subsidiary of X-Byte Technolabs Pvt. Ltd.) has developed of Instashop API to fetch desired ticket data from multiple countries. Document outlined the Configuration of API including API URL, Method to integrate URL with Output snapshot.

Instashop API can be integrated with any of the existing system for real time data fetch from the app. The API would facilitate to receive the input from the existing system and delivers the desired output back to the requested existing system.

X-Byte Confidential Page **5** of

N. 44		User Guide for	Instashop API
	X-BYTE ENTERPRISE CRAWLING	Submitted to:	

# **Configuration of Instashop API**

#### **API KEY**

In order to access API, the API-KEY has to be passed along with every request.

Value of API-KEY is ggs5k8a6p9x7t

There are 4 Endpoint of API as mentioned below,

#### 1. instashop\_uae\_app\_store\_listing

https://now-

now.xbyteapi.com/now now uae api?api key=ggs5k8a6p9x7t&endpoint category=instashop uae app store listing&latitude=25.19720961280576&longitude=55.274376310408115&category name =Supermarkets&page no=1

#### **Method**

o Method used: POST

# **Query String parameters**

- Latitude
- Longitude
- Store Name
- o Page Number

### **API Request - Response**

X-Byte Confidential Page 6 of

	User Guide for	Instashop API
X-BYTE		
ENTERPRISE CRAWLING	Submitted to:	

### **Curl Request Example of url endpoint**

curl --location 'https://nownow.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint\_category=instashop\_
uae\_app\_store\_listing&latitude=25.19720961280576&longitude=55.274376310408115&category

### Example to call the api using python

y\_name=Supermarkets&page\_no=1'

#### import requests

url = "https://now-now.xbyteapi.com/now\_now\_uae\_api?api\_key= ggs5k8a6p9x7t &endpoint\_category=instashop\_uae\_app\_store\_listing&latitude=25.19720961280576&long itude=55.274376310408115&category\_name=Supermarkets&page\_no=1" response = requests.request("GET", url)

X-Byte Confidential Page **7** of



# Response of the tickets data listing endpoint call

```
* Temport Lapt'; {
    *Temport Lapt'; {
```

X-Byte Confidential Page 8 of



# **API Response Code**

Sr. No.	Response Code	Definition	Reason
1	200	Success	Request Successfully Processed
2	407	proxy is expired	Current proxy not work.
3	400	Category name wrong updated	Some issue in passed store name parameter.
4	500	Internal Server Error	There might be some Proxy server side error while processing your request

X-Byte Confidential Page **9** of

	User Guide for	Instashop API
X-BYTE ENTERPRISE CRAWLING	Submitted to:	

## 2. instashop\_uae\_app\_store\_data

https://now-

now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint\_category=instashop\_uae\_app\_store\_data&latitude=25.19720961280576&longitude=55.274376310408115&store\_id=N9xdN5u7zq&category\_name=Electronics

#### Method

o Method used: POST

# **Query String parameters**

- Latitude
- Longitude
- Store Id
- o Category Name

**API Request - Response** 

X-Byte Confidential Page **10** of

		User Guide for	Instashop API
W	X-BYTE		
	ENTERPRISE CRAWLING	Submitted to:	

#### **Curl Request Example of url endpoint**

curl --location 'https://now-now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint\_category=instashop\_uae\_app\_store\_data&latitude=25.19720961280576&longitude=55.274376310408115&store\_id=N9xdN5u7zq&category\_name=Electronics'

#### Example to call the api using python

#### import requests

url = https://now-

now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint\_category=insta shop\_uae\_app\_store\_data&latitude=25.19720961280576&longitude=55.2743763104081 15&store\_id=N9xdN5u7zq&category\_name=Electronics"

response = requests.request("GET", url)

X-Byte Confidential Page 11 of



# Response of the tickets data listing endpoint call

```
""report_log"; {
    "report_log"; {
    "repo
```

X-Byte Confidential Page 12 of



# **API Response Code**

Sr. No.	Response Code	Definition	Reason
1	200	Success	Request Successfully Processed
2	407	proxy is expired	Current proxy not work.
3	500	Internal Server Error	There might be some Proxy server side error while processing your request

X-Byte Confidential Page **13** of

**	X-BYTE ENTERPRISE CRAWLING	User Guide for	Instashop API
		Submitted to:	

#### 3. Instashop\_uae\_app\_product\_listing

https://now-

now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae\_app\_master\_data&endpoint\_category=instashop\_uae\_app\_product\_listing&category\_id=pq0y3xV0PH&store\_id=N\_9xdN5u7zq&page\_no=1

#### **Method**

o Method used: POST

# **Query String parameters**

- Store Id
- Category Id
- o Page Number

## **API Request - Response**

X-Byte Confidential Page **14** of

		User Guide for	Instashop API
W	X-BYTE		·
M	ENTERPRISE CRAWLING	Submitted to:	

#### **Curl Request Example of url endpoint**

curl --location 'https://now-now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae\_app\_m aster\_data&endpoint\_category=instashop\_uae\_app\_product\_listing&category\_id=pq0y3xV0PH&s tore\_id=N9xdN5u7zq&page\_no=1'

#### Example to call the api using python

#### import requests

url = https://nownow.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae \_app\_master\_data&endpoint\_category=instashop\_uae\_app\_product\_listing&category\_id =pq0y3xV0PH&store\_id=N9xdN5u7zq&page\_no=1" response = requests.request("GET", url)

X-Byte Confidential Page 15 of



# Response of the tickets data listing endpoint call

X-Byte Confidential Page **16** of



# **API Response Code**

Sr. No.	Response Code	Definition	Reason
1	200	Success	Request Successfully Processed
2	407	proxy is expired	Current proxy not work.
3	500	Internal Server Error	There might be some Proxy server side error while processing your request

X-Byte Confidential Page **17** of

**	X-BYTE ENTERPRISE CRAWLING	User Guide for	Instashop API	
		Submitted to:		

now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae\_app\_master\_data&endpoint\_category=instashop\_uae\_app\_product\_price&product\_id=jexuLbHl5T&store\_id=qsyM\_UcPses

#### **Method**

o Method used: POST

# **Query String parameters**

- Store Id
- o Category Id

**API Request - Response** 

X-Byte Confidential Page **18** of

		User Guide for	Instashop API
W/	X-BYTE		
	ENTERPRISE CRAWLING	Submitted to:	

#### **Curl Request Example of url endpoint**

curl --location 'https://now-now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae\_app\_m aster\_data&endpoint\_category=instashop\_uae\_app\_product\_price&product\_id=jexuLbHI5T&store\_id=qsyMUcPses'

### Example to call the api using python

#### **import** requests

url = https://now-

now.xbyteapi.com/now\_now\_uae\_api?api\_key=ggs5k8a6p9x7t&endpoint=instashop\_uae \_app\_master\_data&endpoint\_category=instashop\_uae\_app\_product\_price&product\_id=j exuLbHI5T&store\_id=qsyMUcPses"

response = requests.request("GET", url)

X-Byte Confidential Page 19 of



# Response of the tickets data listing endpoint call

```
* "request_log"; {

*request_surl": "https://mow-now.sbytead.com/now now use ani2adi key-ges588a6c0%?t&endpoint-instashoo_use ano master data&endpoint category=instashoo_use ano product_price&endpoint_id=jesukBHIST&store_id=sbyMkPses",

*request_time": "2025-05-12 16:59:35.936102+00:80",

*process_time": "3.9853304195404053"
},

* "results": {

*store_id": "qsyMuPses",

*product_adat": {

*product_adat": "fesukBHIST",

*store_id": "qsyMuPses",

*product_adat "; fesukBHIST",

*product_adat "; fesukBHIST",

*product_adat "; fesukBHIST",

*product_adat "; fesukBHIST ",

*product_adat "; fesukBHIST ",
```

X-Byte Confidential Page **20** of



# **API Response Code**

Sr. No.	Response Code	Definition	Reason
1	200	Success	Request Successfully Processed
2	407	proxy is expired	Current proxy not work.
3	other	Request failed	Passed parameter are wrong or product current not available.

X-Byte Confidential Page **21** of