Void Theory - Unifying QM with GR

I) Preface

This Framework is an attempt to give a scientific , physical , logical & mathematical model & interpretation to unify Quantum Mechanics with Relativity that based on clarifying & representing a model that reconcile both accepted theories & presenting a model that resolves ambiguities & paradoxes , to subject a coherent , self sustained , explainable model at all scales & references .

This framework regarded itself as a groundbase for a Unifying Theory to Combine relativistic & quantum occurrences to apply same principles & pattern .

II) Principles

The Proposed framework - as any theory seeds – is based on the following principles & postulate :

1 - All objects - whether in microscopic level or at macroscopic range - are not fully bound by spacetime (universal) constraints , but their degree of freedom decreases gradually as objects lean from microscopic level to macroscopic level .

2- Spacetime Constraints discussed in framework are :

a)locality

b)speedlimit .

3 - Gravity is not an independent field , it is just the interaction between Mass (which is equivalent to Energy physically) & Spacetime ... Actually it is the effect of Energy/Mass on a Spacetime … Energy/Mass is direct responsible for Gravity occurrence , As Gravity is the Curvature magnitude of Spacetime formed by Energy/Mass .

4 - Electrons size is not correlated directly to its wavelength or wave amplitude , it is the statistical probability of where that certain electron reside (Hence verified Coulombs Scattering study determined electrons as (point charges)) .

5 - Suggested Model which is the main subject of This Proposed framework does comply to all Quantum Mechanics & General Relaivity verified observations & proven laws , as suggested model is an interpretative substrate model explains & resolve occurences ambiguities in Copenhagen interpretation & General Relativity failing to interpret , & also aim to resolve dispute between QM & GR at extreme states , as it assume that QM & GR were accurate approximate physical description of natural occurrences .

6 - Hubble Expansion Rate is an effect of Dark Energy ≈ 67.4 km/sec/Megaparsec = 2.184057 * (10^-18) m/sec/m .

7 - Elementary Particles , such as Electrons & Quarks , are considered (point charge) - dimensionless - respecting Coulombs Scattering verified results .

8 - Proposed Model is Substrate framework of GR & QM both , not nullying them .

9 - Darkmatter physical properties is constant at all scales , hence it's neutrality & extreme weak interactions with any substance , barely noticeable in Gravity field , & at intergalactic cluster forming cosmic stage

So properties are constant , cosmic & microscopic .

10- *"This framework posits that General Relativity & Quantum Mechanics are an emergent hydrodynamic descriptions of a deeper existence . Therefore, while GR tensors Quantum field theory describe the macroscopic geometry, the fundamental physics is governed by the constitutive equations of the medium itself (Density and Surface Tension)."*

11- **The manuscript should be evaluated not on conformity with prevailing ontologies, but on internal consistency, parsimony, and testability.**
By these criteria, it merits serious consideration and observational scrutiny rather than dismissal.

III) Aims of The Framework

1 - Solving The Loss of information inside a Blackhole .

2 - Model applied in both cosmic & Quantum world .

3 - Unifying Quantum Mechanics & Relativity theory in one single model , that happen through what I call (Key) that solves mysteries surrond both theories , or in fact , mysteries that both theories didn't resolve or explain or reconcile.

IV) Postualtes of Proposed Framework

1 - Absolute Capillary Wave Speed is a Properties of The Object of Surface Tension σ & Density ρ when its Wavelength is twice third of its radius

As

$$V_O = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \qquad Where\ (\lambda) = 2r/3$$

Which 2r/3 is center of Percussion



2 - Darkmatter Doesn't Interact with any baryonic matter physically or chemically except for gravitional effect that is unnoticeable locally , it is only noticeable in intergalactic level forming scaffolding of galactic clusters (Halos) .

3 - Darkmatter is the interaction of Quantum Oscillations , Expansion & Baryonic Acoustic Oscillation (BAO) Energy Equivanent

4 - Dark Energy is the The Net Big Bang Total Energy Released After Consumption of Formation of Dark Matter , Barions & Radiation & Neutrinos

5 - Darkmatter (DM) +Baryonic Matter (BM) = Universal Matter (UM) .

6 - Speed of Light is The Absolute Capillary Wave Speed of The Universe , & there’s no correlation between light wavelength & Universal Wavelength

V) Framework Layout

A) Universal

1 - Concluding Universal Matter Percentile Mathematically

Velocity Limit in any medium in space : V_0

$$V_O = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \qquad Where\ V_0 = c$$

$$c = \sqrt{\frac{2\pi\sigma_{UM}}{\lambda\rho}} \qquad Where\ \sigma_{UM} = \frac{E_{UM}}{A}$$

Where $\lambda = \frac{2}{3} D_c$

Where $D_c\ is\ Universal\ Comoving\ Distance$

$$c = \sqrt{\frac{2\pi * (um) * \frac{4}{3}\pi {D_c}^3 \rho * c^2 / 4\pi {D_c}^2}{\frac{2}{3} D_c * \rho}}$$

After abbreviation

(um)= 1/π ≈ 0.3183

Where (m) is Universal Matter Ratio

2 - Concluding Baryonic Matter Theoretically

First : Determining Ω_{BM}

From BBN Mathematical Proof

1. The Physical Proof: The Deuterium Bottleneck

To understand why the amount of baryonic matter is fixed, we must look at the first few minutes of the universe (Big Bang Nucleosynthesis).

The Process:

1. Creation: Protons (p) and neutrons (n) collide to form Deuterium (D):

P + n = D + ɣ

2. **Destruction (The Bottleneck):** In the very early, hot universe, high-energy photons (γ) immediately blast Deuterium back apart. Deuterium cannot accumulate until the universe cools sufficiently.

3. **Fusion (The Drain):** Once Deuterium survives, it is immediately used as fuel to create Helium-4

D + D = He_4

The "Baryometer" Argument:

- **If the Universe were dense (High Baryon %):** Collisions would be frequent. As soon as Deuterium formed, it would find a partner and fuse into Helium. The process would be extremely efficient, leaving **almost zero** leftover Deuterium.
- **If the Universe were empty (Low Baryon %):** Collisions would be rare. Nuclei would struggle to find partners. Much of the Deuterium would fail to fuse into Helium and would remain as "leftovers."

The Observation:

We observe a primordial Deuterium abundance of roughly

2.5 * 10^-5 (about 25 Deuterium atoms for every million Hydrogen atoms).

Physically, this is a "large" amount. It proves the early universe was not dense enough to burn all the Deuterium. This specific "inefficiency" locks the baryon density to a low number (~5%). If the density were even slightly higher (say, 10%), the Deuterium abundance would be virtually zero.

Mathematical Proof :

Using Precise Spectroscopic measurements from Quasar Absorption Spectra

D/H ≈ 2.53*10^-5

Pluggin into BBN Standarad Model yield to precise Power Law

$$\eta = 6.1 * 10^{-6}$$

Where

D/H $\alpha\ \eta^{-1.6}$

Converting Power Law (η) to Mass Density (Ω)

Calculating Photon density (np) using derived Power Law

np = $2\frac{2\xi 3}{\Pi^2} * \left(\frac{K_B T}{h_{bar} c}\right)^3 = 0.411\ cm^3$

Barion Density (nb)

nb = np * η = 2.5*10^-7 bar

Barion Mass Density (ρ_{BM})

$$\rho_{BM} \approx (2 * 10^{-7}) * (1.67 * 10^{-24}) = \ 4.175 * 10^{-31}\ gm/cm^3$$

Where $H_0\ is\ Hubble\ Expansion\ Rate = \frac{67.4\frac{km}{sec}}{megapasec}$

= 2.184057* 10^-18 hz

h = 0.674

h^2 = 0.454276

From Friedmann Equation

$$\rho_{critical} = 3H_0^2/8\pi G$$

Where G is Gravitational Constant = 6.67*10^-11 m^3 kg^{-1} sec^{-2}

$$\rho_{critical} = 8.5365721 * \frac{10^{-27} kg}{m^3}$$

Divided by h^2

$$\rho_{critical} = 1.8791598 \times 10^{-}29\, h^2 \frac{g}{cm^3}$$

$\Omega_{BM} = \frac{\rho_{BM}}{\rho_{critical}}$ $=(4.175 * 10^{-31})/(1.8791598 \times 10^{-29} * h^2)$ =0.02221737608

(bm) = $\frac{\Omega_{BM}}{h^2}$ $=$ 0.02221737608/0.454276 = 0.04890721957= 4. 890721957% of Total Universal Energy (UE)

3 - Concluding DarkMatter ratio (dm) :

(dm) = 0.3183 - 0.04890721957= 0.26939278043

4 - Concluding Dark Energy Ratio (de)

Where Radiation Percentile = 0.00009

(de) = 1 - 0.3183 - 0.00009 = 0.68161

5 - Concluding Comoving Distance - Volume - Surface Area - Mass - Energy & Energy Equivalent Distribution :

From Friedmann Formula

$$D_c = \frac{299792458}{2.184057 * 10\text{^} - 18} * \int_0^{\infty} \frac{dz}{\sqrt{(r)(1+z)^{-4} + (um)(1+z)^{-3} + (cr)(1+z)^{-2} + (de)}}$$

Where (r) is radiation ratio

Where Curvature Parameter (cr) = 0

Hence Universe is flat

$$D_c = \frac{299792458}{2.184057 * 10\text{^} - 18} * \int_0^{\infty} \frac{dz}{\sqrt{(0.00009)(1+z)^{4} + (0.3183)(1+z)^{3} + (0)(1+z)^{2} + (0.68181)}}$$

= 4.34782718128 * 10^26 m

V = 4/3*π*(4.34782718128*10^26)^3 = 3.4427495*10^80 m3

Surface Area = 4*π*(4.34782718128*10^26)^2 = 2.3754966*10^54 m2

M = $\rho_{critical} * V = 8.5365721 * 10^{-27} * 3.4427495 * 10^{80}$

M = 2.93892791934*10^54 kg

Total Energy (TE) = 2. 93892791934*10^54 * 299792458^2 = 2.64137668745*10^71 joules

Universal Matter Energy Equivalent = 0.3183 * (TE) = 8.40750199614*10^70 joules

Darkmatter Energy Equivalent = 0.26939278043 * (TE) = 7.11567809994*10^70 joules

UM Surface Tension = (8.40750199614*10^70) / (2.3754966*10^54) = 3.5392608*10^16 Kg/sec2

DM Surface Tension = (7.11567809994*10^70) / (2.3754966*10^54) = 2.9954487*10^16 Kg/sec2

Universal Age = tc =

$$\frac{1}{2.184057 * \ 10\hat{}-18} * \int_0^1 \frac{dz}{z\sqrt{(0.00009)(z)^{-4} + (0.3183)(z)^{-3} + \ (0)(z)^{-2} + \ (0.68181)}}$$

= 4.33974953810653180 * 10^17 sec

= 13.761255511*10^9 billion years (just slightly younger than latest predictions of 13.8 bil

B) Beyond Universal

Proving (Observable) Universe (Violation) of Spacetime Speedlimit Paradox :

Assuming Availability of Observing furthest Object at 4.22262039125 * 10^26 m = 44.632804744 billion light years = 13,683.150976 megaparsec

Hubble Expansion Rate is 69.4 km/sec/megaparsec = 69400m/sec/megaparsec

Object Speed appeared to us = 69400*13683.150976 = 9.49610677*10^8 m/sec (more than 3 times speed of light)

But This speed is achieved in (Observable Universe) …. Rest of the universe expansion rate is unknown to us

But Outside of The Universe is nothing , void (emptiness) , no mass , no density , no dimension , no spacetime

Velocity limit of the Void Outside

$$V_O = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} V_O = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} = \frac{0}{0} = indeterminate\ value$$

Meaning inability to determine velocity (speed) limit there … Actually (Velocity) is (indeterminate) Value , this result would benefit in studying microscopic world & quantum level analysis .

C) Cosmic :

1) Studying Blackholes

Blackhole formation limit is not evenly distributed through all barions of stellar object (Neutron star) , that interpretation is not inclined with decreasing density as blackholes got bigger , & also is not aligned well with LIGO observation of strong rebound wave being observed out of blackholes formation

1 - Interpretation of blackhole limit is the amount of mass accumulated enough to transform single neutron at the center of of the spherical object to a blackhole , giving the blackhole formula :

$$R = \frac{2Gm}{c^2}$$

So $m = R(\lambda) * \frac{c^2}{2G}$

As

λ= Planck Length = 1.616*10^-35 m

c= 3*10^8 m/sec

G= 6.67*10^-11 m^3/(kg.sec^2)

m = (1.616*10^-35)*((3*10^8)^2)/(2*(6.67*10^-11)) = 1.09*10^-8 kg

(that's exact half of what Planck deduce)

this is the wave length of maximum kinetic energy neutron could offer to degenerate gravity pressure before collapsing by its mass

so Planck Mass formula should be = 0.5$\sqrt{\frac{hc}{G}}$ instead of $\sqrt{\frac{hc}{G}}$

& that means correction of Kinetic Energy formula for nucleon

Where at maximium stability for Neutron before collapse

P.E = K.E

mc^2 = (K)h^2/m.l^2

where (l) is planck length , equivalent to (Rs)

l = 2G.m/c^2

m=l.c^2/2G

apply in equation

l.c^4/2G = (K)*2G*h^2/c^2.l^3

l^4 = (K)*4*G^2*h^2/c^6

since (l) is planck length = 1.616*10^-35 m

G = 6.67*10^-11 m3/(kg.sec^2)

C=3*10^8 m/sec

h is planck constant = 6.62*10^-34 j.sec

(K) is constant

after calculation

K= 1/16π^2

This is the value of kinetic energy constant that align with fact that maximum kinetic energy of a particle reflect into minimum wavelength (Planck Length) resulted into maximum potential energy for a neutron that is exact half of hypothetical Planck Mass to be equals 1.09*10^-8 kg (as Schwarzschield radius is 1.616*10^-35 m) , hence no need to assume that Schwarzschield radius will equal 3.23*10^-35 m (as twice of Planck length)

2 - The minimum mass limit that enough to form neutron @ center of spherical object in space before turning into a blackhole

From Schrudenger Formula :

$$\Delta x * \Delta p = \frac{h}{2\pi}$$

Where

$\Delta x =$ (R^3/n)^1/3 = R/(n^(1/3))

$$\Delta p = \frac{h_{bar}}{\Delta x} = h * \frac{n^{\frac{1}{3}}}{(2\pi) * R}$$

K.E = Δp*c = $h * \frac{n^{\frac{1}{3}}}{(2\pi)*R} * c$

P.E = Gravitational Energy = $\frac{GMm}{R} = G * (nm) * \frac{m}{R}$

P.E = K.E

$G * (nm) * \frac{m}{R} = h * \frac{n^{\frac{1}{3}}}{2*\pi*R}$ * c

$G * (nm) * m = h * \frac{n^{\frac{1}{3}}}{(2\pi\ \ )}$ * c

$G * \left(n\text{^}(\frac{2}{3})\right) * m\text{^}2 = h * \frac{c}{(\pi\ \ )}$

$\left(n\text{^}(\frac{2}{3})\right) = h * \frac{c}{(2\pi\ \ )*G*m\text{^}2}$

= (((6.62*10^-34) * (3*10^8)) / (2*(3.14)*(6 .67*10^-11)*((1.67*10^-27)^2)))^(3/2) = 2.22*10^57 neutrons

Where for the Sun

No of Solar Neutrons = Solar Mass/ Neutron Mass

= 2*10^30 / 1.67*10^-27 = 1.20*10^57 neutrons

Blackhole mass limit = 2.22/1.20 = 1.85 Solar Mass

There's no need to consider Strong interaction to increase limit to 2.3 solar mass … hence that would need assumption of interference between neutron wavelength (which this state cannot be existed unless sharing quantum states , & that would not occur unless Pauli's Exclusion Principle (PEP) being violated , & that would only occur within formation of blackhole .

The Proposed Model interpret the formation of Blackhole as instead of Potential Energy of the mass affect evenly across stellar object whole size of particles until all of them formed a blackhole (which is not ideal for physical interpretation of variable densitites of blackholes , the Massier & Bigger Blackhole the lesser density it has) , & doesn't interpret the strong gravitational wave being recorded by LIGO instrument

As Stellar Object of minimum mass required to form a Blackhole of 1.85 Solar mass has Schwarzschield radius equals

$Rs = 2GM/c^2 = 2*(6.67*10^{-11})*(1.85*2*10^{30})/((3*10^8)^2)$

$Rs = 5484$ m = 5.5 km

Proposed Model interpret that mass limit is the required mass enough to form enough pressure into central neutron to reach maximum kinetic energy & minimum wavelength before turning into a blackhole , as central blackhole accrete all surrounding neutrons , so newly blackhole get bigger & massier , as it accretes again the next surrounding neutrons , a chain reaction that ends when it accretes all stellar object matter within Schwrzschield radius , in a process that will take the duration following

$t = Rs/c = 5484/(3*10^8) = 0.000018$ sec = 18 microsecond

that will generate a strong gravitional wave of high frequency , depending on distance between blackhole occurrence & LIGO detectors on earth , & that aligns with LIGO detection of blackhole formation

3 - According to Stability limit of neutrons where

P.E = K.E

$m*c^2 = h^2/16(\pi^2)ml$

where $l = 1.616*10^{-35}$ m (Planck length)

$m = (h^2)/16(\pi^2)*c^2*l^2)^{0.5}$

$m = (((6.62*10^{-34})^2)/(16*(3.14^2)*((3*10^8)^2)*((1.616*10^{-35})^2)))^{0.5} \approx 1.09*10^{-8}$ kg

where neutron velocity under Kinetic Energy limit determined from the formula

m (new planck mass) $= m$ (neutron) $/(1-v^2/c^2)^{0.5}$

where

$1.09*10^{-8} = (1.67*10^{-27})/(1-v^2/((3*10^8)^2))$

$V = 0.999999\ c$

That will lead to interpretation that Planck mass is not the mass that forms the blackhole

Planck mass is the most mass limit we can measure before the particle form into a blackhole , but forming into a blackhole require its kinetic energy will reach infinite value as its neutron velocity will reach speed of light (so that representing that electromagnetic wave cannot escape Blackhole Gravity) , that will lead to infinite mass according to General Relativity .

2) Modern theories struggled to explain occurrence of entanglement , as entangled particles transfer information to one another in no time (teleporting information) even if entangled particles were in opposite sides of the universe .

Also Modern theories struggled to explain (mechanically) , how electrons elevated from one orbital level to another without passing through .

Quantum Mechanics cannot explain (mechanically) the electron cloud occurence

This framework started searching for answers cosmically , looking through a blackhole .

Blackholes generated through massive Star ... the gravity of that massive star are stabilized by the energy generated due to nuclear fusion occur in the star core due to gravity force itself ... until all nuclear fuel are wasted ... all of hydrogen are fused into helium , helium fused into carbon & oxygen ... etc ... until it fused into ferrous ... Ferrous is very resistant to Fusion to form any bigger element , the stellar object explode in a supernova .

According to Tollman-Oppenheimer-Volkoff (TOV) equation , if remnant of stellar object after the explosion of Supernova exceeds ≈ 2.3 Solar Masses (Our Calculation proving 1.85 Solar Masses is enough to form a Blackhole) , it contracts into Blackhole , Hence Pauli Exclusion Principle (PEP) for neutrons , cannot counteract excessive gravity generated .

Our known Lifetime of stars , that are formed as clouds of molecular hydrogen resulted out of inflation after the Big Bang , these clouds has potential energy curved spacetime (generating

gravity) combining molecular Hydrogen through time , the accumulative energy through time affected hydrogen forces it to fuse , generating stars as we know it , the stas fuses hydrogen as a result of their gravity creating nuclear fusion energy to counteract potential energy/mass/gravity … until star consumed its hydrogen fuel , & resulted matters when used as a fuel (Helium , Carbon , Oxygen & Silicon) doesn't generate much energy to counteract star potential energy represented in gravity , gravity pressed star matter , making extra nuclear fusion , until its core forming iron , iron core are resistible to nuclear fusion , gravity compressed starcore iron , temperature rises astronomically , compressing matter until overcoming electron degeneracy pressure , forcing fusion with protons forming neutrons that forming solid matter & their degeneracy pressure prevent further collapse , the reaction , rebound forming shockwave that propagates through the stars ripping outer layer apart through the explosion

The remnant of the explosion faces 3 scenarios

1-)Forming white dwarfs ... Electrons degeneracy pressure are stabilizing force of gravity due their PEP .

2-)Forming neutron stars , electrons fall to interact with protons forming neutrons , & Pauli's Exclusion principle that prevents Quantum particles to share same quantum states , stabilizing force of gravity .

3-)Forming blackhole , gravity field overcome Pauli's Exclusion principle , Relativity suggest that the matter will contract into singularity. Which Quantum Mechanics refuses that outcome that violated preservance of information. It may also violate conservation of energy .

Blackhole principle is that mass(energy) of the cosmic object bends Spacetime infinitely (physical interpretation of ripping) so nothing can escape from gravity , even Electromagnetic waves (such as light) cannot escape from .

TOV states (Proposed Framework interpreted later) , that is only remnant of supernova tell the whole story

According to General Relativity (GR) itself , that stellar object material when got turned into a blackhole , will reach singularity , that singularity is dimensionless particle , which means it has an infinite density , while Quantum Mechanics (QM) refuses the concept of singularity , GR

also ignores that infinite density means infinite mass , infinite mass happen also at speed of light .

3) Proposed theory suggests another way of thinking

Potential Energy generated from The star , that generated energy represented by rule PE=M.C^2

that energy is being neutralized & manifested by Star core nuclear fusion of its hydrogen fuel , hydrogen fuel being consumed throughout the billions of years.

after hydrogen fuel being completely depleted out of the star , the star begin to manifest that energy by Helium nuclear fusion , helium fuel is being consumed & depleted , star grows larger as it fuses larger & heavier elements until it formed ferrous element in its core , the star then will transform into Red Giant , Ferrous is are very trickier & harder element to be fused to heavier atoms , then suddenly the star explodes forming Supernova & remnant material of mass (m) of heavy elements of the star suffers inability to generate nuclear fusion , nothing could neutralize Potential Energy that forming stress

Remnant of the star crush to its core with by its own weight (as TOV predicted mathematically) with the existence of resistance of the atoms to be crushed on itself .

Gravity overcoming PEP degeneracy pressure of neutrons if the mass of remnants exceeds 1.85 Solar mass - as we prove earlier - & Crushed the matter , Gravity Exceeds until light can't escape gravity , forming a blackhole .

4) Proposed model suggest that Gravity will push stellar matter to contract (in case of blackhole) that contraction & pressure increase neutrons kinetic energy as described earlier , where central neutron to form a blackhole require its kinetic energy will reach infinite value as its neutron velocity will reach speed of light (so that representing that electromagnetic wave cannot escape Blackhole Gravity) , that will lead to infinite mass according to General Relativity , so infinite Kinetic Energy , bend spacetime infinitely (The Physical Interpretation of Exploding Universal Matter)

But , The Barionic Matter is already collapsed due to its own mass (Potential Energy) , The Energy affect only the Darkmatter (rest of universal matter) which lead to new idea

new idea here

the kinetic energy of collapsed pressurized neutron exploding the Darkmatter creating a (bubble of void) , that void is what the proposed framework call (Void bubble) ... a void in spacetime , Void Bubble (or Sphere) in Universe .

, The dimension of Void Bubble determined mathematically from the former formula

$$\sigma_{DM} = \ 2.9954487 * 10\text{^}16 \ \ kg/\,sec^2 = E/A$$

Where E is (Assumed) Potential Energy of The Blackhole (it will be discussed later why (assumed)

Where A is the surface area of spherical void that has surface tension of $3.1136536 * 10^{16} \frac{kg}{sec^2}$

= Mc^2 / 4πRb^2

Where Rb is The radius of Void Bubble created Out of Black hole

This Case is different from Void Containing the Universe , at this Case , The Universe containing that Void

& this (contained) void , matter accreted teleported in no time , as velocity in this vicinity (Voider Bubble) is infinite according to the formula

$$V_O = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \qquad Where\ (\sigma) = 2.9954487 * 10^{16}\ kg/\,sec^2 \qquad While\ \rho = zero$$

$$V_O = \ \infty$$

(That Spooky Action in no time that Einstein refuse it)

This result solving (Loss of Information) Quantum Mechanics Preserved

& interpretation of infinite speed is crystal clear , that dimensionless void bubble perform as a Topological Shortcut , so infinite speed is justifiable hence unlocality

5) Correlation Between R(bubble) & R'(Schwarzschield)

$$R'_{Schwarzschileds} = \frac{2GM}{c^2}$$

$$R_{Bubble} = \sqrt{\frac{Mc^2}{4\pi\sigma}}$$

$$\frac{R_{Bubble}}{R'_{Schwarzschileds}} = \frac{c\text{^}3}{4G\sqrt{\pi M\sigma}}$$

According to Verified Experimental Observations

Blackholes gaining mass of matters being swallowed or sucked into it

According to the proposed model . Inlet of the proposed Void bubble is correlated to the outlet (Border with Universe , earning additive Potential Energy from matter teleported through Voider Bubble to it , that teleported matter will generate gravitational energy that will curve Universe in the outlet , that Curvature is actually a (Tensile stress/Energy) forcing the Spacetime/Universe to shrink as forcing Voider Bubble Sphere to expand

That expansion magnitude excess is equivalent to potential energy/mass of the object teleported (passing through)

Which being translated as that (Blackholes earning mass of objects got sucked) , while the earning mass/energy is actually equivalent to the expansion of dimension of Voider Bubble , hence the constancy of Surface Tension of the surrounding Darkmatter , which is translated in that formula :

$\Delta r \quad = \sqrt{\Delta E/4\pi\sigma}$

Where ΔR is change in the radius of the Bubble , ΔE is potential energy increase , σ is the surface tension of Darkmatter (Constant) .

6) Dark Energy Driving Darkmatter to fill the voids , but hence Dark Energy effect is Hubble expansion rate of 69.4 km/sec//megaparsec ≈ 2.24886*10^-18 sec^-1 or 2.25*10^-18 Hz

To apply that mathematically

$$t_{healing} = -(\frac{R_{Bubble}}{Megaparsec})/H_0$$

Where t is duration of healing in seconds

R is radius of Voider Bubble in meters

Megaparsec = 3.086*10^22 meters

H is Hubble constant = 2.184057*10^-18 Hz

Hubble Expansion Rate is Astronomically Unnoticeale rate ... But grows exponentially

so as Cosmic Blackhole accreting , swallow matter (or gets teleported to the otherside , Voider expands , Event Horizon expands , meaning that blackhole earn age ...

that explained mathematically as :

$$R_{Bubble} = \sqrt{\frac{\Delta Mc^2}{4\pi\sigma}}$$

$$t_{healing} = -(\frac{\Delta R_{Bubble}}{Megaparsec})/H_0$$

$$t_{healing} = -(\frac{\sqrt{\frac{\Delta Mc^2}{4\pi\sigma}}}{Megaparsec})/H_0$$

Blackhole examples & their predicted radius as proposed framework determined is displayed & explained later when the framework discussing predictions & verifying observations .

7) The Framework did not discuss the effect of star-blackhole-Voider bubble spinning , as thought to be has no significant value on determining Voider Bubble radius , or Coordination of inlet/outlet of teleported object .

8) Another Aspect should be noted :

That Energy preservation occur as soon as Stellar Object collapse into a blackhole , where its matter (Energy) forming the void .

9) Void Bubble Doesn’t have any gravitational lensing or interacting with Observable world , since its nothing , unlocal ... it doesn’t affect any matter outside the proximity of its gate (Blackhole)

D) Microsopic

Quantum world Application

Proposed theory according to Quantum world (focusing on electrons , which represents the obvious state of quantum occurences)

hence quantum particle due to its nature are not fully bound to spacetime constraints of locality & speedlimit

Here's Tricky part of the proposed theory - Role of Dark Enegy :

Main Quantum States , Orbitals , are filled with blackholes that electrons teleported through making electron cloud , that energy

dark energy here driving Darkmatter to fill Voider bubble voids near instant time as it does in cosmic Voider formation , while thermal energy creating them . as thermal energy per atom didn't reach the quanta limit , system stability maintained (framework call it (virtual Voider)

in case of energy quanta , comparatively big quanta blackhole formed at the limit of orbital level , while comparatively small blackholes formed across all orbital levels in the atom , that comparatively big blackhole attract electron to be teleported to next orbital level , Electron emitting energy consumed in photon creating blackholes in the way back out of New orbital level returning to original orbital level , attracting the electron to teleport back , dark energy annihilated last blackhole standing .

But get Assuring of Surface Tension of Darkmatter that have the same scale as in cosmic scale is impossibe , hence detrmining distance differences between Orbitals & Magnetic states were Impossible , & can’t rely on Quantium states alone in verification of scale constancy of Darkmatter surface tension

You can pinpoint the error of determining Darkmatter Surface Tension in Quantum states level alone

We take Hydrogen Atom as an example

Quanta Energy = 10.2 eV = 1.63*10^-18 j

Radius of Bubble (Rb) = (n2^2 - n1^1)*Bohr Radius

= 3*5.29*10^-10 = 1.587*10^-10 m

$\sigma = \Delta E/(4\pi Rb\text{^}2)$

= (1.63*10^-18) /(4*3.14*((1.587*10^-10)^2))

= 5.15 kg/sec2

Darkmatter (Darkmatter surface tension drops drastically at quantum level

& This is physically unacceptable , because Darkmatter doesn't interact with any matter not even in atomic or subatomic scale , its only observed interaction is barely through gravity upon intergalactic clustering formation

& also to confirm methodological & mathematical invalidity of assuring darkmatter surface tension magnitude at microscopic scale & checking its compatability with cosmic scale , Energy difference between Orbital n6 & n7 in same Hydrogen Atom is only ≈ 0.1 eV & Main Orbital Distance exceeds 6 angstroms (> 6*10^-10 m)

Meaning lesser values for Darkmatter for the atom when excited

& that values differ from element to another due to difference in Orbital Energies … which will lead to different values of Surface Tension , which cannot be accepted physically

The reason of this error

Applying main quantum states alone neglects the order of orbital , magnetic , spin energy level order (for example Orbital 3d is preceded by Orbital 4s)

Conclusion :

"The attempt to extract a surface tension from atomic orbital separations is **conceptually invalid**, not merely inaccurate, because atomic orbitals do not possess uniquely defined geometric radii once sub-orbitals, magnetic quantum numbers, angular momentum, and saturation effects are accounted for.

The calculation presented here is intentionally shown to demonstrate the **magnitude of the conceptual error** that arises when such a method is applied."

Even Baryonic matter , as a (resultant) $\approx Constant$ at all scales

But determining radii is still an existing problem

Proposed model to solve the paradox suggests the following :

- According to Proposed Framework Principles , Electrons are considered as Point Charge (Dimensionless) . - (QFT considered Electrons Point Charge , proven , when studying Coulombs Scattering) -

1- Hence to Evade The Assumption of electrons with mass 9.109*10^-31 kg has an infinite density due to dimensionless nature (According to Coulombs Scattering Results) , given mass is the masses of infinite number of generated microscopic (Virtual Blackhole) within the orbital , as time of healing of such blackholes less than planck scale (lead to zero second) , which means Blackholes existence duration are less than planck scales (lead to zero second)

2- Infinite Virtual Blackholes doesn't earn mass … as electrons are teleported before & after Voider bubble , rotating in a loop , so energy difference equal zero all time

3- Electrons in ground state orbital (Original Orbital) doesn't consume energy , hence it teleported , not rotating nor moving

4- Estimating electrons , Voider , surface tension of Darkmatter quantimally through main orbital energy states is not accurate nor representing actual observation & measurements , hence it didn't consider states of sub Orbital numbers into respect (n1s , n2s , n2p , n3s , n3p , n4s , n3d , n4p , n5s … etc)

5- Voiders generated in each orbital are saturated with with ground state electrons , there's no room for additional electrons to teleport .

6- when Electrons elevated from orbital state to higher one , it absorbs energy , emitting photons represents quanta energy , until it resides back to its ground state orbital , it doesn't teleport , it moves with certain speed in certain time , we determine duration of excitation as duration of electron being elevated to higher orbital state through frequency of photon emitted by electrons excited since applying the formula

$$\Delta E = h * f$$

Where ΔE is difference in energy between different orbital state . (f) is frequency , so

T = 1/f = h/ΔE

In case of Hydrogen Atom duration of excitation of electron from n1s to n2s

T = (6.62 * 10^-34) / (1.63*10^-18) = 4.06*10^-16 sec

Explanation :

Quanta Energy absorbed creating infinite blackholes/Voiders between Orbital n1s & n2s , attracting blackhole to teleport to higher orbital level , electron teleported to higher orbital state , their virtual blackholes where saturated or not existed in first place , electron moves through new orbital state emitting energy due to interaction with nucleas protons so it is not teleported

After energy consumption , it is being attracted back to its original orbital state hence its Voiders are not saturated with electrons teleported through since excitation of electron to higher orbital state level

7- What is claimed about electrons mass , is actually the mass of infinite virtual generated/annihilated Voiders representing the teleportation path of that certain electron with its ground state orbital which represented in formula

Mass of Electron = 9.109*10^-31 = $\int_0^C \frac{dE}{c^2} dr$ = $\int_0^C 8\sigma c^{-2}\pi r \ dr$

Hence E = $4\pi\sigma r^2$ (where r is (Voider bubble radius)/(teleportation distance) across all Main , Orbital , magnetic level , Spin Level .

Where C is Quantum State level Circumference in meters (SI)

“The electron does not possess an intrinsic rest mass.
Its observed mass is an emergent, dynamically sustained quantity arising from continuous VBH generation and annihilation along its teleportation network.”

8- microscopic model proposed doesn’t result on double counting effect , as electron existence in multiple location is a visionary image related to observer , exactly as in relativity , relative speed of an object varies according to the observer

& electron itself - as it is explicitly stated in the framework , is dimensionless point charge (as it is verified in Coulomb Scattering study) , so possession of mass meaning infinite density , framework does not allow , so electron in the proposed framework considered massless , & what is considered as electron mass , it is accumulative VBH mass created that electrons teleported through

9- Interpretation of Diffraction is easy with applying virtual blackholes/Voiders .... the same interpretation of electron cloud .... Quantum Mechanics assume that this is waves of probabilities of electron existence , while Proposed model has different approach , as electrons appear as recurring existence due to teleportation , which is explained in the following explanation .

10- Zero Point Energy theory when translated to the proposed framework ,

A) as temperature decreases near absolute value (Zero Kelvin) , Electrons in ground state emit energy , energy emissions generated extra virtual blackholes which not confined by quantum energy state , battling existing virtual blackholes for attracting electrons to teleprort , electrons teleported in different paths , extra teleportation allows for surapassing energy barriers , translated in superconductivity .

& superfluidity , Zero Point Energy checked & complied

- $dE/dr = 8\pi\sigma\Delta r\ dr$ (as Temperature decreases to near absolute value , where electrons at quantum state emitting energy to achieve Equilibrium with surrounding

- E = 3/2*Kb*T

Where Kb is Boltzmann Constant , & dt is difference in temp.

Derived to the Equation

$$-\frac{3}{2}Kb\ T\ dT/dr = 8\pi\sigma\Delta r\ dr$$

B) as External Pressure is applied , it injects mechanical energy into atomic quantum states , Orbitals & Darkmatter medium , Generating more virtual blackholes and compressing Orbitals so that virtual Voiders overlap & imerge , fuses into bigger blackholes , adding teleportation distance to the electronic system , increasing conductability .

C) as Pressure increases , Density & Connectivity of the network increases , so the temperature at which Superconductivity & Superfluidity also increases .

Where E = PV = Nmv^2(where mv^2 equivalent to Kinetic Energy)

Where

PV = 3/2KbT

$$-\frac{3}{2}Kb\,T\frac{dT}{dr} = -PV = 8\pi\sigma\Delta r\,dr$$

So Pressure applied increase Temperature of Superfluidity & Conductivity (Differential Equation should be revised)

10- Main Quantum Level Energy = The Sum of Potential Energy of (Vitual Blackhole/Voider) + The Sum of Kinetic Energy of Spin of the Virtual Blackholes + magnetic field of the electron forces it to take certain variable sets of Voider paths due to repulsion with other electrons = Constant

11- Virtual Voider/Blackholes spinning caused by spinning of Electrons

12- Wavery Function of Electrons such as deviation/superposition is a result of infinite due to infinite virtual blackholes causing infinite teleportation that would make electron appear in multiple coordinates at the same time .

The Observer or detector effect can't occur without energy interference , energy will increase Voider transform it from virtual to actual (entering planck scale) , causing teleportation distance to increase dramtically , fusing other virtual blackholes , which resulted in detecting electron as single particle , which would e translated as (collapse of electrons wave function)

13- Entangled Particles are particles that their quantum states are potentially correlated , such as their angular momentum where conserved , through superposition as example , as two entangled particle superpositioned correlated that both of them teleported through same Voider together affecting their spin to be opposite of each other , so their angular momentum conserved

This entanglement correlation lasts wherever being apart from each other .

But their correlation could be violated hence one of them entering similar spinning blackhole .

& which happened also in detection state

that comply and validate & interpret Bell's Inequality Test (BIT)

& that also comply to QM standard as there's no capability - according to our understanding of physics – send information through entanglement in controllable state .

But , There is only one hypothetical way that could make sending information through entanglement in controllable state a possibility , depending on two condition , According to the proposed model

1st if two electrons teleported through same virtual Voider at the sametime (superpositioned) , they would share same quantum state

& hence they were point charged , same as virtual blackholes (Theoritically)

Pauli's Exclusion Principle are being violated (requiring that virtual blackhole generated exactly where both electrons will be (in Diffraction Phase) , this condition may generate blackholes within electrons themselves … these blackholes form a bubble , that bubble has different characteristics

Lets call these kind off blackholes as (Stucks)

These (Stucks) have a bubble sphere with surface tension , but this surface tension differes entirely

Their medium isn't Darkmatter anymore , their medium is (electrons) themselves

Because electrons are massless (by their own) & dimensionless

So their density & surface tension are indeterminate

Their Stucks Voider bubble surface tensions = (indeterminate)
so it could be any value , depending on distance between entangled couples , as electrons in this case has the upper hand on stucks

So Information could be send at any distance , even if they were halfway around the universe .

because they were entangled , they have correlated quantum states , that information couldn't be decoded by any other particle but their entangled partner , even if R(stuck) forming Stuck Bubble Sphere , this information has no use but for entangled partner

& that information may be sent through electron infinite spin speed , as it transmitted through stuck bubble sphere circumference infinite times … & only entangled partner which has another stuck , catch it & decoded .

This is first condition

2nd In order to send information & preserve it in controllable conditions , both electrons should be operated at very low temperature (near zero Kelvin) , emitted energy from electrons generated additional unspinned virtual Voiders … which even when they interact with entangled electrons , they won't affect their spin

So (Theoretically) sending information entanglement preserving it in controllable condition is a possibility

That possibility increases as temperature decreases near 0 elvin more & more … hence more unspinned Voiders are generated from electrons emissions .

That was derived from Wien formula

T*$\lambda = 0.0029$

As

T=0

$$\lambda = \frac{0.0029}{0} = \infty$$

As system energy = h/ λ = h/∞ = zero

Atoms Quantum States emit energy (As of Hydrogen for example)

Quantum State Energy = 10.2eV = 1.63422*10^-18 joules

Its wavelength $\lambda = h/E \ = \ 6.62607015 \times 10^{-34}/1.63422 * 10\hat{}-18$

= 4.0545766 * 10^-16 m

That is the amount of energy that Quantum State emit in a system (Theortically) reach 0 Kelvin to balance the surrounding of reaching (Zero Kelvin) , Which is equiavalent to the amount of energy that the electron is stabilized in its quantum state , where occurences such as (Superfluidity , Superconductivity , Entanglment) reach the efficiency of 100% , so emitted energy creating extra (VBH) Equivalent to stable quantum state of Hydrogen Atom without excitation

As Entanglement Control Pararmeter Efficiency (η) = 1

Computing the temperature Where entanglement has (Zero Efficiency – Uncontrollable entanglement)

Where T*$\lambda = 0.0029$

T = 0.0029/ λ

= 0.0029/(4.0545766 * 10^-16) = 7.1524114*10^12 Kelvin

(η) = 0

But the Efficiency Curve isn't linear

According to Friedmann Equation , Radiation ratio is (0.00009) & parameter of ((a)^4)

(η) = 0 T = 7.1524114*10^12 Radiation ratio = 0.00009 (Rad parameter) = ((a)^4)

(η) = 1 T = 0 Radiation ratio = 0.00009 (Rad parameter) = ((a)^4)

Where X = (η) , U (is Constant)

$$T(\eta) = \frac{U}{(0.00009a^4)^n}\left[\frac{e^{-\frac{\eta}{(0.00009a^4)^n}} - e^{-\frac{1}{(0.00009a^4)^n}}}{1 - e^{-\frac{1}{(0.00009a^4)^n}}}\right]$$

As (n) is element electron quantum states occupied

14- Applying Microscopic effect from electrons to nucleus

sum of virtual Voiders responsible for quark teleportations across nucleons proximity give the mass of the quarks , that masses are larger than that of electrons due to limited & narrow proximity , which allow VBH to fuses together making larger one & further teleportation distance , But the narrow confinement restricted it , so the energy measured of quarks is near 100 times of electrons , no problem with that assumption .

The Reason of Narrow Proximity
(Stucks) are being formed due to generation of Virtual blackhole - in this time - on three quarks

This will generate stucks inside every quark which they share quantum states upon generation , that is the foundation of what it is commonly used to be called (Gluons) .

(Gluons) are a three way entanglement processes , three quarks quantum states correlated with each other .

1st (Three-Way-Entangled-Quark) sends information by its stuck to take opposite quantum state (Up to Down quark)

But hence there are three entangled partners , that will lead to continuous endless conversion .

Stuck teleported information from 1st Quark who's (downquark) convert 2nd quark to (upquark) , 2nd stuck teleported information convert 3rd quark to (downquark) , 3rd stuck teleported information convert 1st quark to (upquark) , 1st stuck teleported info convert 2nd Quark to (downquark)

(3 way entanglement (gluon) change quantum states of quarks from Up to Down instantly) , that continuous charging fluctuations generate the mass of nucleons .

This model actually aligns perfectly with standard model ... that means when neutrons are converted to protons , protons converted to neutrons & vises versa .

It's simplest form of entanglement to form single nucleon …. But in Nucleus…. The Generated Virtual Blackhole interact with all nucleus quarks , so signaling opposition & variation does not only confine single nucleon , but also confine all nucleus nucleons together

the signal change due to quark (signal & quantum) change , teleportation path change & angular momentum change of VBH due to quarks continuous conversion , it all leads the whole package (nucleon) to oscillate & have a kinetic energy , of frequency of 2.27*10^23 Hz

(Strong Force time scale of 4.4*10^-24 sec)

& Wavelength calculated of (mc^2)=(h^2)/(16.pi^2.m.l^2)

where

l = (l^2)^0.5 = ((h^2)/(16.pi^2.m^2.c^2))^0.5 = (((6.62*10^-34)^2)/(16*(3.14^2)*((1.67*10^-27)^2)*((3*10^8)^2)))^0.5

= 1.05*10^-16 m

That’s exact half of the assumed Compton wavelength

h/2πmc = 2.10*10^-16 m

while experimental measured charging radius of proton = 8.40*10^-16 m (8 times nucleon calculated wavelength)

while Charging radius doesn’t refer to nucleons wavelength itself
The Geometric Summation

Experimental measurement of the proton's charging radius does not measure a single linear path. It measures the "Charge Cloud"—the probability summation of the charge's location in 3-dimensional Cartesian space.

To find the effective radius of this cloud , that must account for the oscillation extending through all spatial degrees of freedom. In a 3-dimensional system (x, y, z), the volume expansion of the oscillation corresponds to the summation of the 8 spatial octants (2^3 = 8).

R(predicted) = 8*wavelengths calculated

Consider our Nucleon as a small cube surrounded by another 8 cubes in Rubik’s Cube ... Scattering measure the sum of 8 wavelengths surrounding the nucleon under study .

& that align with spheres , as central sphere separated by 8 spatial Octants in Cartesian Coordinates

& there’s no interference or overlaps of wavelength or we violate PEP (Pauli’s Exclusion Principle)

3. The Result & Verification

Substituting the calculated wavelength:

R(predicted) = 8 * 1.05*10^-16 m = 8.4 *10^-16 m

Comparison with Experimental Data:

Recent high-precision experiments (muonic hydrogen spectroscopy and CODATA 2018) have revised the standard proton radius.

- **Experimental Value (CODATA 2018):** CR = 0.841 fm

- **Predicted Value (Proposed Framework):** CR = 0.840 fm

Conclusion:

The framework predicts the proton charge radius with 99.9% accuracy. This suggests that the observed size of the proton is simply the 3-dimensional geometric summation of its internal oscillation wavelength (99.9%) is due to proposed model approximation .

15- Interpretation of 8-Octants is valid , it represents 8 points of contact at rest state , argument of spherical points of contacts increases to 12 point of contacts is irrelevant , hence that geometrical state occurred only under compression , so wavelength decreases , & that is not the subject of the discussion .

16- The Continuous conversion of Proton & Neutrons , forces electrons teleportation paths in its orbital to follow protons conversion .

17- Proposed Theory is inclined perfectly with QM , as Stable Nucleons should have least generated potential energy (/mass) out of Generated VBH &all forms of Entanglements , if it's not , decay will occur the same way as QM states , to elements by products that will represent least potential energy possible & equivalent spin vector (in case of Beta decay for example) , which QM gives perfect rules (such as Fermi's Golden Rule) , which it has no contradictions with proposed theory .

VI) Conclusion

1 - Speed of light (c) is not a constant by default ... it is a (wave) its speed dependent on the density & surface tension of the containing medium @ percussion wavelength

So , to be Generalized relativistically

$$\forall = \sqrt{\frac{2\pi\sigma}{\frac{2}{3}*r*\rho}}$$, as

$$\forall \; is\; Ultimate\; Wave\; velocity\; of\; a\; medium\; not\; be\; dispersed\; or\; surpassed$$

So in Any Object moving in any Medium , there general relativistic characteristic should be displayed this way

M = m/(1-(v^2/∀^2)^0.5

Also time & length , etcetera .

2 - Center of Percussion :

The wavelength of the universe is not random, but is governed by the "center of percussion" of a uniform rod or ideal physical pendulum, which is mathematically located at two-thirds of the length 2/3 L

Physical and Mathematical Precision

In classical mechanics, for a body (or medium) to be in perfect resonance with zero reaction force at the fulcrum, the point of application must be at the center of the shock.

For a uniform rod rotating about its end, the moment of inertia is

I = 1/3 ml^2

The distance to the center of mass is ½ L

The center of impact (L-CoP) is calculated using the equation:

L-Cop = (1/3 mL^2)/(1/2 mL) = 2/3 L

Applying that to universe , the perfect resonance it makes the system doesn't have any collapse rebound , it's fulcrum at 2/3 of the radius as Center of Percussion of a Uniform Cosmic Medium

And Choosing Point of Percussion as solid rod behavior , is a logical & excellent choice of studying medium that has surface tension of 2.9954487*10^16 Kg/sec2 (Noting kg/sec2 & J/m2 is equivalent of course)

Applying that will result in Universal matter percentile compatible perfectly with what's actually observed experimentally of $\sim$ 0.3183

Conclusion :
The comparison with classical ether theories is structurally incorrect. Ether presupposes spacetime; this framework **generates spacetime**.

So
General Relativity is **not rejected**, but recovered & (extended) as a **long-wavelength effective theory** of the substrate.
This is consistent with the modern effective-field-theory paradigm and is stated explicitly in the manuscript.

3 - Quarks and electrons are the same dimensionless, massless particles, and even have the same charges.

a) The energy generated by the Big Bang confined the point-particle as a quark in the nucleon and as an electron in the atom.

b) what makes it appear as if the quark's charge is taken values of one-thirds & negative two-thirds that of the electron , in reality, the one third negative charge to two-thirds positive charge is a result of the triple bonding, which causes the charge to decrease by one-third (as a resultant) combine that with direction of quark spin ... that is, as if the triple bonding occurs at a 120° angle … & being up & down quark affect the direction of spin relating to entanglement vector , that would make the charge oscillate from -1/3e to 2/3e (-60° to 120° , which the difference is 180° (difference between up & down) .

This explains the precise stability of the hydrogen nucleus, which contains only one proton.

Incidentally, the sign of the electric charge is most likely just the vector of the instantaneous entanglement between particles … (so that why electron has its negativity charge full as entanglement at 180° … & it's negativity could be resulted out of their entanglement vector as opposite to its spin vector

c) So as electrons , their charge negativity is properties of their entanglement at 180° , data teleported across entangled in opposite vector to the spin vector (maintaining Inertial Stability) , electrons entanglement are in the opposite vector of quarks triple entanglement , that is the cause of what's being described as charge contradictions between positive & negative in quantum level

& the electrons teleportation orbit around nucleas is interpretable as unifying GR with QM , this is spacetime fabric bent for nucleas , electrons attracted orbited , VBH formed to make electrons teleported around .

d) about electromagnetic attraction & repulsion … it depends on energy effect across time (Action) , as action lead to wavength to increase , repulsion occur , if it leads to wavelength to increase , attraction occur

so attraction occur when two particles their entanglement & spin resultant vectors are opposite to each other , the opposite vectors generating action reduces medium wavelength in between , attraction occur …. Inversely occurrence in repulsion

so

"The framework hints at a deeper unification where quarks and electrons may be the same topological void entity, confined differently. The fractional charges of quarks (-1/3, 2/3) could be interpreted as geometric vector resultants arising from a stable 120-degree entanglement triangulation within the nucleon & quark spin vector , rather than intrinsic properties. Furthermore, electric charge polarity (+/-) implies the directional vector of the teleportation path through the spacetime medium

e - while the formation (or classification) of quarks & electrons depended on energy genretaed after the bing bang

first , Universal size resulted in energy density & temperature were enough to form triple-entangled quarks then nucleons (the way described earlier in quantum model) , after expansion & cooling , atomic electrons & orbitals were formed .

all these were gravitional formation , & gravity itself is interaction of energy resonant capillary wave speed (EM) in our universe , & EM is the interaction of surface tension & critical density & percussion wave length of the containing medium , & surface tension - density are interaction of energy & medium dimensions …. Etc

f - Universal Surface Tension & Critical Density is not a real constants … they were Our (lifetime) constants , as Universe expand , Surface Tension & Density both were inversely proportional to ΔDc^2 & ΔDc^3 respectively & also percussion wavelength increases , so It's Capillary wave speed (c) of our Universal Matter remained constant .

g - in Neutron Stars … it's formed out of spectacular type of nucleons , as Gravity violate electron's PEP , it fuses with Protons in in Nucleus , & Due to Gravity it will form rare 4-way entanglement of nucleons (neutrons) of 4 quarks of 90° angle , so it will form perfect symmetrical positive & negative charge , which lead to neutral condition .

So , Neutron Stars , contain both Tetra-Quark neutrons (which is post-proto-electrofused particles) & Tri-Quark neutrons , which causes momentum imbalance , that will generate high momentum neutron star spin generating pulses observed

4 - to address misconception & refuting it very clearly , Voider/Void Bubble operating out of spacetime/Universe completely Generated Voider from Blackhole formation doesn't affect any stellar object within Blackhole Void Bubble range or interact with it neither chemically nor gravitationally , it doesn't interfere with gravitational lensing … Bubble Void it doesn't interact with anything Outside its gate (Blackhole Schwarzshield event horizon itself … Void Bubble is The same as Void (nothingness) surrounding Our Universe … Void Bubbles is the same void , But that void is confined by Universal Darkmatter .

5 - virtual black holes are not independent physical entities, but transient hydrodynamic configurations of the underlying medium. They possess no standalone observables, but manifest only through their collective macroscopic effects."

6 - The framework does not rely on renormalization in the quantum-field-theoretic sense. Instead, scale dependence arises from changes in geometric configuration and state saturation of the same underlying medium

& Proposed Theory uses Geomtric Scaling already as it appeared explicitly

7 - Undefined speed ≠ Infinite speed

Speed ≠ Distance

In a pure vacuum (no medium to contain), the absolute speed of the capillary wave is undefined.

In a vacuum constrained by a medium (such as the vacuums resulting from the collapse of stars into black holes), the absolute speed of the capillary wave is infinite.

During entanglement, the point vacuum responsible for information transfer (Stuck) has an undefined distance for instantaneous teleportation. This is unrelated to whether or not there is an infinite speed (since an infinite speed is achieved simply by confining the vacuum within a material space - in space condition it will be darkmatter , in entanglement it will be electron/quark matter-). This is because the electron and quark (in the presented model) have zero mass and therefore zero potential energy, and their surface tension is undefined because their mass, potential energy, and dimensions are both = zero.

So Absolute Capillary Wave Speed in Void Outside The Universe = $\frac{\sigma}{\lambda\rho} = \frac{0}{0*0} = Undefined$

Absolute Capillary Wave Speed in Voider Bubble = $\frac{\sigma}{\lambda\rho} = \frac{P.E/Surface\ Area}{\rho=0} = \infty$

Absolute Capillary Wave Speed inside Electron Stucks = $\frac{\sigma}{\lambda\rho} = \frac{Undefined}{0*0} = \infty$

Teleportation Distance of Stucks = E/σ = Undefined/Undefined = Undefined

Why E is Undefined

P.E of Electron = mc^2 = h/λ

m = 0 & λ = 0

0 ≠ ∞

So Energy of Entanglement is Undefined

It is important to understand the difference between these three cases... and this is precisely what the research paper described.

8 - According to the proposed model introduced , there will be no (Spaghettification Effect) on the teleported Object through blackhole , since Blackhole Definition in Proposed framework is nothing but a toplogical shortcut , & also there's no damage will occur to the teleported objects outside the voider bubble , hence Dark Energy is driving Darkmatter to fill the Voider Bubble gradually & smoothly (Not turbulantly) by the same magnitude of (Hubble Expansion Rate)the drive the whole Universe to expand , or it will be inevitable that all stellar object will rupture due to Dark energy Expansion Effect , which it doesn't occur ever , even when object passing through a dormant blackhole such as GAIA BH01 , Dark Energy won't affect teleported object , just the Object won't teleported the same distance expected (teleported less)

VII) Cosmic Predictions

Blackhole Stellar Object	Mass	Schwarzschield Radius (SI)	Potential Energy	Wormhole Bubble Radius (LY)	Time of Healing (Y)
Minimal theoritical Blackhole (VTH)	1.85	5491.818147	3.3254E+47	0.099	442
Minimal theoritical Blackhole (TOV)	2.30	6827.665804	4.1343E+47	0.111	493
GW190814's Secondary Object	2.60	7718.230909	4.6735E+47	0.118	524
The Unicorn (V723 Mon)	3.00	8905.651049	5.3925E+47	0.127	563
XTE J1650-500	3.80	11280.49133	6.8305E+47	0.143	633
GRO J0422+32	4.20	12467.91147	7.5495E+47	0.150	666
NGC 3201-1	4.36	12942.87952	7.8371E+47	0.153	678
GAIA BH01	9.62	28557.45436	1.7292E+48	0.227	1,007
Sagittarius A	4,200,000	12467911468	7.5495E+53	149.833	665,588
Messier M87	6,000,000,000	1.78113E+13	1.0785E+57	5,663.152	25,156,864
Ton 618	66,000,000,000	1.95924E+14	1.1864E+58	18,782.552	83,435,880
Phoenix A	100,000,000,000	2.96855E+14	1.7975E+58	23,119.723	102,702,469
Maximal Theortical limit	270,000,000,000	8.01509E+14	4.8533E+58	37,989.582	168,757,376

1) From detailed & abstract calculation of predicted Cosmic Voider Bubble Radii & Duration of Healing , There's an Argument that

Duration of healing = Blackhole Age

So It is noted that duration of healing is much lesser than Blackholes Estimated Age derived from CMB radiation

But it must be figured out physically that

Duration of Healing ≠ Blackhole/Voider Age

Blackhole Age increases as matters got teleported through , hence its Voider bubble increases due to destination Darkmatter deformation , shrinkage , stressed (curved) by new comer teleporter potential energy , that pullback destination Darkmatter border , enlarging Voider bubble

Expressed in this formula :

1st : Duration of Healing = (Radius of Bubble/Megaparsec)/(Hubble expansion rate)

2nd : Blackhole/Voider Age = Duration of Healing + (increase of Radius of Bubble/Megaparsec)/(Hubble expansion rate)

=Rb/Megaparsec/(2.184057*10^-18) + ((Delta M).c^2/4.pi.sigma)^0.5/Megaparsec/(2.184057*10^-18)

The more matter teleported through , the more age blackhole earn .

About healing rate , Current Observation may not notice healing rate effect , due to be comparatively small in magnitude in relation to blackhole rate of accretion that would be neglected … as rate of hubble rate

(2.184057*10^-18 m/sec every megaparsec)

Meaning they lose at the beginning 2.35*10^-35 kg (less than ((mass of electron)) by the QM definition)

(inversing equation)

$$R_{Bubble} = \sqrt{\frac{\Delta M c^2}{4\pi\sigma}}$$

& there's no need that this magnitude are impossible to Observe at this range

& since the rate of mass lost grews exponentially per distance covered … this rate is very hard to be noticeable especially at inititate stage , & it is near impossible to be notice as blackhole accrete mass .

2) GAIA BH01 Binary System Orbital Period from Kepler Law for Elliptic Binary System Orbital Duration Formula as it has been discovered 14/09/2022

$$T^2 = \frac{4\pi^2}{G * (M1 + M2)} * a^3$$

Where :

T = Orbit Period

G = Gravitational Constant = 6.67*10^-11 N.m2/kg2

M1 = Mass of BH1 = 9.62*2*10^30 kg

M2 = Mass of Satellite Star = 0.93*2*10^30 kg

a = Semi Major Axis = 1.4*1.49597870700*10^11 m

Apply that in Kepler's Equation

T = ((4*Pi^2)/(6.67*10^(-11)*(9.62+0.93)*2*10^30)*(1.4*149597870700)^3)^0.5

T = 16,052,988 sec $\approx 185.7984783351\ days$

As Healing Equation from Cosmic Layout

$$t_{healing} = -\left(\frac{\sqrt{\frac{\Delta M c^2}{4\pi\sigma}}}{Megaparsec}\right)/H_0$$

$$\Delta M = -t_{healing}^2 * H_0^2 * Megaparsec^2 * 4 * \pi\sigma / c^2$$

Time of healing ($t_{healing}$) = 10/01/2026 (since writing the proposed framework) - 14/09/2022 (Since Discovery of The Binary System) = 1214 day $\approx$ *104,889,600 sec .*

H0 is Hubble Constant = 2.184057*10^-18 Hz

MegaParsec = 3.086*10^22 m

Surface Tension (σ) = 2.9954487*10^16 Kg/sec2

Speed of Light = 299792458 m/sec

$$\Delta M = -2.0932147686 * 10^{26} kg$$

But Also Semi Major Axis increases due to mass loss

As Specific Angular Momentum (h) = $\sqrt{G * M_{total} * a * (1 - e^2)}$

Where

G is Gravitational Constant

E is Euler Number

(h) is Specific Angular Momentum - Conserved

Then $M_{total(1)} * a_1 = M_{total(2)} * a_2$

As

$$M_{total(1)} = (9.62 + 0.93) * 2 * 10^{30}\ kg$$
$$a_1 = 1.4 * 1.4 * 1.49597870700 * 10^{11}\ m$$
$$= 2.09437018980 * 10^{11}\ m$$
$$M_{total(2)} = ((9.62 + 0.93) * 2 * 10^{30}) - (2.0932147686 * 10^{26})\ kg$$
$$Then$$
$$a_2 = 2.09439096709 * 10^{11}\ m$$

Apply new (a) & new (M-Total) in Kepler Equation

((4*Pi^2)/(6.67*10^(-11)*(((9.62+0.93)*2*10^30)-(2.0932147686*10^26))*(2.09439096709*10^11)^3)^0.5 = 16,053,307 sec $\approx 185.80216479746 days$

In around 3 years & 3 months & 26 days roughly …. Orbit Period increased 319 seconds (As of being observed the framework has being written in 13/01/2026)

After Another 3 years (10/01/2029)

Mass Loss = $\Delta M = -(t_1 + t_2)^2_{healing} * H_0^2 * Megaparsec^2 * 4 * \pi\sigma / c^2$

Where t1 = 3 years & 3 months & 26 days = 104,889,600 sec

Where t2 = 3 years = 3*365*86400 = 94,608,000 sec

Mass Loss = 7.57223846973*10^26 kg

That leads to

$a_3 = 2.094444487360 * 10^{11}$ m

Orbit Duration = 16,054,133 sec

In 10/01/2029 , Orbit Duration Increase from 14/09/2022 first Observation by

16,054,133 - 16,052,988 = 1145 sec

In 10/01/2029 , Orbit Duration Increase from demanded 10/01/2026 Observation by

16,053,093 - 16,053,016 = 826 sec

<u>But there's an important alert</u>

These measurements & Predictions assumed that the GAIA BH01 Blackhole stopped accreting the day we discover in 14/09/2022 , if that so … our Predictions of Orbit Time delay is set

But if the Blackhole Stopped accreting long before we discovered it in 14/09/2022 , The Orbit Delay will be much more than that

So our 319 sec , 826 sec , 1145 sec Orbit time delay measurements are actually (the minimum delays could occur) if the dormant Blackhole stopped accreting just before we discovered it

Wishing this issue to be crystal clear

But we can from the delayed Orbit durations , we can predict the Blackhole initial mass in the past (initial mass is not precise terminology , the actual correct terminology is (it's mass when it stopped accreting)) through counter computation

So this Observation if validated will not only proof of the proposed framework validation but also offer Cosmic Chronic ruler for Blackhole dynamic & determine every blackhole dormancy age , & it will give cosmologists a precise mathematicql tool to study blackholes dynamic through time , & it will shutdown the escaping route for some physicists to just apply arbitrary random constants , or just adding or subtracting unnecessary darkmatter just to fit the model

While as Mathematical methodology is Obvious , Ability to pinpoint the time where Orbital increase became measurable to our capability is preserved

"Any observational failure of the cosmic healing mechanism would invalidate not only the black-hole sector of the framework, but the microscopic stability of atoms themselves, as both are manifestations of the same substrate recovery dynamics."

VIII) Suggested Experimental verification of the proposed theory

Verifying that model of Voider principle at cosmic level is a must , in order to verify the interpretation at microscopic scale

a) Observe a small blackhole near earth (within our detectors reach , where suggested distance of its Voider teleportation tunnel are minimal to ability to observe any occurrences happen in such narrow range spectrum , observe any objects appear , or any blueshift spike appear in its proximity (On determined surface area of the predicted Voider bubble) , providing ability to narrow the search by predicting end Voider bubble radius coords hence Outlet vector is an extension of inlet vector

b) Observing GAIA BH01 with margin of error down to the second multiple times to validate - or falsify the framework .

c) Observing Controllable Entanglement in Quantum Computing application in environment near zero Kelvin , where entanglement efficiency grows as it we reach closer to Zero Kelvin .

d) Feasibility to make man-made Blackhole is not impossible .

Blackhole won't be made by reaching frequency equivalent to overcome Darkmatter Surface tension , hency it will need frequency exceeds 10 million times than Planck Frequency .
the other method to make an artificial blackhole is reaching the (Universal Reasonance) to form a desired blackhole with enough amplitude to compensate for the desired object to be teleported .

The only way to reach the resonance frequency , is to determine the Percussion Wavelength Of the universe as mentioned earlier in the proposed frame work which is equivalent to 2/3 Comoving Distance of the Universe .

& This doesn't need to reach such a very low frequency which will force the performer to wait billions of years waiting for such a frequency .

Reaching Reasonance frequency only require a Harmonic Wave which its node compatible to the Universal Reasonance Frequency .

The Only Technical Obstacle is to determine the exact Radiation Energy Ratio to determine Dark Energy , in order to calculate current Comoving Distance needed to know to deduce Center of Percussion to determine Reasonance frequency .

But this Technical Problem solved , by applying mechanism of using Harmonic Wave Frequency Which is known to be larger than Universal Reasonancy Frequency , then applying Lower Frequent Harmonic Wave , then applying trial & error mechanism to narrow the proximity of The Reasonance Frequency , Until Reasonance Frequency is marked , amplified enough for the Desired Object to be Teleported .

X) Promising Observations Validating Theory

1) Scattering Experimental measuring Proton Charging Radius is 841 fm (While Proposed Framework Calculation is 840 fm (measuring Octants) - 99.9% Precision - Solving Proton Charging Radius Paradox .

2) Blueshift Spikes are being Observed at sub 6000 light years away from M87 Messier Blackhole , recent analysis conclude that spikes occurs at range of 5500-5700 Light years , that matches Proposed Framework predictions of Void Bubble Radius of M87 at 5554 Light years - 99.7 (+ or - 1%) Precision .

3) Strange Non-thermal Radio Filaments are being Observed in Sub 150 Light years away from Sagittarrius A Blackhole , which Which Framework Void Bubble Radius Prediction Locked in 149.833 Light year radius (+95% precision) .

4) Strange Cooling Filaments are being Observed at range of 20,000 - 30,000 Light years away from Phoenix A Beast Blackhole , (Proposed Model prediction Locked in 23,497 light years Bubble Radius .

5) GAIA BH01 Binary System Blackhole Orbital Period , There’s a speculation & discussions (not yet approved) That GAIA BH01 Orbit is larger than expected , & yet there are struggle to determine exact mass of BH01 & even its companion star by 0.18 Solar Mass & 0.05 Solar Mass precision respectively .

XI) Objections of Hawking Radiation :

1) Hawking radiation interpretation demonstrate gradual reduction the mass and rotational energy of black holes and consequently cause black hole evaporation. Because of this, black holes that do not gain mass through other means are expected to shrink and ultimately vanish. For all stellar blackholes except the smallest ones, this happens extremely slowly. The radiation temperature, called Hawking temperature, is inversely proportional to the black hole's mass, so micro black holes are predicted to be larger emitters of radiation than larger black holes and should dissipate faster per their mass. Consequently, if small black holes exist, as permitted by the hypothesis of primordial black holes, they will lose mass more rapidly as they shrink, leading to a final cataclysm of high energy radiation alone.[2] Such radiation bursts have not yet been detected.

this radiation is black-body radiation released outside a black hole's event horizon due to quantum effects according to a model developed by Stephen Hawking in 1974.[1] The radiation was not predicted by previous models which assumed that once electromagnetic radiation is inside the event horizon, it cannot escape. Hawking radiation is predicted to be extremely faint and is many orders of magnitude below the current best telescopes' detecting ability.

Hence Hawking temperature equation

TH = hbar.(C^3)/(8pi.G.M.K)

Where K is Boltzmann Constant

But the main concern & struggle with Hawking radiation & his assumption of Blackhole inevitable evaporation model . is the nature of blackhole matter that assumed to be dissipate under heating radiation

According to relativistic common assumption of blackhole , that its matter is concentrated in a singularity , if we consider hawking radiation , that radiation will not affect blackhole event horizon until the total annihilation of blackhole core matter , event horizon will suddenly vanish

Hawking radiation , cannot explain physically how could a blackhole would evaporate , Hawking theory did not consider that radiation would be attracted to blackhole core & fused with its matter again again due to enormous amount of gravity applied , so the evaporation will never occur .

To demonstrate this problem clearly

The proposed model does not reject the existence of Hawking radiation in principle; the difference lies only in its characterization. The radiation is produced during the formation of the black hole (as a result of heat exchange between compressed neutrons and outer space), and not as a byproduct of the black hole itself. Furthermore, it has no effect on the fate of the black hole or its evaporation, because the black hole no longer has a physical body, but rather is the gateway to a bubble of vacuum in three-dimensional space.

Additionally, Hawking radiation is a form of energy. If this energy is at the event horizon, as in the prevailing relativity model of black holes as point particles, then Hawking radiation has no effect on the evaporation of the black hole. This is because the generally accepted point particles are unaffected by the radiation. Even if a point particle were attracted to the black hole, the black hole's gravity would quantize and deflect the radiation's energy until it becomes another point particle within the black hole's matter. In other words, the black hole's mass would increase (it would not evaporate).

Therefore, the prevailing point-particle model of the black hole, as relativity assumes, violates the principle of Thermodynamics, and also Hawking's interpretation if adopted, violates relativity in order to conform to thermodynamics; therefore, Hawking's interpretation does not solve the problem, but rather jumps over it.

So , The Only possible explanatory interpretation of Hawking Radiation , is that star surface neutron as its wavelength reduced due to increasing Kinetic Energy due to Gravitational Crush

It is Temperature increased according to Wien’s & Planck’s Law , Surface Heat Transfer to surrounding area which turned into border of Event Horizon that the radiation cannot escape

This occurrence - as interpreted - won’t cause Blackhole Evaporation
(which became not a matter anymore) , it doesn’t affect it

2) Even Much more trickier version of Hawking Radiation to compensate for Original model fallacy that assumes that any particles that Blackhole acctrete generating two entangled particles , one of them is accreted to Blackhole core , the other radiates at event horizon , displaying the the accreted partner of having negative energy that will reduces Blackhole mass

Even this idea has much more fallacies than original one

This new version contracdicts standard model it defends , because according to standard model , potential energies (such as that of Blackhole itself) considered a negative energy , so the accreted particle increase Blackhole mass (according to Standard model) , not reducing it

Casimir effect is considered negative energy because it is (shrinking effect)

So displaying a negative energy in nature (even to virtual particle) is an ad-hoc mathematical fallacy) .

SO : in conclusion , Thermodynamic equilibrium is set , Hawking Radiation has no relation to Blackhole falsly claimed evaporation , Blackhole is just gate of Universal Toplogical Shortcut

Hawking Radiation cannot be detected neither outside of event horizon

& Experimental Acoustic Blackhole is just hypothetical analogy of cosmic Blackhole , which won't prove anything due to different conditions , & even in these circumstance , Hawking analogous radiation does not affect the analogous acoustic blackhole .

3) All observational comparisons presented here are forward predictions derived from independently fixed parameters. No free parameter fitting or post-selection has been employed."

So , Considering Hawking Radiation as Energy Emission of Blackhole that will lead to The inevitable Evaporization of Blackhole is Just an Ad-Hoc due to following reason :

1 - to compensate for Thermodynamics , It violates General Relativity

2 - to evade violation of GR , it violates causality , where Hawking radiation assume that the radiation evaporate blackhole from event horizon outside , while Event Horizon is Just a space where remnant of collapsed star were , before collapsing into singularity inside the blackhole (according to Standard Model) - So Event Horizon is Just a Space for Gravitational Effective field of Center of Mass (Actually the total mass) in the singularity inside blackhole (Again According to SM) & Hawking Radiation won't affect Blackhole by any means … its effect on SM

Blackhole is the same effect as killing some enemy by stabbing his (shade) of his body on the floor .

3 - Trickier Versions of Hawking Radiation are not better solution either to the original form , but may be much worse versions , manipulating math & ignoring physics of it

4 - & no need to inform That SM Blackhole itself violates Entropy entirely

XII) Creation of Universe & Baryons (Corrected) - Qualitative depends on Model Results

1) According to Standard Model , at The first Second of The Universe , Quantum Fluctutions occur due to Complex Phase in Quarks Quantum State Transformations (as described in CKM Matrix) .

While that considered a perfect resolution of Anti-symmetricity , but , it is conceptual not actual , hence the resulted percentage of Anti-Symmetric transformation won't match Baryons existed today .

Plus , There's a Strategic Mistake Standard Model apply

Assuming that Energy came out of Singularity at Planck Era of Planck Energy on a Planck Mass & Planck Length

This Model is Ignoring that Universe Total Energy is 2.64137668745*10^71 joules , Dark Energy represents 68.161% & Radiation 0.009% , which (Zero Energy Universe Theorem Hypothesis) violates radically , violate these symmetry entirely
Even Zero Energy Universe naively suggesting neutralizing of Dark Energy by Energy Reduction Redshift , while ignoring redshift affecting & manipulating the density of Energy , not the Energy existence from the start , it's not an energy created from nothing , energy transformations are magnitudes , not vectors .

2) Corrected Version According to Proposed Model That relies heavily on spinning & entanglement vectors , has no problems of existence of Antimatter creation , The Proposed Model Interpretation of Existence of Matter without Total Annihilation is much easier , That Big Bang Energy was stronger than total annihilation of Matter & Anti-Matter , Inflation prevented Both Matters from Total Annihilation

That brings to Another Interpretation

Universal Inflation That Prevents Matter Annihilation resulted in symmetrical Distribution of Matter & Anti-Matter across Flat Universe , so Anti-Matter existed by the same magnitude as Matter in the far side of Universe (Hence Universe is considered Flat)

& Dark Energy Expansion is actually The Attraction Between Matter & Anti-Matter , & Dark Matter represents that Quantum Fluctiontions Energy in Both counterparts as Universe inflates

XIII) Hints

1) proposed model doesn't resolve the physical refusing paradox of (Fine Tuning) ... as discussed model doesn't consider Fine Tuning as a physical problem , in fact , the model consider Fine Tuning is essential & unshakable proof , that is not related to any metaphysical principles ... but in rigorous mathematical & physical principles & terms

Fine tuning is Essential in material formation in standard model as

solving matter-antimatter paradox as the inevitable formation relying into scenarios

Scenario Number 1 :

Big Bang explosion is so powerful , that dark energy splits matter & antimatter to the extreme far sides of universe , that quantum fluctuations if happened in one side to make matter-antimatter instability to occur , it should be occur in all sides symmetrically or asymmetrically , while power of explosion & range of distributions of matter & antimatter prevents complete annihilation of forming matter & antimatter

may be it viewed as violation of CMB observation in the first instance , but hence the explosion proximity is unknown for us & also the rate & duration of inflation , it makes that feasible , even it has not the highest probability

but explosion at that power magnitude & that proximity , isn't essential to occur , This meant That magnitude & proximity should selection of Fine tuning to be occurred in first place .

Scenario Number 2 :

magnitude of Big Bang is only enough to occur. but not enough to overcome matter-antimatter total annihilation through stability , that model needs quantum fluctuations to preserve the forming of the matter safely as we see , quantum fluctuations should also be as selection of Fine tuning to occur

also in Quantum level , also fine tuning is essential in Proposed Model .

2) Quantum levels & virtual Voider existence in it which its accumulative mass measures for handling electron's path at 9.31*10^-31 kg

3) Quantum Teleportation & Speedlimit

but that is much more obvious in Electromagnetic field , hence photons applied to same concept as electrons , has constant speed of nearly 3×(10^8) m/sec , while constituent photons are uncharged particles - in Proposed model - teleported in every direction .

that would not happen without fine tuning

so , Fine tuning in both scenario is inescapable fact , without any metaphysical term applied

& this model , or concept if it is tuned & verified , doesn't need multiverses that formed infinitely in order to unify Relativity with Quantum Mechanics

That is proposed framework , laid down to be revised analyzed & validated constructively totalistically to greatest attention to detail , expressed in such more rigorous mathematical form , while revising proposed model considering the current theories are rigorous & tested profoundly , but they are also failed at specific ranges , that make them like all their previous counterparts , are perfectly precisely approximation works elegantly at common range , but hurdles at the extreme conditions & cases , even this framework if it was validated & verified , it will be (eventually) replaced by more accurate descriptive theory , & vises versa

---

Why This Framework claimed to be Complete by our Current Standards

This framework is claimed to be complete **by necessity of its construction**, not by accumulation of auxiliary formalisms or extensions. Its completeness does not rely on mathematical fashion, institutional standards, or external closure principles, but on **mechanical and ontological closure**.

---

1. Completeness by Single Ontology

The framework is founded on **one physical substrate** with well-defined mechanical properties (density, surface tension, resonant length).
There is no ontological split between:

- spacetime and matter,
- quantum and classical domains,
- particles and fields,
- information and dynamics.

All physical phenomena arise from **the same medium governed by the same rules**.
A theory that does not require additional entities at different scales is complete at the ontological level.

---

2. Completeness by Mechanical Closure

The framework specifies:

- what exists (the medium),
- how it responds to energy (curvature, tension, void formation),
- how motion, limits, and stability arise,
- and how breakdowns (black holes, quantum transitions) occur.

There is **no missing mechanism** that must be supplied externally.
Every phenomenon is generated by mechanical response, not postulated behavior.

This constitutes **mechanical closure**.

---

3. Completeness by Necessary Fine-Tuning

The framework does **not avoid fine-tuning**.
It demonstrates that fine-tuning is **structurally mandatory**.

The universe can only exist at precise equilibrium and resonance conditions.
Any deviation leads not to a different universe, but to **mechanical non-existence** (instability, collapse, dispersion).

Thus, all observed numerical relations are:

- not adjustable,
- not probabilistic,
- not anthropic,
- but mechanically enforced.

A theory that explains *why values must be what they are* is complete in its explanatory scope.

---

4. Completeness Across Scales Without Regime Change

The same principles apply at:

- cosmological scales (expansion, dark energy),
- astrophysical scales (black holes, accretion),
- microscopic scales (orbitals, tunneling),
- informational scales (entanglement, nonlocality).

There is **no transition point** where new laws are introduced.
Scale change does not imply theory change.

This absence of regime fragmentation is a defining mark of completeness.

---

5. Completeness by Predictive Determinacy

The framework produces **non-tunable quantitative predictions**, including:

- universal matter ratios,
- black hole mass thresholds,
- void bubble radii,
- healing times,
- proton charge radius.

These values follow necessarily from the internal structure of the theory.
They cannot be independently altered without breaking consistency.

A theory that yields fixed outcomes rather than adjustable fits is predictively closed.

---

6. Completeness Independent of Formalism

Lagrangians, fields, and quantization schemes are **representational tools**, not criteria of completeness.

This framework operates at a **pre-formal mechanical level**, where physical necessity precedes mathematical encoding.

A theory is complete when nothing physical is left unexplained — not when every phenomenon is written in a preferred formal language.

---

7. What Completeness Does *Not* Mean

Completeness here does **not** mean:

- institutional acceptance,
- computational convenience,

- or conformity to existing frameworks.

It means:

- no missing physics,
- no unresolved sector,
- no external explanatory dependence.
- no conflict with proven observation

Conclusion

This framework claimed to be complete because:

1. It has a single ontology.
2. It has mechanical closure.
3. It embeds fine-tuning as necessity.
4. It applies universally across scales.
5. It produces non-adjustable predictions.
6. It leaves no phenomenon unexplained.
7. It requires no external theoretical scaffolding.

Nothing needs to be added.
Nothing can be removed without collapse.

The framework is complete **because it cannot be otherwise**.

Facing Physical Judgement & Concerns

Concern (1):

The work lacks a Lagrangian or field equations and therefore cannot be considered a physical theory.

Response:

This is a **methodological bias**, not a scientific argument.

Physics is not defined by Lagrangians, but by:

- explanatory power
- falsifiable predictions

The framework provides a **pre-field physical mechanism**, explaining why field theories work as effective limits.
Both QM and GR historically preceded their final variational formulations.

The absence of a Lagrangian is an **ontological choice**, not a deficiency.
Plus how could anyone demanding field expression to non-field framework in first place

---

Concern (2):

Introducing a universal medium revives the experimentally rejected ether concept.

Response:

This objection relies on a **historical misconception**.

- Classical ether:
    - defines a preferred frame
- The proposed substrate:
    - defines no preferred frame
    - generates relativity itself

This is not a revival of ether, but a **modern physical vacuum**, consistent with emergent and superfluid approaches.

Concern (3):

Infinite speed inside the Void violates causality.

Response:

Causality is only defined **within the medium**.

The Void:

- has no spacetime
- no metric
- no trajectories
- no velocity

The process is not motion but a **topological shortcut**.
Violation of causality is impossible where causality is undefined.

Concern (4):

Linking atomic stability to a cosmic healing mechanism is speculative and unjustified.

Response:

This is an **intuitive discomfort**, not a logical refutation.

In the framework:

- atoms are not closed systems
- stability is an emergent balance of substrate recovery

The same mechanism operates across scales.
Different scales do not imply different physics.

Concern (5):

Predictions such as GAIA BH01 are insufficient for validating such a broad framework.

Response:

The framework does not claim validation, but **offers a single point of falsification**.

GAIA BH01 is:

- temporal
- cumulative
- non-degenerate with GR

Failure invalidates the core mechanism entirely.

This is scientific risk, not weakness.

Concern (6):

A “theory of everything” is inherently unscientific.

Response:

This is a **sociological objection**, not a physical one.

Science does not reject scope.
It evaluates:

- consistency
- falsifiability

The framework satisfies both versions.

Concern (7):

The manuscript arbitrarily redefines fundamental concepts and should therefore be dismissed.

Response:

Scientific progress requires redefining concepts when existing definitions fail.
The framework explains why standard definitions emerge as effective limits.

Conceptual conservatism is not a scientific criterion.

Concern (8):

The work is philosophical rather than quantitative.

Response:

The framework contains quantitative predictions and numerical estimates.
Explanatory depth does not negate scientific validity.

Concern (9):

The Void is unobservable and therefore unscientific.

Response:

Many accepted entities in physics are indirectly inferred.
The Void is defined through its observable consequences.

Concern (10):

Cross-scale unification is unjustified.

Response:

Physics historically unifies scales; separation is artificial.

Concern (11):

Predictions are adjustable.

Response:

The framework defines a single falsification point.
Failure cannot be patched.

Plus , How Predictions could be adjustable , if it predicts occurrences by particular magnitude that are unknown to scientific community till date of publishing this framework

---

Concern (12):

The work is disconnected from current literature.

Response:

Truth is not a function of citation density.

Concern (13):

The manuscript assumes a physical "substrate," which effectively revives ether-like concepts and lacks experimental justification.

Response:
The framework does not posit a medium *within spacetime*, but a substrate prior to spacetime itself.
Spacetime is explicitly defined as an emergent hydrodynamic description of the substrate's dynamics, not a fundamental entity.

mohaxnas@gmail.com