

Pre-Field Geometric-Scaling Quantum Darkmatter

Topological Cosmic & Quantum Shortcut - Primary States of Field Generators

Bridging Classical & Modern Physics through single Ontology &
Mechanism

Mohammed Nassr

Independent Researcher

Dated 5th of February 2026

13th Print - Dated 08th of October 2026

mohaxnas@gmail.com

mondonarco@gmail.com

Contents

I) Abstract :	5
II) Keywords :	5
III) Principles :	6
IV) Aims of The Framework :	8
V) Postulates of Proposed Framework :	9
VI) Creation of Universe & Baryons (Corrected) - Qualitative depends on Model findings :	11
Standard Model Problems.....	11
Proposed Model Non-local Contraction & Local Expansion	11
VII) Framework Layout :	13
A) Universal	13
1 - Concluding Universal Matter Percentile Mathematically	13
2 - Concluding Baryonic Matter Theoretically.....	14
3 - Concluding DarkMatter ratio (dm) :.....	16
4 - Concluding Dark Energy Ratio (de)	16
5 - Concluding Comoving Distance - Volume - Surface Area - Mass - Energy & Energy Equivalent Distribution :	17
B) Beyond Universal	19
C) Cosmic :.....	20
1) Studying Blackholes	20
2) Modern theories struggled to explain occurrence of entanglement.....	25
3) Proposed theory suggests Topological Shortcut.....	27
4) Proposed Framework Model	28
5) Correlation Between R(bubble) & R'(Schwarzschild).....	30
6) Active Blackhole Ultimate Growth & Annihilation - Collapse By Spatial Equilibrium.....	31
7) Annihilation by Dark Energy	33
8) Notes	35
D) Microscopic	37
Quantum world Application intro.....	37
Electron Characteristics	39

Zero Point Energy theory when translated to the proposed framework	41
Observer Effect	43
Entanglement	44
Delayed Choice Quantum Eraser Experiment :	48
Nucleus Application	49
Decay	52
Magnetism	52
Planck Limit , Photons & Charge Interpretation.....	53
Atomic Stability.....	54
Quantum States & Probabilistic Nature.....	55
VIII) Conclusion :	56
1 - Cosmic.....	56
A - Speed of Light Constancy Nature.....	56
B - Centre of Percussion :	56
C - Universal Surface Tension & Critical Density are not a real constants.....	57
D - Misconception of Void Bubble Violation with General Relativity & Observations	58
E - Spaghettification Effect Refutation.....	58
F - Relativity Reservation & Speed of light constancy origination.....	58
G - Dark matter primordial inhomogeneity/current homogeneity Assumptions.....	59
2 - Microscopic	60
A - Quarks and electrons are the same dimensionless, massless particles, and even have the same charges.....	60
B - Neutron/Hadron Stars formation	62
C - Neutral Elementaries	67
D - Elementary Particles Generations	67
3 - General.....	68
A - The framework does not rely on renormalization in the quantum-field-theoretic sense	68
B - Undefined speed $\neq$ Infinite speed /Speed $\neq$ Distance	68
C - Refuting Misconception of (Universe-ExtraUniverse Border) Effect.....	69
D - Definition of Mass/Energy/Momentum & correlation with local system entropy limits :.....	70

E - Universal Absolute Capillary Wave (UACV) - Light Correlation	72
F – Field Nature.....	74
G - Casimir Effect - Darkmatter - Dark Energy.....	75
VIV) Problems of Hawking Radiation & Solutions :.....	76
Primary Version.....	76
Advanced Version of Hawking Radiation	78
Conclusion.....	79
IX) Predictions :.....	80
Cosmic.....	80
1) Teleportation Distance Predictions.....	80
2) Formation of Blackholes (The Birth of Blackholes)	81
3)Neutron/Hadron Star.....	82
Microscopic	83
Entanglement Efficiency	83
Forward Prediction Applied	84
X) Suggested Experimental verification of the proposed theory	85
Natural	85
Artificial	85
XI) Promising Observations Validating Theory.....	87
XII) Hints	88
Facing Physical Judgement & Concerns.....	94
Finale	100
References.....	101

I) Abstract :

This Framework is an attempt to give a scientific , physical , logical & mathematical model & interpretation to unify Quantum Mechanics with Relativity that based on clarifying & introducing a model that reconcile both proven theories & presenting a mechanism & interprets & resolves ambiguities & paradoxes prevents both theories from reconciling with each other .

This framework is prepared to subject a coherent , self-sustained , explainable model at all scales & references .

This framework regarded itself as a ground base for a Unifying Theory to combine Relativistic & Quantum occurrences to apply same principles & pattern .

II) Keywords :

“Capillary” , “Capillary Wave” , “Absolute Capillary Wave Speed” , “Center of Percussion” , “Blackhole” , “EUV” , “CEUV” , “Void” , “Bubble” , “Void Bubble” , “VBH” , “Virtual Blackhole” , “Entanglement” , “Surface Tension” , “Corrected Planck Mass” , “Octants” , “Stucks” , “Chandrasekhar” , “Chandrasekhar Limit” , “Hadron” , “Hadron Star” , “Meson” , “Sigma Meson” , “Entropy” , “Local Entropy” , “Universal Absolute Capillary Wave” , “UACV” .

III) Principles :

The Proposed framework is based on the following principles :

1 - All objects - whether in microscopic level or at macroscopic range - are bound by its probabilistic nature, but they lean gradually to its deterministic nature , as objects compounds from microscopic level to macroscopic level hence combination leads to more collapse of wave function of the quantum state.

2- Spacetime Constraints discussed in the introduced framework are :

a) locality

b) speed limit .

3 - Gravity is not an independent field , it is the interaction between Mass (which is physically equivalent to Energy) & Spacetime ... Actually it is the effect of Energy/Mass on a Spacetime ... Energy/Mass is direct responsible for Gravity occurrence , As Gravity is the Curvature magnitude of Spacetime formed by Energy/Mass .

4 - Electrons size is not correlated directly to its wavelength or wave amplitude , it is the statistical probability of where that certain electron reside (Hence verified Coulombs Scattering study determined electrons as (point charges)) .

5 - Suggested Model which is the main subject of This Proposed framework does comply to all Quantum Mechanics & General Relativity verified observations & proven laws , as suggested model is an interpretative substrate model explains & resolve occurrences of point of clash , ambiguities in Copenhagen interpretation & General Relativity failing to interpret , & also aim to resolve dispute between QM & GR at extreme states & Paradoxes , as it assume that QM & GR were accurate approximate physical description of natural occurrences .

6 - Hubble Expansion Rate is an effect of Dark Energy , Matter Density & Radiation which equivalent to $\approx 67.4 \text{ km/sec/Megaparsec} = 2.184057 * (10^{-18}) \text{ m/sec/m} . (1)$

7 - Elementary Particles , such as Electrons & Quarks , are considered (point charge) - dimensionless - respecting Coulombs Scattering verified results . (2)

8 - Proposed Model is Substrate framework of GR & QM both , & doesn't neglect them .

9 - Due to the mysterious nature & Physical properties of darkmatter , The Proposed Framework is dealing with darkmatter hypothetical properties based on potential energy

10 - This framework posits that General Relativity & Quantum Mechanics are an emergent hydrodynamic descriptions of a deeper existence . Therefore, while GR tensors Quantum field theory describe the macroscopic geometry, the fundamental physics is governed by the constitutive equations of the medium itself (Density and Surface Tension)

& this approach doesn't nullify Michelson & Morley experiment findings of Speed of light constancy , nor reviving the idea of Ether as it was 300 years & lasted 2 centuries before Michelson & Morley experiment rule it out .

11 - The manuscript should be evaluated not on conformity with prevailing ontologies, but on internal consistency, parsimony, and testability.

By these criteria, it merits serious consideration and observational scrutiny rather than dismissal.

IV) Aims of The Framework:

- 1 - Solving The Loss of information inside a Blackhole .
- 2 - Model applied in both cosmic & Quantum world .
- 3 - Unifying Quantum Mechanics & Relativity theory in one single model , that happen through what the framework consider as a (Key) that solves mysteries surround both theories , or in fact , mysteries that both theories didn't resolve or explain or reconcile.

V) Postulates of Proposed Framework :


1 - Absolute Capillary Wave Speed is a Properties of The Object of Surface Tension σ & Density ρ when its Wavelength is twice third of its length for solid matters

As

$$V_o = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \quad \text{Where } \lambda \text{ is wavelength at center of percussion (achieving resonance for solid states)}$$

$$V_o = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \quad \text{Where } (\lambda) = 2r/3 \quad (3)$$

Which $2r/3$ is Center of Percussion



2 - Darkmatter Doesn't Interact with any baryonic matter physically or chemically except for gravitational effect that is unnoticeable locally , it is only noticeable in intergalactic level forming scaffolding of galactic clusters (Halos) . (4)(5)

3 - Dark Energy is the Net Universal Total Energy Released After Consumption of Formation of Dark Matter , Baryons & Radiation & Neutrinos

4 - Darkmatter (DM) +Baryonic Matter (BM) = Universal Matter (UM) .

5 - If the Framework propose that Speed of Light is The Absolute Capillary Wave Speed of The Universe (considering Universe has solid matter characteristics as it will be clarified in next chapters) , there's no correlation between light wavelength & Universal capillary wave Wavelength .

6 - Darkmatter physical properties is constant at all scales , hence its neutrality & extreme weak interactions with any substance , barely noticeable in Gravity field , & at intergalactic clusters forming cosmic stage .

So properties are constant , cosmic & microscopic .

VI) Creation of Universe & Baryons (Corrected) - Qualitative depends on Model findings :

Standard Model Problems

1) According to Standard Model , at The first Second of The Universe , Quantum Fluctuations occur due to Complex Phase in Quarks Quantum State Transformations (as described in CKM Matrix) . (6)

While that considered a perfect resolution of Anti-symmetry , but , it is conceptual not actual , hence the resulted percentage of Anti-Symmetric transformation won't match Baryons existed today , as for ($\eta_{CKM} \approx 10^{-19}$) , *While Observed Baryon to Photon Ratio* ($\eta_{obs} = 6.1 * 10^{-10}$) .

Plus , There's a Strategic Mistake Standard Model apply

Assuming that Energy came out of Singularity at Planck Era of Planck Energy on a Planck Mass & Planck Length

This Model is Ignoring that Universe Total Energy is $2.64137668745 * 10^{71}$ joules , Dark Energy represents 68.161% & Radiation 0.009% , which (Zero Energy Universe Theorem Hypothesis) violates radically , violate these symmetry entirely

Even Zero Energy Universe naively suggesting neutralizing of Dark Energy by Energy Reduction of Redshift , while it is ignoring that red-shift affecting & manipulating the density of Energy , not the Energy existence from the start , it's not an energy created from nothing , energy transformations are magnitudes , not vectors .

Proposed Model Non-local Contraction & Local Expansion

2) The Proposed Model Interpretation of Existence of Anti-Matter without Total Annihilation is much easier , That Big Bang Energy was stronger than total annihilation of Matter & Anti-Matter , Inflation prevented Both Matters from Total Annihilation

That brings to Another Interpretation

Universal Inflation That Prevents Matter Annihilation resulted in symmetrical Distribution of Matter & Anti-Matter across Flat Universe , so Anti-Matter existed by the same magnitude as Matter in the far side of Universe (Hence Universe is considered Flat)

& Dark Energy Expansion is actually The Attraction Between Matter & Anti-Matter , & Dark Matter represents that Quantum Fluctuations (Interaction) between Both counterparts as Universe inflates , that releases Energy , so Dark Matter is just a pure energy resist Universe Local expansion & global contraction , same as potential energies of baryons
That Quantum Fluctuations energy distribution constitutes the scaffolding of later-born intergalactic clusters as the Universe rapidly inflates .

While Dark Energy is the displayment of Attraction of (Matter/Anti-Matter Counterparts) , Main Contributor to Universe Local Expansion & Global Contraction .

While Baryonic Acoustic Oscillations (BAO) dictates the formation of galaxies as temperature decreases due to Local Expansion/Global Contraction , meaning Our Observable Universe considered singularity at the surface of the whole Universe out of reach

So as The (Observable) Universe is (expanding) , The (Whole) Universe is Actually (contracting)

& that explains everything , explains The Observable Universe Flatness which is proven from cold & hotspots size Observations of The CMB radiations

& While Flatness of Universe cannot be reconciled with Big Bang geometrically unless one condition is fulfilled ... That Observable Universe is just near infinite fraction of surface layer of a much more bigger Global Universe , & That Universe reaches its maximum size through inflation due to Big Bang , & now Universe is shrinking back (dying) , & because Observable Universe is considered point on Universe surface layer , so as Universe contracts , curvature increases , angle of curvature increases , so Observable Universe (point Universe) expands & it is expanding at geometric rate as stellar objects are further from Observing point .

This is the only possible geometric scenario interprets & reconcile all three occurrences (Big Bang - Universal Flatness - Universal Expansion - existence of Matter without Annihilation with Antimatter) .

VII) Framework Layout :

A) Universal

1 - Concluding Universal Matter Percentile Mathematically

Velocity Limit in any medium in space : V_0

$$V_0 = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} \quad \text{Where } V_0 = c$$

$$c = \sqrt{\frac{2\pi\sigma_{UM}}{\lambda\rho}} \quad \text{Where } \sigma_{UM} = \frac{E_{UM}}{A}$$

Where $\lambda = \frac{2}{3}D_c$ (Assuming Solid State characteristics of The Universe)

Where D_c is *Universal Comoving Distance*

$$c = \sqrt{\frac{2\pi * (um) * \frac{4}{3}\pi D_c^3 \rho * c^2 / 4\pi D_c^2}{\frac{2}{3}D_c * \rho}}$$

After abbreviation

$$(um) = 1/\pi \approx 0.3183$$

Where (m) is Universal Matter Ratio

(There will be clarification & distinction between universal absolute capillary wave & the light wavelength & frequency , that will be discussed in the following Conclusion section)

2 - Concluding Baryonic Matter Theoretically

First : Determining Ω_{BM}


From BBN Mathematical Proof (7)

1. The Physical Proof: The Deuterium Bottleneck

To understand why the amount of baryonic matter is fixed, we must look at the first few minutes of the universe (Big Bang Nucleosynthesis).


The Process:

1. **Creation:** Protons (p) and neutrons (n) collide to form Deuterium (D):



2. **Destruction (The Bottleneck):** In the very early, hot universe, high-energy photons (γ) immediately blast Deuterium back apart. Deuterium cannot accumulate until the universe cools sufficiently.

3. **Fusion (The Drain):** Once Deuterium survives, it is immediately used as fuel to create Helium-4



The "Baryons" Argument:

- **If the Universe were dense (High Baryon %):** Collisions would be frequent. As soon as Deuterium formed, it would find a partner and fuse into Helium. The process would be extremely efficient, leaving **almost zero** leftover Deuterium.
- **If the Universe were empty (Low Baryon %):** Collisions would be rare. Nuclei would struggle to find partners. Much of the Deuterium would fail to fuse into Helium and would remain as "leftovers."

The Observation:

We observe a primordial Deuterium abundance of roughly

2.5×10^{-5} (about 25 Deuterium atoms for every million Hydrogen atoms).

Physically, this is a "large" amount. It proves the early universe was not dense enough to burn all the Deuterium. This specific "inefficiency" locks the baryon density to a low number (~5%). If the density were even slightly higher (say, 10%), the Deuterium abundance would be virtually zero.

Mathematical Proof :

Using Precise Spectroscopic measurements from Quasar Absorption Spectra

$$D/H \approx 2.53 \cdot 10^{-5}$$

Plugging into BBN Standard Model yield to precise Power Law

$$\eta = 6.1 \cdot 10^{-6}$$

Where

$$D/H \propto \eta^{-1.6}$$

Converting Power Law (η) to Mass Density (Ω)

Calculating Photon density (n_p) using derived Power Law

$$n_p = 2 \frac{\xi^3}{\pi^2} * \left(\frac{K_B T}{h_{bar} c} \right)^3 = 0.411 \text{ cm}^3$$

Barion Density (n_b)

$$n_b = n_p * \eta = 2.5 \cdot 10^{-7} \text{ bar}$$

Barion Mass Density (ρ_{BM})

$$\rho_{BM} \approx (2 \cdot 10^{-7}) * (1.67 \cdot 10^{-24}) = 4.175 \cdot 10^{-31} \text{ gm/cm}^3$$

$$\text{Where } H_0 \text{ is Hubble Expansion Rate} = \frac{67.4 \frac{\text{km}}{\text{sec}}}{\text{megapasec}}$$

$$= 2.184057 \cdot 10^{-18} \text{ hz}$$

$$h = 0.674$$

$$h^2 = 0.454276$$

From Friedmann Equation

$$\rho_{critical} = 3H_0^2/8\pi G$$

Where G is Gravitational Constant = $6.67 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ sec}^{-2}$

$$\rho_{critical} = 8.5365721 * \frac{10^{-27} \text{ kg}}{\text{m}^3}$$

Divided by h^2

$$\rho_{critical} = 1.8791598 \times 10^{-29} h^2 \frac{\text{g}}{\text{cm}^3}$$

$$\Omega_{BM} = \frac{\rho_{BM}}{\rho_{critical}} = (4.175 * 10^{-31}) / (1.8791598 \times 10^{-29} * h^2) = 0.02221737608$$

$(\text{bm}) = \frac{\Omega_{BM}}{h^2} = 0.02221737608 / 0.454276 = 0.04890721957 = 4.890721957\%$ of Total Universal Energy (UE) (8)

3 - Concluding DarkMatter ratio (dm) :

$$(\text{dm}) = 0.3183 - 0.04890721957 = 0.26939278043$$

4 - Concluding Dark Energy Ratio (de)

Where Radiation Percentile = 0.00009 (9)

$$(\text{de}) = 1 - 0.3183 - 0.00009 = 0.68161$$

5 - Concluding Comoving Distance - Volume - Surface Area - Mass - Energy & Energy Equivalent Distribution :

From Friedmann Formula (8)

$$D_c = \frac{299792458}{2.184057 * 10^8 - 18} * \int_0^\infty \frac{dz}{\sqrt{(r)(1+z)^{-4} + (um)(1+z)^{-3} + (cr)(1+z)^{-2} + (de)}}$$

Where (r) is radiation ratio

Where Curvature Parameter (cr) = 0

Hence Universe is flat

$$D_c = \frac{299792458}{2.184057 * 10^8 - 18} * \int_0^\infty \frac{dz}{\sqrt{(0.00009)(1+z)^4 + (0.3183)(1+z)^3 + (0)(1+z)^2 + (0.68181)}}$$

$$= 4.34782718128 * 10^{26} \text{ m} = 45.9575512 \text{ billion light years} = 14090.6492539 \text{ megaparsecs}$$

$$V = 4/3 * \pi * (4.34782718128 * 10^{26})^3 = 3.4427495 * 10^{80} \text{ m}^3$$

$$\text{Surface Area} = 4 * \pi * (4.34782718128 * 10^{26})^2 = 2.3754966 * 10^{54} \text{ m}^2$$

$$M = \rho_{critical} * V = 8.5365721 * 10^{-27} * 3.4427495 * 10^{80}$$

$$M = 2.93892791934 * 10^{54} \text{ kg}$$

$$\text{Total Energy (TE)} = 2.93892791934 * 10^{54} * 299792458^2 = 2.64137668745 * 10^{71} \text{ joules}$$

$$\text{Universal Matter Energy Equivalent} = 0.3183 * (\text{TE}) = 8.40750199614 * 10^{70} \text{ joules}$$

$$\text{Darkmatter Energy Equivalent} = 0.26939278043 * (\text{TE}) = 7.11567809994 * 10^{70} \text{ joules}$$

$$\text{UM Surface Tension} = (8.40750199614 * 10^{70}) / (2.3754966 * 10^{54}) = 3.5392608 * 10^{16} \text{ Kg/sec}^2 \text{ (j/m}^2\text{)}$$

$$\text{DM Surface Tension} = (7.11567809994 * 10^{70}) / (2.3754966 * 10^{54}) = 2.9954487 * 10^{16} \text{ Kg/sec}^2 \text{ (j/m}^2\text{)}$$

Universal Age = t_c =

$$\frac{1}{2.184057 * 10^{-18}} * \int_0^1 \frac{dz}{z \sqrt{(0.00009)(z)^{-4} + (0.3183)(z)^{-3} + (0)(z)^{-2} + (0.68181)}}$$
$$= 4.33974953810653180 * 10^{17} \text{ sec}$$
$$= 13.761255511 * 10^9 \text{ billion years (just slightly younger than latest predictions of 13.8 bil)}$$

B) Beyond Universal

(Observable) Universe Expansion Speed surpassing of Spacetime Speedlimit :

Assuming Availability of Observing furthest Object at $4.34782718128 \times 10^{26} \text{ m} = 45.9575512$ billion light years = 14090.6492539 megaparsec

Hubble Expansion Rate is 67.4 km/sec/megaparsec = 67400m/sec/megaparsec

Object Speed appeared to us = $67400 \times 14090.6492539 = 949,709,760 \text{ m/sec}$ (more than 3 times speed of light)

But This speed is achieved in (Observable Universe) Rest of the universe expansion rate is unknown to us

But Outside of The Universe is nothing , void (emptiness) , no mass , no density , no dimension , no spacetime - not physically determined in Standard Model terms

That Extra-Universal-Void is regarded by Standard Model term as Non-Physical Void , Which is different from Traditional-Physical-Vacuum (which Standard Model is dealing with) which filled by virtual particles which causes Quantum Fluctuations as it had been noted in Casimir effect

According to The Proposed Model , The Extra-Universal-Void (EUV) is what Standard model would describe as Non Physical - Proposed Model would Describe as EUV (Extra-Universal-Void) , which is (the emptiness) outside the universe as immeasurable undetermined void .

Velocity limit of that Void Outside The Universe (EUV)

$$V_o = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} V_o = \sqrt{\frac{2\pi\sigma}{\lambda\rho}} = \frac{0}{0} = \textit{indeterminate value}$$

Meaning inability to determine velocity (speed) limit there ... Actually (Velocity) is (indeterminate) Value , this result would benefit in studying microscopic world & quantum level analysis .

C) Cosmic :

1) Studying Blackholes

Proposed Model suggested that Blackhole formation limit is not evenly distributed across all baryons of stellar object (Neutron star) , that interpretation is not inclined with decreasing density as blackholes get bigger , & also is not aligned well with LIGO observation of strong rebound wave being observed out of blackholes formation

1 - Proposed Model Interprets blackhole limit as the amount of mass accumulated enough to transform single neutron at the center core of the spherical object to a micro blackhole , giving the blackhole formula :

$$R = \frac{2Gm}{c^2} \quad (10)$$

$$\text{So } m = R(\lambda) * \frac{c^2}{2G}$$

As

$$\lambda = \text{Planck Length} = 1.616255 * 10^{-35} \text{ m} \quad (11)$$

$$c = 299792458 \text{ m/sec}$$

$$G = 6.67 * 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{sec}^2) \quad (12)$$

$$m = (1.616255 * 10^{-35}) * ((299792458)^2) / (2 * (6.67 * 10^{-11})) = 1.088217 * 10^{-8} \text{ kg}$$

(that's half of what Planck deduce)

this is the wave length of maximum kinetic energy neutron could offer to degenerate gravitational pressure before collapsing by its mass

$$\text{so Planck Mass formula should be } = 0.5 \sqrt{\frac{hc}{G}} \text{ instead of } \sqrt{\frac{hc}{G}} \quad (13)$$

& that means correction of Kinetic Energy formula for nucleon

Where at maximum stability for Neutron before collapse

$$P.E = K.E$$

$$\text{From De Broglie Wave Formula } mc^2 = (K)h^2/m \cdot \lambda^2 \quad (14)$$

where (l) is Planck length , equivalent to (Rs)

$$l = 2G.m/c^2$$

$$m = l.c^2/2G$$

apply in equation

$$l.c^4/2G = (K)*2G*h^2/c^2.l^3$$

$$l^4 = (K)*4*G^2*h^2/c^6$$

since (l) is Planck length = $1.616255*10^{-35}$ m

$$G = 6.67*10^{-11} \text{ m}^3/(\text{kg}.\text{sec}^2) \quad (11)$$

$$C = 299792458 \text{ m/sec}$$

$$h \text{ is Planck constant} = 6.62607015*10^{-34} \text{ j.sec} \quad (13)$$

(K) is the corrected constant of De Broglie Wave Formula

after calculation

$$K = 1/16\pi^2$$

This is the value of kinetic energy constant that align with the fact that maximum kinetic energy of a particle reflect into minimum wavelength (Planck Length) resulted into maximum potential energy for a neutron that is exact half of hypothetical Planck Mass to be equals $1.09*10^{-8}$ kg (as Schwarzschild radius is $1.616255*10^{-35}$ m) , hence no need to assume that Schwarzschild radius will equal $3.23251*10^{-35}$ m (as twice of Planck length)

2 - The minimum mass limit that is enough to form neutron at center of spherical object in space before turning into a blackhole

From Schrodinger Formula: (15)

$$\Delta x * \Delta p = \frac{h}{2\pi}$$

Where

$$\Delta x = (R^3/n)^{1/3} = R/(n^{1/3})$$

$$\Delta p = \frac{h_{bar}}{\Delta x} = h * \frac{n^{\frac{1}{3}}}{(2\pi) * R}$$

$$K.E = \Delta p * c = h * \frac{n^{\frac{1}{3}}}{(2\pi) * R} * c$$

$$P.E = \text{Gravitational Energy} = \frac{GMm}{R} = G * (nm) * \frac{m}{R}$$

$$P.E = K.E$$

$$G * (nm) * \frac{m}{R} = h * \frac{n^{\frac{1}{3}}}{2 * \pi * R} * c$$

$$G * (nm) * m = h * \frac{n^{\frac{1}{3}}}{(2\pi)} * c$$

$$G * \left(n^{\left(\frac{2}{3}\right)}\right) * m^2 = h * \frac{c}{(\pi)}$$

$$\left(n^{\left(\frac{2}{3}\right)}\right) = h * \frac{c}{(2\pi) * G * m^2}$$

$$= (((6.62607015 * 10^{-34}) * (299792458)) / (2 * (3.14) * (6.67 * 10^{-11}) * ((1.67 * 10^{-27})^2)))^{(3/2)}$$

$$= 2.22 * 10^{57} \text{ neutrons}$$

Where for the Sun

No of Solar Neutrons = Solar Mass/ Neutron Mass

$$= 2 * 10^{30} / 1.67 * 10^{-27} = 1.20 * 10^{57} \text{ neutrons}$$

Theoretical Blackhole mass limit = 2.22/1.20 = 1.85 Solar Mass

There's no need to consider Strong interaction in the equation to increase limit to 2.3 solar mass ... hence that would need the assumption of interference between neutron wavelength (which at this state it cannot be existed unless sharing same quantum states , & that would not occur unless Pauli's Exclusion Principle (PEP) being violated (16)

& That occurs in the formation of Blackhole itself .

But The **Actual** Blackhole formation mass limit differs in magnitude than 1.85 Solar mass & that is discussed in Neutron Star formation section according to the proposed model .

The Proposed Model interprets the formation of Blackhole in a way contradicts with the standard model , as Standard model states that Potential Energy of the mass affect evenly across stellar object whole size of particles until all of them formed a blackhole (which is not ideal for physical interpretation of variable densities of blackholes , the more Massive & Bigger Blackhole the lesser density it has , & also it doesn't interpret the strong gravitational wave being recorded by LIGO instrument to determine formation of blackholes)

Proposed Model solve the contradiction as follows :

As Stellar Object of minimum mass required to form a Blackhole of 1.85 Solar mass has Schwarzschild radius equals

$$R_s = 2GM/c^2 = 2 * (6.67 * 10^{-11}) * (1.85 * 2 * 10^{30}) / ((299792458)^2)$$

$$R_s = 5492 \text{ m} = 5.5 \text{ km}$$

Proposed Model interprets that mass limit is the required mass enough to form enough pressure into central neutron at the core to reach maximum kinetic energy & minimum wavelength before turning into a micro blackhole , as central micro blackhole accretes all surrounding neutrons , so newly blackhole gets bigger & more massive , as it accretes again the next surrounding neutrons , a chain reaction that ends when it accretes all stellar object matter within Schwarzschild radius , in a process that will take the duration as following :

$$t = R_s/c = 5484/(3 * 10^8) = 0.000018 \text{ sec} = 18 \text{ microsecond}$$

that will generate a strong gravitational wave of high frequency , depending on distance between blackhole occurrence & LIGO detectors on earth , & that aligns with LIGO detection of blackhole formation

3 - According to Stability limit of neutrons where

$$P.E = K.E$$

$$m * c^2 = h^2 / 16(\pi^2) m l$$

where $l = 1.616255 * 10^{-35} \text{ m}$ (Planck length)

$$m = (h^2) / 16(\pi^2) * c^2 * l^2)^{0.5}$$

$$m = (((6.62607015 \cdot 10^{-34})^2) / (16 \cdot (3.14^2) \cdot ((299792458)^2) \cdot ((1.616255 \cdot 10^{-35})^2)))^{0.5} \approx 1.088217 \cdot 10^{-8} \text{ kg (exact half of mass Planck predicted)}$$

where neutron velocity under Kinetic Energy limit determined from the formula

$$m \text{ (new Planck mass)} = m \text{ (neutron)} / (1 - v^2/c^2)^{0.5}$$

where

$$1.088217 \cdot 10^{-8} = (1.67 \cdot 10^{-27}) / (1 - v^2 / ((299792458)^2))$$

$$V = 0.9999999 \text{ c}$$

That will lead to interpretation that Corrected Planck mass is not the mass that forms the blackhole

Planck mass is the most mass limit we can measure before the particle form into a blackhole , but forming into a blackhole require its kinetic energy will reach infinite value as its neutron velocity will reach speed of light (so that electromagnetic wave cannot escape Blackhole Gravity) , that will lead to infinite mass according to General Relativity .

2) Modern theories struggled to explain occurrence of entanglement

Entangled particles transfer information to one another in no time (teleporting information) even if entangled particles were in opposite sides of the universe , & that contradicts with General Relativity .

Also Modern theories struggled to explain (mechanically) , how electrons elevated from one orbital level to another without passing through (The reason of Quantization).

Quantum Mechanics cannot explain (mechanically) the electron cloud occurrence

This framework started searching for answers cosmically , looking through a blackhole .

Blackholes generated through massive Star ... the gravity of that massive star are stabilized by the energy generated out of nuclear fusion occur in the star core due to gravity pressure itself ... until all nuclear fuel are wasted ... all of hydrogen are fused into helium , helium fused into carbon & oxygen ... etc ... until it fused into Iron ... Iron atom is stable enough to be very resistant to Fusion to form any bigger element , the stellar object explode in a supernova .

According to Tollman-Oppenheimer-Volkoff (TOV) equation , if remnant of stellar object after the explosion of Supernova exceeds ≈ 2.3 Solar Masses (Our Calculation proves only 1.85 Solar Mass is enough to form a Blackhole) , it contracts into Blackhole , Hence Pauli Exclusion Principle (PEP) for neutrons , cannot counteract excessive gravity pressure generated .

The recent known Lifetime of stars , that are formed as clouds of molecular hydrogen resulted out of inflation after the Big Bang , these clouds has potential energy curved spacetime (generating gravity) combining molecular Hydrogen through time , the accumulative energy through time affected hydrogen & forces it to fuse , generating stars as we know it , the stars fuses hydrogen as a result of their gravity creating nuclear fusion energy to counteract potential energy/mass/gravity ... until star consumed its hydrogen fuel , & resulted matters when used as a fuel (Helium , Carbon , Oxygen & Silicon) doesn't generate much energy to counteract star potential energy forming gravitational pressure , pressing star matter , making extra nuclear fusion , until its core forming iron , iron core is resistible to nuclear fusion , gravity compressed star core iron , temperature rises astronomically , compressing matter until overcoming electron degeneracy pressure , forcing fusion with protons forming neutrons that forming solid matter & their degeneracy pressure prevent further collapse , the reaction , rebound forming shockwave that propagates through the stars ripping outer layer apart through the explosion

The remnant of the explosion faces 3 scenarios

1-)Forming white dwarfs ... Electrons degeneracy pressure are stabilizing force of gravity due their PEP .

2-)Forming neutron stars , electrons fall to interact with protons forming neutrons , & Pauli's Exclusion principle that prevents Quantum particles to share same quantum states , stabilizing force of gravity .

3-)Forming blackhole , gravity field overcome Pauli's Exclusion principle , General Relativity suggests that the matter will contract into singularity. Which Quantum Mechanics refuses that outcome that violated Quantum Information Conservation . It may also violate conservation of energy (as it will be explained later) .

Blackhole principle is that mass(energy) of the cosmic object bends Spacetime infinitely (physical interpretation of ripping) so nothing can escape from gravity , even Electromagnetic waves (such as light) cannot escape from .

TOV states that is only remnant of supernova tell the whole story

According to General Relativity (GR) itself , that stellar object material when got turned into a blackhole , it will reach singularity , that singularity is dimensionless particle , which means it has an infinite density , while Quantum Mechanics (QM) refuses the concept of singularity , GR also ignores that infinite density means infinite mass , infinite mass meaning infinite energy , infinite mass happen also at speed of light .

3) Proposed theory suggests Topological Shortcut

Potential Energy generated from The star , that generated energy explained by Einstein formula $PE=M.C^2$

that energy is being neutralized & manifested by Star core nuclear fusion of its hydrogen fuel , hydrogen fuel is being consumed throughout billions of years.

after hydrogen fuel being completely depleted out of the star , the star begin to manifest that energy by Helium nuclear fusion , helium fuel is being consumed & depleted , star grows larger as it fuses larger & heavier elements until it formed Iron element in its core , the star then will transform into Red Giant , Iron is very stable & harder element to be fused to heavier atoms , then suddenly the star explodes forming Supernova & remnant material of mass (m) of heavy elements of the star suffers inability to generate nuclear fusion , nothing could neutralize Potential Energy that forming that stress

Remnant of the star crush to its core with by its own weight (as TOV predicted mathematically) with the existence of resistance of the atoms to be crushed on itself .

Gravity overcoming PEP degeneracy pressure of neutrons if the mass of remnants exceeds 1.85 Solar mass - as we prove earlier - & Crushed the matter , Gravity Exceeds until light can't escape gravity , forming a blackhole .

4) Proposed Framework Model

Proposed model suggest that Gravity will push stellar matter to contract (in case of blackhole) that contraction & pressure increase neutrons kinetic energy as described earlier , where central neutron to form a blackhole requires that its kinetic energy will reach infinite value as its neutron velocity will reach speed of light (so that explaining that electromagnetic wave cannot escape Blackhole Gravity) , that will lead to infinite mass according to General Relativity , so infinite Kinetic Energy , bend spacetime infinitely as it explodes Universal Matter

But , The Baryonic Matter is already collapsed due to its own mass (Potential Energy) , The Energy affect only the Dark matter (rest of universal matter) which lead to new phenomenon

new phenomenon here

the kinetic energy of collapsed pressurized neutron exploding the Dark matter creating a (bubble of EUV) , that confined EUV is what the proposed framework call (Void bubble) or Confined/Contained EUV or CEUV ... a void in Dark matter , Void Bubble (or Sphere) in Universe itself .

, The dimension of Void Bubble determined mathematically from the former formula

$$\sigma_{DM} = 2.9954487 * 10^{16} \text{ kg/sec}^2 = E/A$$

Where E is Potential Energy of The Blackhole

Where A is the surface area of spherical Confined EUV that has surface tension of

$$2.9954487 * 10^{16} \frac{\text{kg}}{\text{sec}^2}$$

$$= Mc^2 / 4\pi R_b^2$$

Where R_b is The radius of Void Bubble created Out of Black hole

This Case is different from EUV Containing the Universe , in this Case , The Universe containing that Void

& in this (contained) immeasurable void , matter accreted teleported in no time , as velocity in this vicinity (Void Bubble) is infinite according to the formula

$$V_o = \sqrt{\frac{2\pi\sigma}{\lambda\rho}}$$

Where $(\sigma) = 2.9954487 * 10^{16} \text{ kg/sec}^2$ While $\rho = \text{zero}$

$$V_o = \infty$$

(That Spooky Action in no time that Einstein refused it)

& That doesn't mean that Object moves in CEUV faster than (c) (actually in infinite speed , which violates causality)

That CEUV is just confined EUV , but has same characteristics , it has no energy , no surface tension , no dimensions , but as being confined , it works as Topological shortcut , that bend spacetime to make a shortcut in 4 dimension spacetime

This result solving (Loss of Information) Quantum Mechanics Preserved

& interpretation of infinite speed is crystal clear , that dimensionless void bubble perform as a Topological Shortcut , so infinite speed is justifiable hence un-locality

5) Correlation Between R(bubble) & R'(Schwarzschild)

$$R'_{Schwarzschild} = \frac{2GM}{c^2}$$

$$R_{Bubble} = \sqrt{\frac{Mc^2}{4\pi\sigma}}$$

$$\frac{R_{Bubble}}{R'_{Schwarzschild}} = \frac{c^3}{4G\sqrt{\pi M\sigma}}$$

According to Verified Experimental Observations

Blackholes gaining mass of matters being accreted or sucked into it

According to the proposed model . Inlet of the proposed Void bubble is correlated to the outlet (Border with Universe , earning additive Potential Energy from matter teleported through Void Bubble (CEUV) to it , that teleported matter will generate gravitational energy that will curve Universe in the outlet , that Curvature is actually a (Tensile stress/Energy) forcing the Outer Spacetime/Universe to shrink as forcing Void Bubble Sphere (CEUV) to expand

That expansion magnitude excess is equivalent to potential energy/mass of the object teleported (passing through)

Which being translated as that (Blackholes earning mass of objects got accreted) , while the earning mass/energy is actually equivalent to the expansion of dimensions of Void Bubble , hence the constancy of Surface Tension of the surrounding Dark matter , which is translated in that formula :

$$\Delta R = \sqrt{\Delta E / 4\pi\sigma}$$

Where ΔR is change in radius of the Bubble , ΔE is potential energy increase , σ is the surface tension of Darkmatter (Constant) .

6) Active Blackhole Ultimate Growth & Annihilation - Collapse By Spatial Equilibrium

Case (A) According to The Proposed Model , Relation Between R_{Bubble} & $R_{Schwarzschild}$ is formulated in this derivation

$$\frac{R_{Bubble}}{R_{Schwarzschild}} = \frac{c^3}{4G\sqrt{\pi M\sigma}}$$

That means as Blackhole accreting , Event Horizon expand faster than CEUV as

$$R_{Schwarzschild} \propto M \quad \text{while} \quad R_{Bubble} \propto \sqrt{M}$$

Until Both Event Horizon & CEUV matches each other

Case (A) Blackhole Mass = $1.08377919097 \times 10^{53}$ kg (Where Bubble/CEUV Radius & Schwarzschild Radius are matched)

$$\begin{aligned} R'_{Schwarzschild} &= \frac{2GM}{c^2} = \frac{2 \times 6.67 \times 10^{-11} \times 1.08377919097 \times 10^{53}}{299792458^2} \\ &= 1.608626548 \times 10^{26} \text{ m} \end{aligned}$$

As Light Year = 9.4607×10^{15} m

So Schwarzschild Radius = 17.003250796 Billion LYs

Which would exceed Observable Universe Age .

But this is completely wrong phenomenon , because inside Event Horizon according to Standard Model , Our Laws of Physics collapse .

& According to The Proposed Model , inside Event Horizon (Schwarzschild Sphere) is Contained (or Confined) Extra-Universal Void , which is Nothingness outside the universe , which is not bound by Universal Spacetime constraints , & that means that Schwarzschild radius here is magnitude of distance (from our universal perspective) , Otherwise The Event Horizon itself is just a 3D gate of a Contained Extra-Universal Void (CEUV) which extends beyond Event Horizon boundaries , especially in the birth & growth phase of blackhole .

But According to Proposed Model , Under accretion , The growth rate of Schwarzschild radius surpassing its counterpart of CEUV/Bubble Radius , as displayed from the derived equation above

Until both radii are matched

According to Proposed Model

Any accretion occurs beyond that limit , the accreted object teleported inside Event Horizon sphere & won't surpass it , it means that the Universal section outside the CEUV would reside inside Event Horizon sphere which will lead to Blackhole radiation emission , which is not allowed according to proposed model

So The Proposed Model solved this problem by assumption of Blackhole collapse occurs at this equilibrium state

& Due to Our very limited detection capability , that doesn't exceed 1% of The Observable Universe

So , The Correct statement is not that Blackhole limit would exceed Observable Universe Age

It is that blackhole reaching this limit is beyond our detection capability

Schwarzschild Radius limit is spatial magnitude other than chronic magnitude , hence inside blackhole is not bound spacetime geometry constraints according to both Standard model & this proposed model .

7) Annihilation by Dark Energy

According to Proposed Model , As assuming Blackhole as Geometric Topological Void at Universe Spacetime (Contained Extra Universal Void – CEUV) , As a result , CEUV should be shrinking over time as Universe locally expands (Globally contracts) by the local rate of 67.4 km/sec/megaparsec (= 2.184285×10^{-18} m/sec/m) & accelerating over time according to the proposed model , Until it reaches Planck Length = 1.616255×10^{-35} m

The Blackhole expands as it accretes & contracts as The Universe locally expands (globally contracts)

The Scenarios applied in this model , assuming The Blackhole is dormant (Such as System GAIA BH01)

There are two scenarios

A) Assuming Contraction rate of CEUV radius decreases locally by decreasing contraction rate Until it reaches Planck Length

Assuming Hubble Expansion Rate which equals = 2.184285×10^{-18} m/sec/m as (K)

$$\frac{dR}{dt} = -K \cdot R$$

$$\frac{dR}{R} = -K \cdot dt$$

$$\int_{R_0}^{R_{Planck}} dR/R = -K \int_0^t dt$$

$$\ln R = Kt + C$$

$$@ t = 0$$

$$\ln(R_0) = C$$

$$\ln(R_{Planck}) - \ln(R_0) = \ln\left(\frac{R_{Planck}}{R_0}\right) = Kt$$

$$R_t = R_0 e^{-Kt}$$

$$@ R = l_{Planck}$$

$$e^{-Kt} = \frac{l_{Planck}}{R_0}$$

$$e^{Kt} = \frac{R_0}{l_{Planck}}$$

$$Kt = \ln\left(\frac{R_0}{l_{Planck}}\right)$$

$$t = \frac{1}{K} * \ln\left(\frac{R_0}{l_{Planck}}\right)$$

B) Assuming Contraction rate of CEUV radius decreases locally by local constant contraction rate Until it reaches Planck Length

$$\frac{dR}{dt} = -K \cdot R$$

$$\int_{R_0}^{R_{Planck}} dR = - \int_0^t (KR) dt$$

$$R(t) = -(K * R_0)t + C$$

$$@t = 0$$

$$R = R_0$$

$$C = 0 + R_0 = R_0$$

$$R(t) = R_0 - (K * R_0)t$$

$$R(t) = R_0(1 - Kt)$$

$$@R = l_{Planck}$$

$$l_{Planck} = R_0(1 - Kt)$$

$$t = \frac{1}{K} \left(1 - \frac{l_{Planck}}{R_0}\right)$$

While in Cosmic Range $\lim_{R \rightarrow \infty} \frac{l_{Planck}}{R_0} = 0$

$$t = \frac{1}{K} = \frac{1}{2.184285 * 10^{-18}} = 4.5781572 * 10^{17} \text{ sec} = 14.517241103 \text{ billion years}$$

That is All Cosmic Blackholes estimated age , whatever their size & mass

8) Notes

A) The Framework did not discuss the effect of star-blackhole-Void bubble spinning , as thought to be has no significant value on determining Void Bubble radius , or Coordination of inlet/outlet of teleported object .

B) Another Aspect should be noted :

That Energy preservation occur as soon as Stellar Object collapse into a blackhole , where its matter (Energy) forming the CEUV .

C) Void Bubble Relativistic Compliance

Void Bubble Doesn't have any gravitational lensing or interacting with Observable world , since its nothing , un-local ... it doesn't affect any matter outside the proximity of its gate (Blackhole)

D) A potential critique of the proposed model is the assumption of dark matter homogeneity across the observable universe. Since primordial inhomogeneity is the established mechanism for the formation of intergalactic clusters, one might argue that this contradicts the assignment of a singular, universal magnitude to dark matter surface tension. Consequently, this perceived inhomogeneity could be viewed as incompatible with the model's mathematical mechanism for black hole formation, which fundamentally relies on universal dark matter homogeneity.

To address this, the proposed model postulates that dark matter inhomogeneity was strictly a transient phase during the early universe, immediately following the Big Bang (a concept elaborated in the subsequent sections Universe Creation and the subsequent section of Conclusions). This primordial inhomogeneity phase catalyzed the formation of both dense and light stellar structures. Therefore, the gravitational lensing effects traditionally attributed directly to the presence of dense dark matter halos may, in fact, originate from unobserved dense stellar objects that evolved from these primordial dark matter regions, such as those within intergalactic clusters.

Furthermore, this localized structural evolution is perfectly consistent with the Cosmic Microwave Background (CMB) and the Lambda-CDM model, which confirms that the universe—and by extension, dark matter—remains fundamentally homogeneous and isotropic at macroscopic scales exceeding hundreds of millions of light-years.

Finally, the lack of observable dark matter gravitational lensing in immediate proximity is due to our shared co-movement within the same local reference frame. Expecting to detect local dark matter lensing is physically analogous to an observer attempting to directly perceive the Earth's rotation from its surface; the shared non-inertial frame effectively masks the underlying relative dynamics."

D) Microscopic

Quantum world Application intro

Proposed theory according to Quantum world (focusing on electrons , which represents the obvious state of quantum occurrences)

hence quantum particle due to its nature are not fully bound to spacetime constraints of locality & speed-limit

The Interpretation of the proposed theory at Microscopic Level - Role of Virtual Blackhole :

Main Quantum States , Orbitals , are filled with (virtual blackholes/VBH) that electrons teleported through making electron cloud .

in case of energy quanta , comparatively big quanta blackhole formed at the limit of orbital level , while comparatively small virtual blackholes formed across all orbital levels in the atom , that comparatively big blackhole attract electron to be teleported to next orbital level , Electron emitting energy consumed in photon creating blackholes in the way back out of New orbital level returning to original orbital level , attracting the electron to teleport back , Accretion limit reach annihilates last blackhole standing .

But Determining Surface Tension of Dark matter that have the same scale as in cosmic scale is impossible , hence determining distance differences between Orbitals & Magnetic states were Impossible , & can't rely on Quantum states alone in verification of scale constancy of Dark-matter surface tension

You can pinpoint the error of determining Dark-matter Surface Tension in Quantum states level alone

We take Hydrogen Atom as an example

$$\text{Quanta Energy} = 10.2 \text{ eV} = 1.63 \times 10^{-18} \text{ J}$$

$$\text{Radius of Bubble (Rb)} = (n_2^2 - n_1^2) \times \text{Bohr Radius}$$

$$= 3 \times 5.29 \times 10^{-10} = 1.587 \times 10^{-10} \text{ m}$$

$$\sigma = \Delta E / (4\pi R b^2)$$

$$= (1.63 \times 10^{-18}) / (4 \times 3.14 \times ((1.587 \times 10^{-10})^2))$$

$$= 5.15 \text{ kg/sec}^2$$

Dark-matter (Dark-matter surface tension drops drastically at quantum level

& This is physically unacceptable , because Dark-matter doesn't interact with any matter not even in atomic or subatomic scale , it is only observed interaction is barely through gravity upon intergalactic clustering formation

& also to confirm methodological & mathematical invalidity of determining dark-matter surface tension magnitude at microscopic scale & checking its compatibility with cosmic scale , Energy difference between Orbital n6 & n7 in same Hydrogen Atom is only $\approx 0.1 \text{ eV}$ & Main Orbital Distance exceeds 6 angstroms ($> 6 \times 10^{-10} \text{ m}$)

Meaning lesser values for Dark matter for the atom when excited

& that values differ from element to another due to difference in Orbital Energies due to difference in atomic & mass number of each element ... which will lead to different values of Surface Tension , which cannot be accepted physically

The reason of this error

Applying main quantum states alone neglects the order of orbital , magnetic , spin energy level order (for example Orbital 3d is preceded by Orbital 4s) which detecting them by spatial metric scales is structural error

Conclusion :

The attempt to extract a surface tension from atomic orbital separations is **conceptually invalid**, not merely inaccurate, because atomic orbitals do not possess uniquely defined geometric radii once sub-orbitals, magnetic quantum numbers, angular momentum, and saturation effects are accounted for.

The calculation presented here is intentionally shown to demonstrate the **magnitude of the conceptual error** that arises when such a method is applied.

But determining radii is still an existing problem

Proposed model to solve the paradox suggests the following :

Electron Characteristics

- According to Proposed Framework Principles , Electrons are considered as Point Charge (Dimensionless) . - (QFT considered Electrons Point Charge , proven , when studying Coulombs Scattering) -

1- Hence to Evade The Assumption of electrons with mass 9.109×10^{-31} kg has an infinite density due to dimensionless nature (According to Coulombs Scattering Results) , given mass is the masses of infinite number of generated microscopic (Virtual Blackhole) within the orbital , as duration of equilibrium spatial collapse due to accretion of such blackholes is less than Planck scale (lead to zero second) , which means Blackholes existence duration are less than Planck scales (lead to zero second)

2- Infinite Virtual Blackholes (VBH) doesn't earn mass ... as electrons are teleported before & after Void bubble , rotating in a loop , so energy difference equal zero all time

3- Electrons in ground state orbital (Original Orbital) doesn't consume energy , hence it teleported , not rotating nor moving

4- Estimating electrons , Void , surface tension of Dark-matter quantically through main orbital energy states is not accurate nor representing actual observation & measurements , hence it didn't consider states of sub Orbital numbers into respect (n1s , n2s , n2p , n3s , n3p , n4s , n3d , n4p , n5s ... etc)

5- Voids generated in each orbital are saturated with ground state electrons , there's no room for additional electrons to teleport .

6- when Electrons elevated from orbital state to higher one , it absorbs energy , emitting photons represents quanta energy , until it resides back to its ground state orbital , it doesn't teleport , it moves with certain speed in certain time using quanta energy absorbed , we determine duration of excitation as duration of electron being elevated to higher orbital state through frequency of photon emitted by electrons excited since applying the formula

$$\Delta E = h * f$$

Where ΔE is difference in energy between different orbital state , (f) is frequency , so

$$T = 1/f = h/\Delta E$$

In case of Hydrogen Atom duration of excitation of electron from n1s to n2s

$$T = (6.62 * 10^{-34}) / (1.63 * 10^{-18}) = 4.06 * 10^{-16} \text{ sec}$$

Explanation:

Quanta Energy absorbed creating infinite blackholes/Voids between Orbital n1s & n2s , attracting electron to teleport to higher orbital level , electron teleported to higher orbital state , their virtual blackholes does not interact with excited electron in first place , electron moves through new orbital state emitting energy due to interaction with nucleus protons so it is not teleported

After energy consumption , it is being attracted back to its original orbital state hence its Voids are not saturated with electrons teleported through since excitation of electron to higher orbital state level

7- What is claimed about electrons mass , is actually the mass of infinite virtual generated/annihilated Voids representing the teleportation path of that certain electron with its ground state orbital which clarified in formula

$$\text{Mass of Electron} = 9.109 * 10^{-31} \quad (17) \quad = \int_0^C \frac{dE}{c^2} dr = \int_0^C 8\sigma c^{-2} \pi r \, dr$$

Hence $E = 4\pi\sigma r^2$ (where r is (Void bubble radius)/(teleportation distance) across all Main , Orbital , magnetic level , Spin Level .

Where C is Quantum State level Circumference in meters (SI)

“The electron does not possess an intrinsic rest mass.

Its observed mass is an emergent, dynamically sustained quantity arising from continuous VBH generation and annihilation along its teleportation network.”

8- Microscopic model proposed doesn't result on double counting effect , as electron existence in multiple location is a visionary image related to observer , exactly as in relativity , relative speed of an object varies according to the observer

& electron itself - as it is explicitly stated in the framework , is dimensionless point charge (as it is verified in Coulomb Scattering study) , so possession of mass meaning infinite density , framework does not allow , so electron in the proposed framework considered massless , & what is considered as electron mass , it is accumulative VBH mass created that electrons teleported through

Interpretation of Diffraction is applicable with applying virtual blackholes/Voids

9- the same interpretation of electron cloud Quantum Mechanics assume that this is waves of probabilities of electron existence , while Proposed model has different approach , as electrons appear as recurring existence due to teleportation , which is explained in the following explanation

Zero Point Energy theory when translated to the proposed framework .

10- Zero Point Energy Proposed Model Interpretation :

A) as temperature decreases near absolute value (Zero Kelvin) , Electrons in ground state emit energy , energy emissions generated extra virtual blackholes which not confined by quantum energy state , battling existing virtual blackholes for attracting electrons to teleport , electrons teleported in different paths , extra teleportation allows for surpassing energy barriers , translated in superconductivity .

& super fluidity , Zero Point Energy checked & complied

- $dE/dr = 8\pi\sigma\Delta r dr$ (as Temperature decreases to near absolute value , where electrons at quantum state emitting energy to achieve Equilibrium with surrounding

$$- E = 3/2 * K_b * T \quad (18)$$

Where (K_b) is Boltzmann Constant , & (dT) is difference in temp.

Derived to the Equation

$$- \frac{3}{2} K_b T dT/dr = 8\pi\sigma\Delta r dr$$

B) as External Pressure is applied , it injects mechanical energy into atomic quantum states , Orbitals & Dark-matter medium , Generating more virtual blackholes and compressing Orbitals so that virtual Voids overlap & emerge , fuses into bigger blackholes , surpassing Planck scales to measurable scale , adding teleportation distance to the electronic system , increasing conductivity .

C) as Pressure increases , Density & Connectivity of the network increases , so the temperature at which Superconductivity & Super fluidity also increases .

$$\text{Where } E = PV = Nm v^2 (\text{where } mv^2 \text{ equivalent to Kinetic Energy}) \quad (19)$$

Where

$$PV = 3/2KbT$$

$$-\frac{3}{2}KbT \frac{dT}{dr} = -PV = 8\pi\sigma\Delta r dr$$

So Pressure applied increase Temperature of Superfluidity & Conductivity (Differential Equation should be revised)

10- Main Quantum Level Energy = The Sum of Potential Energy of (Virtual Blackhole/Void) + The Sum of Kinetic Energy of Spin of the Virtual Blackholes + magnetic field of the electron forces it to take certain variable sets of Void paths due to repulsion with other electrons = Constant

11- Virtual Void/Blackholes spinning caused by spinning of Electrons

Observer Effect

12- Wave Nature of Electrons such as deviation/superposition is a result of infinite virtual blackholes causing infinite teleportation that would make electron appear in multiple coordinates at the same time .

The Observer or detector effect can't occur without energy interference , energy will increase VBH transform it from virtual to near actual (closer to Planck scale) , causing teleportation distance to increase dramatically , fusing other virtual blackholes , which resulted in detecting electron as single particle , which would be translated as (collapse of electrons wave function) Proposed Theory would dig deep into detail , interpreting The new version of Double Slit Experiment (Delayed Choice Quantum Eraser) & What seems to be future determine state of the past , after explaining the following Entanglement Subsection in the Proposed Model point of view.

Entanglement

13- Entangled Particles are particles that their quantum states are potentially correlated , such as their angular momentum where conserved , as two entangled particle super-positioned correlated that both of them teleported through same VBH together affecting their spin to be opposite of each other , so their angular momentum conserved

This entanglement correlation lasts wherever being apart from each other .

But their correlation could be violated hence one of them entering similar spinning blackhole .

& which happened also in detection state

that comply and validate & interpret Bell's Inequality Test (BIT)

& that also comply to QM standard as there's no capability - according to our understanding of physics – send information through entanglement in controllable state .

But , There is only one hypothetical way that could make sending information through entanglement in controllable state a possibility , depending on two condition , According to the proposed model

1st if two electrons teleported through same VBH at the same time , they would share same quantum state

& hence they were point charged , same as virtual blackholes (Theoretically)

Pauli's Exclusion Principle are being violated (requiring that virtual blackhole generated exactly where both electrons will be (in Diffraction or Interference Phase) , this condition generates blackholes within electrons proximity themselves as teleportation distance is virtual too (Beyond Planck scale) ... these blackholes form a bubble , that bubble has different characteristics

Let's call these kind of VBH as (Stucks)

These (Stucks) have a bubble sphere with surface tension , but this surface tension differs entirely from Cosmic , or even Virtual Black-holes .

Their medium isn't Dark-matter anymore , their medium is (electrons) themselves

Because electrons are massless (by their own) & dimensionless

So their density & surface tension are indeterminate

Their Stucks Void bubble surface tensions = (indeterminate)

so it could be any value , depending on distance between entangled couples , as electrons in this case has the upper hand on Stucks

So Information could be send at any distance , even if they were halfway around the universe .

This is how Entanglement is being generated or created

Because both particles were entangled , they have correlated quantum states , that information couldn't be decoded by any third party , Only their entangled partner is the decoder , even if it forming Stuck Bubble Sphere , this information has no use but for entangled partner

& that information may be sent through electron infinite spin speed , as it transmitted through stuck bubble sphere circumference infinite times ... & only entangled partner which has another stuck , catch it & decoded .

This is first condition

2nd In order to send information & preserve it in controllable conditions , both electrons should be operated at very low temperature (near zero Kelvin) , emitted energy from electrons generated additional non-spinning VBH ... which even when they interact with entangled electrons , they won't affect their spin

So (Theoretically) sending information entanglement preserving it in controllable condition is a possibility

That possibility increases as temperature decreases near (0) Kelvin more & more ... hence more non-spinning VBH are generated from electrons emissions .

That was derived from Wien formula (20)

$$T \cdot \lambda = 0.0029$$

As

$$T=0$$

$$\lambda = \frac{0.0029}{0} = \infty$$

As system energy = $h/\lambda = h/\infty = \text{zero}$

Atoms Quantum States emit energy (As of Hydrogen for example)

$$\text{Quantum State Energy} = 10.2\text{eV} = 1.63422 \cdot 10^{-18} \text{ joules}$$

$$\begin{aligned} \text{Its wavelength } \lambda = h/E &= 6.62607015 \times 10^{-34} / 1.63422 \cdot 10^{-18} \\ &= 4.0545766 \cdot 10^{-16} \text{ m} \end{aligned}$$

That is the amount of energy that Quantum State emit in a system (Theoretically) reach 0 Kelvin to balance the surrounding of reaching (Zero Kelvin), Which is equivalent to the amount of energy that the electron is stabilized in its quantum state, where occurrences such as (Superfluidity, Superconductivity, Entanglement) reach the efficiency of 100%, so emitted energy creating extra (VBH) Equivalent to stable quantum state of Hydrogen Atom without excitation

As Entanglement Control Parameter Efficiency (η) = 1

Computing the temperature where entanglement has (Zero Efficiency – Uncontrollable entanglement)

$$\text{Where } T \cdot \lambda = 0.0029$$

$$T = 0.0029 / \lambda$$

$$= 0.0029 / (4.0545766 \cdot 10^{-16}) = 7.1524114 \cdot 10^{12} \text{ Kelvin}$$

$$(\eta) = 0$$

But the Efficiency Curve isn't linear

According to Friedmann Equation , Radiation ratio is (0.00009) & parameter of ((a)^4)

$$(\eta) = 0 \quad T = 7.1524114 \cdot 10^{12} \quad \text{Radiation ratio} = 0.00009 \quad (\text{Rad parameter}) = ((a)^4)$$

$$(\eta) = 1 \quad T = 0 \quad \text{Radiation ratio} = 0.00009 \quad (\text{Rad parameter}) = ((a)^4)$$

Where X = (η) , U (is Constant)

$$T(\eta) = \frac{U}{(0.00009a^4)^n} \left[\frac{e^{-\frac{\eta}{(0.00009a^4)^n}} - e^{-\frac{1}{(0.00009a^4)^n}}}{1 - e^{-\frac{1}{(0.00009a^4)^n}}} \right]$$

As (n) is element electron quantum states occupied

Delayed Choice Quantum Eraser Experiment :

14- The Recent Version of Double Split Experiment (Which is also called (**Delayed Choice Quantum Eraser**)) confirmed that detection of the particle will collapsing its wave function even after its being recorded , & that will determine the behaviour of the recorded state whether it is wave interference or double slots reflecting the double slits (as it behave as particle) -----(21)

The Proposed Framework interprets that as previously mentioned as energy interference as explained earlier in Observer Effect Subsection

& due to Entanglement , the detected particle will transmit the data to the recorded entangled partner to correlate its quantum state to its counterpart , so the wave state collapses as Standard Model confirms (Or their VBHs combine to get near Planck limits to near measurable scales as The Proposed Model interprets) , & preserve its particle state (Or their teleported distance being near measurable as Proposed Model interprets) , even after one of entangled partners being recorded (meaning after it is being received) .

& Because Transmitting information is faster than light (instant/teleport) so it appeared to the Observer that Future can determine the past in The new version of Double Slit Experiment (The Delayed Choice Quantum Eraser).

Nucleus Application

15- Applying Microscopic effect from electrons to nucleus

sum of VBH responsible for quark teleportations across nucleons proximity give the mass of the quarks , that masses are larger than that of electrons due to limited & narrow proximity , which allow VBH to fuses together making larger one & further teleportation distance , But the narrow confinement restricted it , so the energy measured of quarks is near 100 times of electrons , no problem with that assumption .

The Reason of Narrow Proximity

(Stucks) are being formed due to generation of Virtual blackhole - in this time - on three quarks

This will generate Stucks inside every quark which they share quantum states upon generation , that is the foundation of what it is commonly used to be called (Gluons) .

(Gluons) are a three way entanglement processes , three quarks quantum states correlated with each other .

1st (Three-Way-Entangled-Quark) sends information by its stuck to take opposite quantum state (Up to Down quark)

But hence there are three entangled partners , that will lead to continuous endless conversion .

Stuck teleported information from 1st Quark who's (down quark) convert 2nd quark to (up quark) , 2nd stuck teleported information convert 3rd quark to (down quark) , 3rd stuck teleported information convert 1st quark to (up quark) , 1st stuck teleported info convert 2nd Quark to (down quark)

(3 way entanglement (gluon) change quantum states of quarks from Up to Down instantly) , that continuous charging fluctuations generate the mass of nucleons .

This model actually aligns perfectly with standard model ... that means when neutrons are converted to protons , protons converted to neutrons & vises versa .

It's simplest form of entanglement to form single nucleon But in Nucleus.... The Generated Virtual Blackhole interact with all nucleus quarks , so signaling opposition & variation does not only confine single nucleon , but also confine all nucleus nucleons together

the signal change due to quark (signal & quantum) change , teleportation path change & angular momentum change of VBH due to quarks continuous conversion , it all leads the whole package (nucleon) to oscillate & have a kinetic energy , of Intrinsic Compton frequency of $2.27 \cdot 10^{23}$ Hz

(Being Determined Out of Rest mass energy equilibrium $mc^2=hf$)

Where

m is Mass of nucleon in kg = $1.67 \cdot 10^{-27}$ kg

c = speed of light = 299792458 m/sec

h = Planck Constant $6.62 \cdot 10^{-34}$ j.sec

(Strong Force time scale of $4.4 \cdot 10^{-24}$ sec)

& Wavelength calculated of $(mc^2)=(h^2)/(16 \cdot \pi^2 \cdot m \cdot l^2)$

where

$$l = (l^2)^{0.5} = ((h^2)/(16 \cdot \pi^2 \cdot m^2 \cdot c^2))^{0.5} = (((6.62 \cdot 10^{-34})^2)/(16 \cdot (3.14^2) \cdot ((1.67 \cdot 10^{-27})^2) \cdot ((3 \cdot 10^8)^2)))^{0.5}$$

$$= 1.05 \cdot 10^{-16} \text{ m}$$

That's exact half of the assumed Compton wavelength

$$h/2\pi mc = 2.10 \cdot 10^{-16} \text{ m}$$

while experimental measured charging radius of proton = $8.40 \cdot 10^{-16}$ m (8 times nucleon calculated wavelength)

while Charging radius doesn't refer to nucleons wavelength itself

The Geometric Summation

Experimental measurement of the proton's charging radius does not measure a single linear path. It measures the "Charge Cloud"—the probability summation of the charge's location in 3-dimensional Cartesian space.

To find the effective radius of this cloud , that must account for the oscillation extending through all spatial degrees of freedom. In a 3-dimensional system (x, y, z), the volume expansion of the oscillation corresponds to the summation of the 8 spatial octants ($2^3 = 8$).

$R(\text{predicted}) = 8 \times \text{wavelengths calculated}$

Consider our Nucleon as a small cube surrounded by another 8 cubes in Rubik's Cube ...
Scattering measure the sum of 8 wavelengths surrounding the nucleon under study .

& that align with spheres , as central sphere separated by 8 spatial Octants in Cartesian Coordinates

& there's no interference or overlaps of wavelength or we violate PEP (Pauli's Exclusion Principle)

3. The Result & Verification

Substituting the calculated wavelength:

$R(\text{predicted}) = 8 \times 1.05 \times 10^{-16} \text{ m} = 8.4 \times 10^{-16} \text{ m}$

Comparison with Experimental Data:

Recent high-precision experiments (muonic hydrogen spectroscopy and CODATA 2018) have revised the standard proton radius.

- **Experimental Value (CODATA 2018):** CR = 0.841 fm (22)
- **Predicted Value (Proposed Framework):** CR = 0.840 fm

Conclusion:

The framework predicts the proton charge radius with 99.9% accuracy. This suggests that the observed size of the proton is simply the 3-dimensional geometric summation of its internal oscillation wavelength (99.9%) is due to proposed model approximation .

16- Interpretation of 8-Octants is valid , it represents 8 points of contact at rest state , argument of spherical points of contacts increases to 12 point of contacts is irrelevant , hence that geometrical state occurred only under compression , so wavelength decreases , & that is not the subject of the discussion .

17- The Continuous conversion of Proton & Neutrons , forces electrons teleportation paths in its orbital to follow protons conversion .

Decay

18- Proposed Theory is inclined perfectly with QM , as Stable Nucleons should have least generated (potential energy/mass) out of Generated VBH & all forms of Entanglements , if it's not , decay will occur the same way as QM states , to elements byproducts that will represent least potential energy possible & equivalent spin vector (in case of Beta decay for example) , which QM gives perfect rules (such as Fermi's Golden Rule) , which it has no contradictions with proposed theory .

Magnetism

19 - Proposed Model doesn't contradict with magnetism , As Magnetism Properties relies on Unpaired electrons tended to conserve its angular momentum , & system tendency to consume minimum energy as explained earlier at decay discussion interprets heavy elements lacking the fill of more than single orbitals , hence resultant vector of entanglement & angular momentum (which is described by the current standard model as (charge) , where in same spin direction that lead to increase in wave length in between (same charged generated virtual photons resulting in repulsion by Standard model interpretation) .

So heavy atoms consume minimum energy as electrons were occupy different orbitals without filling them one by one (particularly at high orbital levels) , so minimum energy applied - PEP (Pauli's Exclusion Principle) being conserved ... so heavy elements are tendent to have high magnetism characteristics .

Planck dimensions Limit , Photons & Charge Interpretation

20- Proposed Framework interprets earlier that Electromagnetic wave (Light) is The Cosmic Capillary Wave at Resonance state

Photons is Quantization of Electromagnetic Wave , as EM action cannot be decreased down the Planck limit of $6.62607015 \times 10^{-34} \text{ j.s}$, which equals photon , a quanta EM .

Photons are analogous to electrons & quarks , as they are affected by VBHs , Teleport , behave the same way

Since at Planck dimension limit it is not possible to distinguish between Particles & Waves , Existence & Nothingness

& That forces our Proposed model to reinterpret Planck limits according to its proposed phenomenon

21- Planck limits is The proximity of VBHs occurrences that affecting particles & waves to conserve its recurring occurrences & appearances (as wave state according to standard model)

.

Reaching dimension Planck limits would convert VBHs to near measurable & massier VBHs , Teleportation distances increases , recurring occurrence cannot be determined due to increase of teleportation distance (as Standard model state , that it will preserve the particle state)

22- Proposed Model interpret Electric Charge of any (particle) as the resultant vector of spin vector & entanglement vector & That will be discussed by examples in the later section of Microscopic Conclusion

Atomic Stability

23- Accretion limit reach (of $R_{B/CEUV} = R_{Schwarschild}$ annihilates Virtual Void bubble/Virtual CEUV near instant time (at Planck time) as it does in cosmic Void formation in measurable time , while thermal energy creating them . as thermal energy per atom surpass the Planck limit to measurable duration , system stability maintained (framework call it (virtual Void))

This occurred at Quantum Jumps between Quantum energy states

24- Annihilation through contraction (Due to Dark Energy expansion rate) :

Because (VBH) where beyond Planck limits , VBHs where vanished & generated instantly , this occur when the particle resides in its ground state .

Quantum States & Probabilistic Nature

25- According to The Proposed Model

Quantum Energy States forms & defines Quantum Particles Wave function inside the atom

As Quantum states , Orbitals defines particles wave function .

As Wave Function is defined as VBHs Teleportation routes inside the atom

& magnetic number represents the vector magnitude between entanglement vector & spin vector of the particle which affect increasing & decreasing of wavelength between particles , which will further direct & redistribute teleportation routes of generated VBHs , as it will be clarified & discussed further in Conclusions sections .

26- According to The Proposed Model

Probabilistic nature of particles is generated out of dimensionless particles & intrinsic generated VBHs that operate beyond Planck limit , which will cause Impossibility of determination of coordinates & momentum at the same time , & that explains Quantum fields operate perfectly within its domain

As any dimensions beyond Planck length , Planck time (Planck Spacetime) will lead to zero , so it cannot be determined , but its effects (generated mass & energy) can be measured

VIII) Conclusion :

1 - Cosmic

A - Speed of Light Constancy Nature

Speed of light (c) is not a constant by default ... it is a (wave) its speed dependent on the density & surface tension of the containing medium @ percussive wavelength

So , to be Generalized relativistically

$$V = \sqrt{\frac{2\pi\sigma}{\lambda_{l_{cop}} * \rho}} , \text{ as}$$

$V =$ is Ultimate Wave velocity of a medium not be dispersed or surpassed

$\lambda_{l_{cop}}$

= is The Wave length that apply resonance without Collapse which being applied @ COP (Center of Percussion) .

So in Any Object moving in any Medium , there general relativistic characteristic should be displayed this way

Such mass $M = m / (1 - (v^2/V^2))^{0.5}$ Which is considered a generalization of Lorentz Invariance in different universes or environments (or mediums) (23)

Also time & length , etcetera .

B - Centre of Percussion :

The wavelength of the universe is not random, & it is governed by the "centre of percussion" of a uniform rod or ideal physical pendulum, which is mathematically located at two-thirds of the length $2/3 L$

Physical and Mathematical Precision

In classical mechanics, for a body (or medium) to be in perfect resonance with zero reaction force at the fulcrum, the point of application must be at the centre of the shock.

For a uniform rod rotating about its end, the moment of inertia is

$$I = \frac{1}{3} m l^2 \quad (24)$$

The distance to the centre of mass is $\frac{1}{2} L$

The centre of impact (L-CoP) is calculated using the equation:

$$L\text{-Cop} = (1/3 mL^2)/(1/2 mL) = 2/3 L$$

Applying that to universe , the perfect resonance it makes the system doesn't have any collapse rebound , it's fulcrum at $2/3$ of the radius as Center of Percussion of a Uniform Cosmic Medium

And Choosing Point of Percussion as solid rod behavior , is a logical & excellent choice of studying medium that has surface tension of $2.9954487 \cdot 10^{16} \text{ Kg/sec}^2$ (Noting kg/sec^2 & J/m^2 is equivalent units of course) , & that indicates dual characteristics of the universe of hydrodynamic nature with solid properties (such as astronomical amount of surface tension)

Also there would be an argument that this formula only applied for solid rod , but the Universe for the proposed model assumption act as solid sphere , & for solid sphere , CoP would be at $7/5 R$, not $2/3 R$

But The Proposed Model doesn't study a homogeneous solid sphere ... it studies a sphere with solid surface tension of $2.9954487 \cdot 10^{16} \text{ Kg/sec}^2$ (J/m^2) & near zero density of $8.5365721 \cdot 10^{-27} \text{ kg/m}^3$ magnitude

So the study should be about (solid spherical (shell)) , not solid sphere

$$I_{\text{spherical shell}} = \frac{2}{3} * mR^2$$
$$L_{\text{CoP}} = \frac{I_{\text{spherical shell}}}{m * R} = \frac{2/3 * m * R^2}{m * R} = \frac{2}{3} R$$

Applying that will result in Universal matter percentile compatible perfectly with what's actually observed experimentally of ~ 0.3183

C - Universal Surface Tension & Critical Density are not a real constants

they were Our (lifetime) constants , as Universe expand , Surface Tension & Density both were inversely proportional to ΔDc^2 & ΔDc^3 respectively & also percussion wavelength increases , so It's Capillary wave speed (c) of our Universal Matter remained constant .

D - Misconception of Void Bubble Violation with General Relativity & Observations

to address misconception & refuting it very clearly , Void/Void Bubble operating out of spacetime/Universe completely Generated Void Bubble from Blackhole formation doesn't affect any stellar object within Blackhole Void Bubble range or interact with it neither chemically nor gravitationally , it doesn't interfere with gravitational lensing ... Bubble Void doesn't interact with anything Outside its gate (Blackhole Schwarzschild event horizon itself ... Void Bubble is The same as Void (nothingness) surrounding Our Universe ... Void Bubbles is the same void , But that void is confined by Universal Dark-matter .

E - Spaghettification Effect Refutation

According to the proposed model introduced , there will be no (Spaghettification Effect) on the teleported Object through blackhole , since Blackhole Definition in Proposed framework is nothing but a topological shortcut , & also there's no damage will occur to the teleported objects outside the Void bubble/CEUV .

F - Relativity Reservation & Speed of light constancy origination

Out of Capillary wave Absolute Velocity formula

$$c = \sqrt{\frac{2\pi\sigma_{UM}}{\lambda\rho}} \quad \text{Where } \sigma_{UM} = \frac{E_{UM}}{A}$$

Where $\lambda = \frac{2}{3}D_c$

Where D_c is Universal Comoving Distance

$$c = \sqrt{\frac{2\pi * (um) * \frac{4}{3}\pi D_c^3 \rho * c^2 / 4\pi D_c^2}{\frac{2}{3}D_c * \rho}}$$

That means that Speed of light limit depended on Potential Energy of The Substrate Medium Alone (Which is in our case Cosmic (Universal) matter , which is the combination of Baryons & Dark Matter .

The constancy of Absolute Capillary wave speed is conserved , as Universal local expansion decreasing surface tension & critical density by the same rate (as critical density itself is a main factor in surface tension magnitude , as equation above explains

G - Dark matter primordial inhomogeneity/current homogeneity Assumptions

Proposed Model constitute that the source of Darkmatter is the residual energy of Primordial Quantum Fluctuations , that inhomogeneity distributions due to Big Bang Inflation dictates the newly formed Intergalactic clusters scaffolding , While Thermodynamic Entropy contradicts inhomogeneous distribution of Energy , Intergalactic clusters forms to give Darkmatter the required resilience to gain its homogeneity later phase which comply to Thermodynamic Entropy .

2 - Microscopic

A - Quarks and electrons are the same dimensionless, massless particles, and even have the same charges.

a) The energy generated by the Big Bang confined the point-particle as a quark in the nucleon and as an electron in the atom.

b) what makes it appear as if the quark's charge is taken values of one-thirds & negative two-thirds that of the electron , in reality, the one third negative charge to two-thirds positive charge is a result of the triple bonding, which causes the charge to decrease by one-third (as a resultant) combine that with direction of quark spin ... that is, as if the triple bonding occurs at a 120° angle ... & being up & down quark affect the direction of spin relating to entanglement vector , that would make the charge oscillate from $-1/3e$ to $2/3e$ (-60° to 120° , which the difference is 180° (difference between up & down) .

This explains the precise stability of the hydrogen nucleus, which contains only one proton.

Incidentally, the sign of the electric charge is most likely just the vector of the instantaneous entanglement between particles ... (so that why electron has its negativity charge full as entanglement at 180° ... & it's negativity could be resulted out of their entanglement vector as opposite to its spin vector

c) So as electrons , their charge negativity is properties of their entanglement at 180° , data teleported across entangled in opposite vector to the spin vector (maintaining Inertial Stability) , electrons entanglement are in the opposite vector of quarks triple entanglement , that is the cause of what's being described as charge contradictions between positive & negative in quantum level

& the electrons teleportation orbit around nucleus is interpretable as unifying GR with QM , this is spacetime fabric bent for nucleus , electrons attracted orbited , VBH formed to make electrons teleported around .

d) about electromagnetic attraction & repulsion ... it depends on energy effect across time (Action) , as action lead to wavelength to increase , repulsion occur , if it leads to wavelength to decrease , attraction occur

so attraction occur when two particles their entanglement & spin resultant vectors are opposite to each other , the opposite vectors generating action reduces medium wavelength in between , attraction occur Inversely occurrence in repulsion

so

"The framework hints at a deeper unification where quarks and electrons may be the same topological void entity, confined differently. The fractional charges of quarks ($-1/3$, $2/3$) could be interpreted as geometric vector resultants arising from a stable 120-degree entanglement triangulation within the nucleon & quark spin vector , rather than intrinsic properties. Furthermore, electric charge polarity (+/-) implies the directional vector of the teleportation path through the spacetime medium

e) while the formation (or classification) of quarks & electrons depended on energy generated after the big bang

first , Universal size resulted in energy density & temperature were enough to form triple-entangled quarks then nucleons (the way described earlier in quantum model) , after expansion & cooling , atomic electrons & orbitals were formed .

all these were gravitational formation , & gravity itself is interaction of energy resonant capillary wave speed (EM) in our universe , & EM is the interaction of surface tension & critical density & percussion wave length of the containing medium , & surface tension - density are interaction of energy & medium dimensions Etc

B - Neutron/Hadron Stars formation

Standard Model vs. Proposed Model:

According to Standard Model , Neutron Star formed out of Neutrons as Gravity violate Stellar Object electron's PEP , it forces it to fuse with Protons convert it to Neutrons , as The stellar Object reaches Chandrasekhar mass limit for Iron core star described in equation

$$M_{\text{Ch}} = \frac{\omega_3^0 \sqrt{3\pi}}{2} \left(\frac{\hbar c}{G} \right)^{3/2} \frac{1}{(\mu_e m_H)^2}$$

Where

ω_3^0 is Lane Emden Polytrope Constant = 2.018236

μ_e is Atomic Weight/Atomic Number ratio (for Iron) = 2.15384615385

m_H is Mass of Hydrogen Atom (Mass of Nucleon) = $1.67 \times 10^{-27} \text{kg}$

$\frac{\hbar c}{G}$ is Squared Planck Mass of magnitude of $(2.176434 \times 10^{-8} \text{kg})^2$

$$M(\text{CH}) = 2.46860478509 \times 10^{30} \text{ kg} = 1.24050491713 \text{ Solar Mass}$$

According to The Proposed model , The title (Neutron Star) is far from accurate , as Gravity violate electron's PEP , it fuses with Protons in Nucleus , & Due to Gravity it will form rare 4-way entanglement of quark Hadrons (excited tetra-quark mesons) of 4 quarks of 90° angle , so it will form perfect symmetrical positive & negative charge , which lead to neutral condition

According to Proposed Model

In order to for electron to interact with proton spontaneously, it must yield & to be subjected to Fermi's Golden rule , seeking lowest mass result

This newly formed Meson is known to be lightest tetra quark meson , known as Sigma Meson of mass = $0.867 \times 10^{-27} \text{ kg}$. (25)

So , Neutron Stars , contain both Tetra-Quark mesons (which is post-proto-electro-fused particles) & Tri-Quark neutrons , which causes momentum imbalance , that will generate high momentum neutron star spin generating pulses observed

So this star should be called Hadron Star , Not a Neutron Star

Where Chandrasekhar mass limit of Iron Core Hadron star according to the presented model

$$M_{\text{Ch}} = \frac{\omega_3^0 \sqrt{3\pi}}{2} \left(0.5 \sqrt{\frac{\hbar c}{G}} \right)^3 \frac{1}{(\mu_e m_H)^2}$$

Where

$$\mu_e \text{ for Iron at this case} = \frac{\left(\frac{0.867}{1.67} * 26 \right) + 30}{26 * 1.67 / 0.867} = 0.86856155032$$

Where 26 is the number of interacting Protons with Electrons

& $0.5 \sqrt{\frac{\hbar c}{G}}$ is *Corrected Planck mass according to Proposed Model*

$$M(\text{CH}) = 1.8975354259 * 10^{30} \text{ kg} = 0.9535353899 \text{ Solar Mass}$$

During the formation of (Hadron Star) Emission of Gamma rays occur , as represents the difference between Both sides of Interaction equation

in Hadron Star limit according to Proposed Model

$$\frac{\left(\frac{0.867}{1.67} * 26 \right) + 30}{56} = \frac{1.8975354259 * 10^{30}}{\text{Total Equivalent Mass}}$$

$$\text{Total Equivalent Mass} = 2.4429051 * 10^{30} \text{ kg}$$

$$\text{Mass lost} = 2.4429051 * 10^{30} - 1.8975354259 * 10^{30} = 5.4536968 * 10^{29} \text{ kg}$$

$$\text{Energy Emitted} = 5.4536968 * 10^{29} * 299792458^2 = 4.9015382 * 10^{46} \text{ joules}$$

This is Energy of a Supernova magnitude , which it will left behind either Neutron/Hadron Star , or a Blackhole .

Sigma Mesons existence in Hadron Star is arguable , hence it is unstable particles that will lead to quick decay of neutron star , but due to excessive gravity , formation & decay of sigma mesons occur simultaneously to achieve sort of equilibrium in Hadron star state , evading quick decay .

Sigma Meson Creation - Solving Paradox

Sigma Meson Which is designated as ($f_0(500)$) - According to QCD - has a mass of $0.867 \times 10^{-27} \text{ kg} \approx 485.35 \text{ MeV}$

Sigma Meson is a subatomic particle contain 4 quarks & according SM , it contains the following :

1-Upquark

2-Up Anti quark

3-Down Quark

4-Down Anti quark

The Sigma Meson is less in mass than Baryons , although it contains one more quark

Proposed Model suggests the following reasons :

A -Sigma Meson constituents interaction occupies larger proximity , causes less volume of VBHs generated .

B - Vector Geometry play role in Interactions between constituents quarks

C - Quadratic Entanglement (That substitutes Gluons) is far less in frequency & generates less Energy than Triple Entanglement (Baryon Gluons) , which forces unstoppable conversions of three quarks .

Neutron/Hadron Star Decay constituents:

Neutron Side of a Hadron Star (as proposed model calls) will decay into Stable Proton + Electron + Electron Antineutrino

Sigma Meson Side will decay into 2 states Pions : (26)

1 - Positive & Negative Pions of 66.67% occurrence

2 - Neutral Pions decay results , probability of 33.3% occurrence

First State will decay into Muon & Anti Muon with corresponding Muon Neutrino/Anti Muon Neutrino Counterparts 99.8% occurrence

Or decay into electron/positron with corresponding electron neutrino/anti neutrino counterparts 0.2% occurrence

Second State will decay into Gamma rays 98.8% occurrence

Or in electron + positron + gamma rays 1.2% occurrence

This constitutes in the end of the final constituents

Protons + electrons + Gamma rays

This constituents will form Hydrogen Dust under gravity , will form smaller stars which will end in white dwarfs at the end of its life , Such as The Sun predicted destiny as a White Dwarf.

Neutron/Hadron Star Lower & Actual Upper Mass Limit

As it is being studied & discussed in the framework

The Lower Mass limit of Hadron/Neutron Star Formation = $1.8975354259 \times 10^{30}$ kg =
0.9535353899 Solar Mass

This Mass magnitude is considered The maximum limit of White dwarf formation & minimum limit of Hadron/Neutron Star formation

While The Maximum mass limit of Hadron/Neutron Star Formation = The minimum mass limit of Blackhole formation = $\frac{((6.62607015 \times 10^{-34}) * (299792458)) / (2 * (3.14) * (6.67 \times 10^{-11}) * ((1.67 \times 10^{-27})^2))^{3/2}}{(2 \times 10^{30}) / (1.67 \times 10^{-27})}$

= 2.21737×10^{57} neutrons / $1.1976047904191616766467065868263 \times 10^{57}$

= 1.85150395 Solar mass (This is The Theoretical Limit of Blackhole formation as it is presented in Studying Blackhole Subsection

But this value depended that Blackhole is formed due to Gravitational effect on (Neutron) Star

But The Proposed Model deduce the violation of PEP of electrons forming (Hadron) Star .

Mixture of Neutrons & Sigma Mesons according to the presented Model of Iron core

Ratio of The Mixture to Atomic mass number for Iron =

$$\frac{(0.867 \times 30) + (1.67 \times 26)}{55.845 \times 1.67} = 0.7444686238589166013929701703228$$

The Actual Blackhole Formation minimum mass limit

= Theoretical Blackhole formation minimum mass limit of Baryon / Ratio of Hadron Star atomic mass mixture to Iron Atomic mass

= $1.85150395 / 0.7444686238589166013929701703228$

= 2.4870140804629482932449949589515 Solar Mass

So , minimum mass required to form Cosmic Blackhole =

2.4870140804629482932449949589515 Solar Mass

This excess in Mass Magnitude , As Formation of Blackhole counteract Weak Interaction , not Strong Interaction as Standard Model Presents

C - Neutral Elementaries

All Previous iterations explain the occurrence of neutral particles such as neutrinos , which is the same as electrons & quarks as same particle phenomenon , but their entanglement vector & spin vector are 0° , Anti Neutrino its spin-entanglement vector angle where also 0° but in Opposite direction (As Negative Zero hypothetically)

D - Elementary Particles Generations

that iterations also explains next generation particles of All kinds charm-strange , top-bottom fermion quarks , also muon-tau electrons & neutrinos were all also follows same principles & rules in proposed model , as these generations are recognized as (VBHs) attracted each others that resulted in attracting other (VBHs) which originally were outside of their proximity (so called next generations particle) were just same particle but uses more VBHs to teleport (That interpreted their increase of mass) , as VBHs contacted each other , they became real (surpassing Planck scale) , so Wave Function (Actually Teleportation Distribution Paths in Precise iteration) collapses (actually particle teleportation distance got out of reach , as VBHs became close to RBHs (Real Blackholes) , & hence Reaching Accretion Limit virtually in quantum level annihilate their Void Bubble in immeasurable rate (beyond Planck Limit) , so these generations annihilated immediately

E - virtual black holes are not independent physical entities, but transient hydrodynamic configurations of the underlying medium. They possess no standalone observables, but manifest only through their collective macroscopic effects.”

3 - General

A - The framework does not rely on renormalization in the quantum-field-theoretic sense .

Instead, scale dependence arises from changes in geometric configuration and state saturation of the same underlying medium

& Proposed Theory uses Geometric Scaling already as it is represented explicitly

B - Undefined speed $\neq$ Infinite speed /Speed $\neq$ Distance

In a pure vacuum (no medium to contain) = EUV , the absolute speed of the capillary wave is undefined.

In a vacuum constrained by a medium (such as the vacuums resulting from the collapse of stars into black holes) = CEUV , the absolute speed of the capillary wave is infinite.

During entanglement, the point vacuum responsible for information transfer (Stuck) has an undefined distance for instantaneous teleportation. This is unrelated to whether or not there is an infinite speed (since an infinite speed is achieved simply by confining the vacuum within a material space - in space condition it will be darkmatter , in entanglement it will be electron/quark matter-). This is because the electron and quark (in the presented model) have zero mass and therefore zero potential energy, and their surface tension is undefined because their mass, potential energy, and dimensions are all = zero.

So Absolute Capillary Wave Speed in Void Outside The Universe = $\frac{\sigma}{\lambda\rho} = \frac{0}{0*0} = Undefined$

Absolute Capillary Wave Speed in Void Bubble = $\frac{\sigma}{\lambda\rho} = \frac{P.E/Surface\ Area}{\rho=0} = \infty$

Absolute Capillary Wave Speed inside Electron Stucks = $\frac{\sigma}{\lambda\rho} = \frac{Undefined}{0*0} = \infty$

Teleportation Distance of Stucks = $E/\sigma = Undefined/Undefined = Undefined$

Why E is Undefined

P.E of Electron = $mc^2 = h/\lambda$

$m = 0$ & $\lambda = 0$

$0 \neq \infty$

So Energy of Entanglement is Undefined

It is important to understand the difference between these three cases... and this is precisely what the research paper described.

C - Refuting Misconception of (Universe-ExtraUniverse Border) Effect

1. The Void is a Non-Medium, Not a Medium

The Extra-Universal Void (EUV) is fundamentally *not* a medium, a field, or a "space" with physical properties. It is the absolute absence of spacetime, dimensions, density, and physical constraints. Therefore, in the strictest physical sense, concepts like "velocity", "friction", and "time" are inherently undefined within it—not because they are infinite, but because they simply do not exist there.

2. CEUV: A Topological "Hole" in the Universe

When a stellar object collapses into a black hole, it does not create a massive point of singular density. Instead, it generates a Confined Extra-Universal Void (CEUV)—essentially a "bubble" of this absolute nothingness, bounded and contained by the Universe's dark matter surface tension. Think of it as tearing a "hole" in the fabric of the Universe, leading to an external, non-spatial realm.

3. Traversal is Instantaneous Topological Rewiring, Not Motion

Crucially, an object traversing a CEUV does not "travel" or "move" through it. Because there is no medium, the object experiences no drag, no spaghettification, and no local interaction of any kind. The object does not pass through distance over time. Instead, it is **instantaneously mapped** from one region of spacetime (the black hole acting as the "gate" or inlet) directly to another region of spacetime (the "outlet" or exit point).

This is a topological rewiring of the Universe's geometry—a "shortcut" that bypasses the spatial and temporal constraints of our local reality entirely.

4. Resolving the Paradoxes of Speed and Causality

This interpretation elegantly resolves previous paradoxes without violating General Relativity or Quantum Mechanics.

- **Speed of Light:** There is no violation of the light speed limit because there is no "speed" involved. The object is not exceeding the speed of light; it is entirely outside the domain where speed is a measurable quantity.

- **Causality:** Causality is defined *within* spacetime. Since the CEUV exists *outside* our spacetime, the violation of causality is impossible. There is no "before" or "after" in the void—only an instantaneous reconnection of two separate spacetime points.

Conclusion

The framework does not rely on an "ether" or any mystical medium. It relies on a precise, geometric understanding of topological relinking. The object disappears from one point in the Universe and appears at another instantaneously, because it passes through a region where time and space are nonexistent—a pure, unconstrained void. This provides a seamless, self-consistent mechanism for black holes, entanglement, and non-local phenomena.

D - Definition of Mass/Energy/Momentum & correlation with local system entropy limits :

Mass , Energy & Momentum correlated by the formula

$$E = pc + mc^2$$

As momentum is (p)

As mass is (m)

(pc) is kinetic Energy of the System studied

(mc²) is potential energy

As Mass (M) is a form of Energy according to Special Relativity

Determining Local Entropy for Fermions , Baryons & Photons

1. Fermi Gas ($\mu = 0$)

The local entropy for a Fermi gas with a vanishing chemical potential ($\mu = 0$):

$$S(fermions)_{Local} = -K_B * V * [g/(2 * \pi^2 * \hbar^3)] * \int [from 0 to \infty] p^2 * [f(p) * \ln(f(p)) + (1 - f(p)) * \ln(1 - f(p))] dp$$

$$Fermi - Dirac Distribution at Zero Chemical Potential (f_0(p)): f_0(p) = 1 / [e^{(E_p / (K_B * T))} + 1] \quad \text{-----(27)}$$

2. Photon Gas

The entropy for a photon gas (bosons obeying Bose-Einstein statistics):

$$\begin{aligned}
 S(\text{photon})_{\text{Local}} &= -K_B * V * [g/(2 * \pi^2 * \hbar^3 * c^3)] * \int [\text{from } 0 \text{ to } \infty] E^2 \\
 &\quad * [(n(E) + 1) * \ln(n(E) + 1) - n(E) * \ln(n(E))] dE \\
 \text{Bose - Einstein Distribution } (n(E)): n(E) &= 1 / [e^{(E / (k_B * T))} - 1] \\
 &\text{-----(28)}
 \end{aligned}$$

3. Baryonic Gas ($\mu \neq 0$)

The entropy for a baryonic gas, accounting for a non-zero baryon chemical potential ($\mu \neq 0$):

$$\begin{aligned}
 S(\text{baryon})_{\text{Local}} &= -K_B * V * [g/(2 * \pi^2 * \hbar^3)] * \int [\text{from } 0 \text{ to } \infty] p^2 \\
 &\quad * [f(p) * \ln(f(p)) + (1 - f(p)) * \ln(1 - f(p))] dp \\
 \text{Fermi - Dirac Distribution with Chemical Potential } (f(p)): f(p) &= 1 / [e^{(E_p - \mu) / (K_B * T)} + 1]
 \end{aligned}$$

According to Proposed Theory

Theoretical Reverse Transformation from (Energy) to (Massive Particle (of Potential & Kinetic Energy)) depends on Equilibrium of Local Entropy between Photons & Baryons (or Fermions)

Where

$$S(\text{photon})_{\text{Local}} = S(\text{baryon})_{\text{Local}}$$

& That reflects also to Leptons

Hence The Proposed Model defines quarks & leptons massive nature as intrinsic masses of VBHs

& Hadrons (including Baryons & Mesons) masses as energy of entanglement between quarks

E - Universal Absolute Capillary Wave (UACV) - Light Correlation

Universal Absolute Capillary Wave (UACV) is the wave of The Universe movement itself

This wave carries (energy) by its constant speed (299,792,458 m/sec)

& Light is Energy , Energy spreads by the Speed of UACV

& that explains the constancy of speed of EM

(c) is the Universal Absolute Capillary Wave (UACV) speed that carry energy (photons)

& that doesn't mean that Photons acquire its frequency & wavelength from UACV

So , Electromagnetic wave (Energy) speed is an intrinsic nature depends on UACV according to Proposed Model

& According to formula of Universal Absolute Capillary Wave Speed which is mathematically defined as following :

$$c = \sqrt{\frac{2\pi\sigma_{UM}}{\lambda\rho}} \quad \text{Where } \sigma_{UM} = \frac{E_{UM}}{A}$$

Where UACV constituents is Universal matter (Baryons + Darkmatter) which contributes in UACV generation & defines its speed

General Relativity states that electromagnetic wave speed is constant related to all reference frames , since it has no preferred reference frame

While General Relativity fails to interpret the reason of constancy & ultimate of electromagnetic wave speed , & the reason that this concept doesn't apply in universal expansion rate , since the proposed model indicates in Beyond Universe subsection that expansion rate of the boundary of observable universe related to earths reference frame exceeds 3 times the speed of light

Well , The proposed model redefines UACV as following

UACV is Universal Absolute Capillary wave generated out of baryons movements , birth & annihilations of Blackholes as Main contributors

UACV carries all forms of energies at its speed determined by Absolute Capillary wave speed formula displayed above

Hence electromagnetic wave is - in fact - a form of energy & it has not generated mass , so it spreads at the speed of UACV which equaled $(c) = 299,792,458 \text{ m/sec}$

Unlike General Relativity , Proposed model constitute that Absolute Capillary wave has a preferred reference frame , that frame is constituents of Universal Surface tension , which is Baryons & Darkmatter (which is defined by the proposed model as Quantum fluctuations , or as Standard Model states (Vacuum Energy))

But Dark energy (which is defined by proposed model as attraction between matter/antimatter across universe) is not within preferred reference frame of UACV , that explains UACV speed ultimate doesn't apply on Universe Expansion

The difference of matter relative movements cannot be separated from Universe Absolute Capillary wave hence every matter contribute in its generation , that explains Michelson & Morley findings , & General Relativity consideration of light speed ultimate & constancy related to all reference frames

F – Field Nature

So ... According to Proposed Model as clarified earlier that

- 1 - All Elementary particles were point of zero mass – zero dimensions .
 - 2 - Electrical Charges are Vector Geometry between particles entanglement & particles spin that is responsible of increasing/decreasing wavelengths .
 - 3 - Particles masses are intrinsic potential energy of accompanied VBHs .
 - 4 - Entanglement Energy + quarks intrinsic masses of accompanied VBH is responsible of Hadrons mass .
 - 5 - Massive Particles is Energies that its local Entropy decreases to the amount of local entropy responsible for massive particles formation (Equilibrium Between Bose-Einstein Local Entropy Distribution & Fermi-Dirac Local Entropy Distribution) .
 - 6 - Electromagnetic (Energy) Wave Speed is an intrinsic nature of the UACV .
- Fields are generated out of Geometrical Distribution of Local Systems Entropy .

G - Casimir Effect - Darkmatter - Dark Energy

According to The Proposed Model

Casimir Effect

Casimir Effect is The Quantum Fluctuations effect

Darkmatter

Darkmatter : is The Energy of Interactions Between Matter & Antimatter at Universe Inflation Phase , Which make quantum fluctuations , as described in Universe Creation section

So Darkmatter is What is being described as The Energy of Quantum Fluctuations or The Energy of Vacuum as Standard Model call , but Unlike The Standard Model , Proposed Model represents Energy of Vacuum as Darkmatter instead of Dark Energy as Standard model suggests lately .

Dark Energy

Dark Energy : is The (Attraction) between Matter & Antimatter as it is described in Proposed Model Universe Creation Section .

As Proposed Model describe Observable Universe as local universal point in the surface area of Unlimited or Undetermined Global 4D Universal Sphere , Where matter & Antimatter survived Quantum Fluctuations annihilation being distributed across Global Universe

Matter & Antimatter attract each other through opposite entanglement & spin vectors that lead to increase in motion frequency & decrease of wavelength in between due to opposite vector geometry

Because Observable Universe is a point in Global Universe Surface , it appears locally as flat , not curved spatially .

& Because Global Universe contracting due to matter/antimatter attraction , Global Universe curvature increases , as curvature increase , Observable Universe point in the surface appear to be expanded locally .

This Phenomenon explain why Universal Expansion rate accelerating , while Observable universe appear flat spatially (locally) .

VIV) Problems of Hawking Radiation & Solutions :

Primary Version

1) Hawking radiation interpretation demonstrate gradual reduction of the mass and rotational energy of black holes and consequently cause black hole evaporation. Because of this, black holes that do not gain mass through other means are expected to shrink and ultimately vanish. For all stellar blackholes except the smallest ones, this happens extremely slowly. The radiation temperature, called Hawking temperature, is inversely proportional to the black hole's mass, so micro black holes are predicted to be larger emitters of radiation than larger black holes and should dissipate faster per their mass. Consequently, if small black holes exist, as permitted by the hypothesis of primordial black holes, they will lose mass more rapidly as they shrink, leading to a final cataclysm of high energy radiation alone. Such radiation bursts have not yet been detected. (29)

this radiation is black-body radiation released outside a black hole's event horizon due to quantum effects according to a model developed by Stephen Hawking in 1974.[1] The radiation was not predicted by previous models which assumed that once electromagnetic radiation is inside the event horizon, it cannot escape. Hawking radiation is predicted to be extremely faint and is many orders of magnitude below the current best telescopes' detecting ability.

Hence Hawking temperature equation

$$T_H = \frac{\hbar c^3}{8\pi G M K}$$

Where K is Boltzmann Constant

But the main concern & struggle with Hawking radiation & his assumption of Blackhole inevitable evaporation model . is the nature of blackhole matter that assumed to be dissipate under heating radiation

According to relativistic common assumption of blackhole , that its matter is concentrated in a singularity , if we consider hawking radiation , that radiation will not affect blackhole event horizon until the total annihilation of blackhole core matter , event horizon will suddenly vanish

Hawking radiation , cannot explain physically how could a blackhole would evaporate , Hawking theory did not consider that radiation would be attracted to blackhole core & fused

with its matter again due to enormous amount of gravity applied , so the evaporation will never occur .

To demonstrate this problem clearly

The proposed model does not reject the existence of Hawking radiation in principle; the difference lies only in its characterization. The radiation is produced during the formation of the black hole (as a result of heat exchange between compressed neutrons and outer space), and not as a byproduct of the black hole itself. Furthermore, it has no effect on the fate of the black hole or its evaporation, because the black hole no longer has a physical body, but rather is the gateway to a bubble of Extra-Universal-Void in three-dimensional space.

Additionally, Hawking radiation is a form of energy. If this energy is at the event horizon, as in the prevailing relativity model of black holes as point particles, then Hawking radiation has no effect on the evaporation of the black hole. This is because the generally accepted point particles are unaffected by the radiation. Even if a point particle were attracted to the black hole, the black hole's gravity would quantize and deflect the radiation's energy until it becomes another point particle within the black hole's matter. In other words, the black hole's mass would increase (it would not evaporate).

Therefore, the prevailing point-particle model of the black hole, as relativity assumes, violates the principle of Thermodynamics, and also Hawking's interpretation if adopted, violates relativity in order to conform to thermodynamics; therefore, Hawking's interpretation does not solve the problem, but rather jumps over it.

So , The Only possible explanatory interpretation of Hawking Radiation , is that star surface neutron as its wavelength reduced due to increasing Kinetic Energy due to Gravitational Crush

Its Temperature increases according to Wien's & Planck's Law , Surface Heat Transfer to surrounding area which turned into border of Event Horizon that the radiation cannot escape

This occurrence - as interpreted - won't cause Blackhole Evaporation (which became not a matter anymore) , it doesn't affect it

Advanced Version of Hawking Radiation

2) Even The Advanced version of Hawking Radiation to compensate for Original model fallacy that assumes that any particles that Blackhole accrete generating two entangled particles , one of them is accreted to Blackhole core , the other radiates at event horizon , displaying the accreted partner of having negative energy that will reduces Blackhole mass

Even this idea has much more fallacies than original one

This new version contradicts standard model it defends , because according to standard model , potential energies (such as that of Blackhole itself) considered a negative energy , so the accreted particle increase Blackhole mass (according to Standard model) , not reducing it

Casimir effect is considered negative energy because it is (shrinking effect)

So displaying a negative energy in nature (even to virtual particle) is an ad-hoc mathematical fallacy) .

SO : in conclusion , Thermodynamic equilibrium is set , Hawking Radiation has no relation to Blackhole falsely claimed evaporation , Blackhole is just gate of Universal Topological Shortcut

Hawking Radiation cannot be detected neither outside of event horizon

& Experimental Acoustic Blackhole is just hypotheticalal analogy of cosmic Blackhole , which won't prove anything due to different conditions , & even in these circumstance , Hawking analogous radiation does not affect the analogous acoustic blackhole .

Conclusion

3) So , Considering Hawking Radiation as Energy Emission of Blackhole that will lead to The inevitable Evaporation of Blackhole is Just an Ad-Hoc due to following reason :

1 - to compensate for Thermodynamics , It violates General Relativity

2 - to evade violation of GR , it violates causality , where Hawking radiation assume that the radiation evaporate blackhole from event horizon outside , while Event Horizon is Just a space where remnant of collapsed star were , before collapsing into singularity inside the blackhole (according to Standard Model) - So Event Horizon is Just a Space for Gravitational Effective field of Center of Mass (Actually the total mass) in the singularity inside blackhole (Again According to SM) & Hawking Radiation won't affect Blackhole by any means ... its effect on SM Blackhole is the same effect as killing some enemy by stabbing his (shade) of his body on the floor .

3 - Advanced Versions of Hawking Radiation are not better solution either to the original form , but may be much worse versions , manipulating math & ignoring physics of it

4 - & no need to inform That SM Blackhole itself violates Entropy entirely

5 - This critic does not criticize Hawking Radiation as an occurrence , but discuss its & questions it reasons & physics behind it & question its fate .

IX) Predictions :

Cosmic

1) Teleportation Distance Predictions

Blackhole Stellar Object	Mass (Solar Mass)	Schwarzschild Radius (SI)	Potential Energy	Void Bubble Radii (LY)
Minimal theoretical Blackhole (TOV)	2.30	6827.665804	4.1343E+47	0.111
GW190814's Secondary Object	2.60	7718.230909	4.6735E+47	0.118
The Unicorn (V723 Mon)	3.00	8905.651049	5.3925E+47	0.127
XTE J1650-500	3.80	11280.49133	6.8305E+47	0.143
GRO J0422+32	4.20	12467.91147	7.5495E+47	0.150
NGC 3201-1	4.36	12942.87952	7.8371E+47	0.153
GAIA BH01	9.62	28557.45436	1.7292E+48	0.227
Sagittarius A	4,200,000	12467911468	7.5495E+53	149.833
Messier M87	6,000,000,000	1.78113E+13	1.0785E+57	5,663.152
Ton 618	66,000,000,000	1.95924E+14	1.1864E+58	18,782.552
Phoenix A	100,000,000,000	2.96855E+14	1.7975E+58	23,119.723
Maximal Theoretical limit (As Per Standard Model)	270,000,000,000	8.01509E+14	4.8533E+58	37,989.582

2) Formation of Blackholes (The Birth of Blackholes)

According to The Proposed Model , Formation of Blackholes differs from What Standard Model suggests that Blackhole formation occurs instantly at all particles confined in Schwarzschild Sphere proximity

While Proposed Model suggests that formation occurs gradually begins from The central core neutron (or Quad-Quark-Excited-Meson) , then all surrounding particles are being accreted

Particles accreted are being teleported in all directions surrounding the stellar core at all distances till the surface particles being teleported at CEUV distance of the stellar object formed into a blackhole

These particles , which is mixture of Neutrons & Quad-Quark-Excited-Mesons will decay into Hydrogen ions & Beta ray & Electron-Anti-Neutrinos (As of Neutrons decay results)

Which will lead to formation of Hydrogen Non-Uniformed Dusts due to effects of Gravitational effects due to near stellar objects

& final results of Beta rays & Positrons & Gamma , & neutrinos & anti-neutrinos , for The mesons

Which will lead to interaction of all matter & antimatter creating Gamma Rays too

These Mixture of Scattered Hydrogen Dusts surrounds The Blackhole all the way CEUV volume all the way till the blackhole proximity itself & its accretion disk

While Anti-neutrinos & Gamma rays flooded will be detected before detection of the formation of the blackhole , difference in time of detection depending on CEUV radius of each blackhole , Antineutrinos & gamma rays precedes the blackhole formation detection according to CEUV (Void Bubble radius) in Light years as shown at the schedule .

3)Neutron/Hadron Star

Due to Sigma Meson mass range from 0.713×10^{-27} kg to 0.98×10^{-27} kg (30)

Chandrasekhar Limit of Neutron Star will range from

0.68942125753 solar mass @ 0.980×10^{-27} kg (550 MeV meson)

1.57921876676 solar mass @ 0.713×10^{-27} kg (400 MeV meson)

While The Framework locked the magnitude of sigma meson @ 0.867×10^{-27} (486.35 MeV)
----- (25)

Making Chandrasekhar mass limit = 0.9535353899 solar mass .

Energy Magnitude from Neutron Star formation due to Protons/Mesons Mass loss

= 4.9015382×10^{46} joules

Microscopic

Entanglement Efficiency

from Wien formula

$$T \cdot \lambda = 0.0029$$

As

$$T=0$$

$$\lambda = \frac{0.0029}{0} = \infty$$

As system energy = $h/\lambda = h/\infty = \text{zero}$

Atoms Quantum States emit energy (As of Hydrogen for example)

Quantum State Energy = 10.2eV = $1.63422 \cdot 10^{-18}$ joules

$$\begin{aligned} \text{Its wavelength } \lambda &= h/E = 6.62607015 \times 10^{-34} / 1.63422 \cdot 10^{-18} \\ &= 4.0545766 \cdot 10^{-16} \text{ m} \end{aligned}$$

That is the amount of energy that Quantum State emit in a system (Theoretically) reach 0 Kelvin to balance the surrounding of reaching (Zero Kelvin) , Which is equivalent to the amount of energy that the electron is stabilized in its quantum state , where occurrences such as (Superfluidity , Superconductivity , Entanglement) reach the efficiency of 100% , so emitted energy creating extra (VBH) Equivalent to stable quantum state of Hydrogen Atom without excitation

As Entanglement Control Parameter Efficiency (η) = 1

Computing the temperature where entanglement has (Zero Efficiency – Uncontrollable entanglement)

Where $T \cdot \lambda = 0.0029$

$$T = 0.0029 / \lambda$$

$$= 0.0029/(4.0545766 * 10^{-16}) = 7.1524114 * 10^{12} \text{ Kelvin}$$

$$(\eta) = 0$$

But the Efficiency Curve isn't linear

According to Friedmann Equation , Radiation ratio is (0.00009) & parameter of $((a)^4)$

$$(\eta) = 0 \quad T = 7.1524114 * 10^{12} \quad \text{Radiation ratio} = 0.00009 \quad (\text{Rad parameter}) = ((a)^4)$$

$$(\eta) = 1 \quad T = 0 \quad \text{Radiation ratio} = 0.00009 \quad (\text{Rad parameter}) = ((a)^4)$$

Where $X = (\eta)$, U (is Constant)

$$T(\eta) = \frac{U}{(0.00009a^4)^n} \left[\frac{e^{-\frac{\eta}{(0.00009a^4)^n}} - e^{-\frac{1}{(0.00009a^4)^n}}}{1 - e^{-\frac{1}{(0.00009a^4)^n}}} \right]$$

As (n) is element electron quantum states occupied

Forward Prediction Applied

3) Observational comparisons presented here are forward predictions derived from independently fixed parameters. No free parameter fitting or post-selection has been employed."

X) Suggested Experimental verification of the proposed theory

Verifying that model of CEUV principle at cosmic level is a must , in order to verify the interpretation at microscopic scale

Natural

a) Observe a small blackhole near earth (within our detectors reach , where suggested distance of its Void teleportation distance is minimal to be able to observe any occurrences happen in such narrow range spectrum , observe any objects appear , or any blue-shift spike appear in its proximity (On determined surface area of the predicted Void bubble) , providing ability to narrow the search by predicting endpoint of Void bubble radius coords hence Outlet vector is an extension of inlet vector

Artificial

b) Observing Controllable Entanglement in Quantum Computing application in environment near zero Kelvin , where entanglement efficiency grows as it we reach closer to Zero Kelvin .

c) Feasibility to make Artificial Blackhole is not impossible .

Blackhole won't be made by reaching frequency equivalent to overcome Dark-matter Surface tension , hence it will need frequency exceeds 10 million times than Planck Frequency . the other method to make an artificial blackhole is reaching the (Universal Resonance) to form a desired blackhole with enough amplitude to compensate for the desired object to be teleported .

The only way to reach the resonance frequency , is to determine the Percussion Wavelength Of the universe as mentioned earlier in the proposed frame work which is equivalent to $\frac{2}{3}$ Comoving Distance of the Universe .

& This doesn't need to reach such a very low frequency which will force the performer to wait billions of years waiting for such a frequency .

Reaching Resonance frequency only require a Harmonic Wave which its node compatible to the Universal Resonance Frequency .

The Only Technical Obstacle is to determine the exact Radiation Energy Ratio to determine Dark Energy , in order to calculate current Comoving Distance needed to know to deduce Center of Percussion to determine Resonance frequency .

But this Technical Problem solved , by applying mechanism of using Harmonic Wave Frequency Which is known to be larger than Universal Resonance Frequency , then applying Lower Frequent Harmonic Wave , then applying trial & error mechanism to narrow the proximity of The Resonance Frequency , Until Resonance Frequency is marked , amplified enough for the desired object to be teleported .

C) Conclusion :

Blackholes Cannot be formed naturally unless it's being Virtual Blackholes (Beyond Planck Limits) , Or Cosmic Blackholes which is minimum mass equals

2.4870140804629482932449949589515 Solar Mass

The Rest only could be made artificially

XI) Promising Observations Validating Theory

1) Scattering Experimental measuring Proton Charging Radius is 841 fm (While Proposed Framework Calculation is 840 fm (measuring Octants) - 99.9% Precision - Solving Proton Charging Radius Paradox . (20)

2) Blueshift Spikes are being Observed at sub 6000 light years away from M87 Messier Blackhole , recent analysis conclude that spikes occurs at range of 5500-5700 Light years , that matches Proposed Framework predictions of Void Bubble Radius of M87 at 5554 Light years - 99.7 (+ or - 1%) Precision . (31)

3) Strange Non-thermal Radio Filaments are being Observed in Sub 150 Light years away from Sagittarius A Blackhole , which Framework Void Bubble Radius Prediction Locked in 149.833 Light year radius (+95% precision) . (32)

4) Strange Cooling Filaments are being Observed at range of 20,000 - 30,000 Light years away from Phoenix A Beast Blackhole , (Proposed Model prediction Locked in 23,497 light years Bubble Radius . (33)

XII) Hints

1) proposed model doesn't resolve the physical refusing paradox of (Fine Tuning) ... as discussed model doesn't consider Fine Tuning as a physical problem , in fact , the model consider Fine Tuning is essential & unshakable proof , that is not related to any metaphysical principles ... but in rigorous mathematical & physical principles & terms

Fine tuning is Essential in material formation in standard model as

solving matter-antimatter paradox as the inevitable formation relying into scenarios

Scenario Number 1 (proposed framework recommendation) :

Big Bang explosion is so powerful , that dark energy splits matter & antimatter to the extreme far sides of universe , that quantum fluctuations if happened in one side to make matter-antimatter instability to occur , it should be occur in all sides symmetrically or asymmetrically , while power of explosion & range of distributions of matter & antimatter prevents complete annihilation of forming matter & antimatter

but explosion at that power magnitude & that proximity , isn't essential to occur , This meant That magnitude & proximity should selection of Fine tuning to be occurred in first place .

it displays selection of one magnitude probability out of (infinite) magnitudes , & that cannot be interpreted other than inevitable fine tuning & controlled selection , & cannot be a coincidence mathematically , hence $1/\infty = \text{zero}$

Scenario Number 2 (Standard Model) :

magnitude of Big Bang is only enough to occur. but not enough to overcome matter-antimatter total annihilation through stability , that model needs quantum fluctuations to preserve the forming of the matter safely as we see , quantum fluctuations & these fluctuations magnitude should also be as selection of Fine tuning to occur .

also in Quantum level , also fine tuning is essential in Proposed Model .

- Quantum levels & VBHs existence in it which its accumulative mass measures for handling electron's path at 9.31×10^{-31} kg .
- Accumulative VBHs in Nucleon is 1.67×10^{-27} kg .

that would not happen without fine tuning

so , Fine tuning in both scenario is inescapable fact , without any metaphysical term applied & this model , or concept if it is tuned & verified , doesn't need multiverses that formed infinitely in order to unify Relativity with Quantum Mechanics

Why This Framework claimed to be Complete by our Current Standards

This framework is claimed to be complete **by necessity of its construction**, not by accumulation of auxiliary formalisms or extensions. Its completeness does not rely on mathematical fashion, institutional standards, or external closure principles, but on **mechanical and ontological closure**.

1. Completeness by Single Ontology

The framework claimed that is founded on **one physical substrate** with well-defined mechanical properties (density, surface tension, resonant length).

There is no ontological split between:

- spacetime and matter,
- quantum and classical domains,
- particles and fields,
- information and dynamics.

All physical phenomena arise from **the same medium governed by the same rules**.

A theory that does not require additional entities at different scales is complete at the ontological level.

2. Completeness by Mechanical Closure

The framework specifies:

- what exists (the medium),
- how it responds to energy (curvature, tension, void formation),
- how motion, limits, and stability arise,
- and how breakdowns (black holes, quantum transitions) occur.

There is **no missing mechanism** that must be supplied externally.

Every phenomenon is generated by mechanical response, not postulated behavior. This constitutes **mechanical closure**.

3. Completeness by Necessary Fine-Tuning

The framework does **not avoid fine-tuning**.

It demonstrates that fine-tuning is **structurally mandatory**.

The universe can only exist at precise equilibrium and resonance conditions.

Any deviation leads not to a different universe, but to **mechanical non-existence** (instability, collapse, dispersion).

Thus, all observed numerical relations are:

- not adjustable,
- not probabilistic,
- not anthropic,
- but mechanically enforced.

A theory that explains *why values must be what they are* is complete in its explanatory scope.

4. Completeness Across Scales Without Regime Change

The same principles apply at:

- cosmological scales (expansion, dark energy),
- astrophysical scales (black holes, accretion),
- microscopic scales (orbitals, tunneling),
- informational scales (entanglement, nonlocality).

There is **no transition point** where new laws are introduced.

Scale change does not imply theory change.

This absence of regime fragmentation is a defining mark of completeness.

5. Completeness by Predictive Determinacy

The framework produces **non-tunable quantitative predictions**, including:

- universal matter ratios,
- black hole mass thresholds,
- void bubble radii,
- Hadron Star minimum & maximum mass limit,
- proton charge radius.

These values follow necessarily from the internal structure of the theory.

They cannot be independently altered without breaking consistency.

A theory that yields fixed outcomes rather than adjustable fits is predictively closed.

6. Completeness Independent of Formalism

Lagrangian , fields, and quantization schemes are **representational tools**, not criteria of completeness.

This framework operates at a **pre-formal mechanical level**, where physical necessity precedes mathematical encoding.

A theory is complete when nothing physical is left unexplained — not when every phenomenon is written in a preferred formal language.

7. What Completeness Does *Not* Mean

Completeness here does **not** mean:

- institutional acceptance,
- computational convenience,
- or conformity to existing frameworks.

It means:

- no missing physics,
 - no unresolved sector,
 - no external explanatory dependence.
 - no conflict with proven observation
-

Conclusion

This framework claimed to be complete because:

1. It has a single ontology.
2. It has mechanical closure.
3. It embeds fine-tuning as necessity.
4. It applies universally across scales.
5. It produces non-adjustable predictions.
6. It leaves no phenomenon unexplained.
7. It requires no external theoretical scaffolding.

Nothing needs to be added.

Nothing can be removed without collapse.

The framework is complete **because it cannot be otherwise.**

Facing Physical Judgement & Concerns

Concern (1):

The work lacks a Lagrangian or field equations and therefore cannot be considered a physical theory.

Response:

This is a **methodological bias**, not a scientific argument.

Physics is not defined by Lagrangians, but by:

- explanatory power
- falsifiable predictions

The framework provides a **pre-field physical mechanism**, explaining why field theories work as effective limits.

Both QM and GR historically preceded their final variational formulations.

Requiring Lagrangian & field equations is an **ontological error & fallacy**, & decision of not using them is not a deficiency, but it is a correct & logical decision.

it is a conceptual error of demanding field expression to pre-field framework in first place

We're talking about states that work as (field generator) as the title of this paperwork indicates, & The entire framework & proposed model apply.

The use of field formulas for both quantum theory and relativity is the real obstacle to reconciling relativity and quantum mechanics in extreme states (such as blackhole & quantum entanglement).

The mechanisms for calculating gravitational and quantum fields, as emerging phenomena, cannot explain the natural phenomena that create relativistic and quantum phenomena's in the first place. This is the paradox that has plagued attempts to reconcile relativity and quantum mechanics for so long. Therefore, resorting to an algebraic formula to unify relativity and quantum mechanics was the optimal approach according to the proposed framework.

Concern (2):

Introducing a universal medium revives the experimentally rejected ether concept.

Response:

This objection relies on a **historical misconception**.

- Classical ether:
 - defines a preferred frame
- The proposed substrate:
 - defines no preferred frame
 - generates relativity itself

This is not a revival of ether, but a **modern physical vacuum**, consistent with emergent and superfluid approaches.

Concern (3):

Infinite speed inside the Void violates causality.

Response:

Causality is only defined **within the medium**.

The Void:

- has no spacetime
- no metric
- no trajectories
- no velocity

The process is not motion but a **topological shortcut**.

Violation of causality is impossible where causality is undefined.

Concern (4):

Linking atomic stability to a cosmic equilibrium spatial collapse mechanism is speculative and unjustified.

Response:

This is an **intuitive discomfort**, not a logical refutation.

In the framework:

- atoms are not closed systems
- stability is an emergent balance of substrate recovery

The same mechanism operates across scales.

Different scales do not imply different physics.

Concern (5):

A “theory of everything” is inherently unscientific.

Response:

This is a **sociological objection**, not a physical one.

Science does not reject scope.

It evaluates:

- consistency
- falsifiability

The framework satisfies both versions.

Concern (6):

The manuscript arbitrarily redefines fundamental concepts and should therefore be dismissed.

Response:

Scientific progress requires redefining concepts when existing definitions fail.

The framework explains why standard definitions emerge as effective limits.

Conceptual conservatism is not a scientific criterion.

Concern (7):

The work is philosophical rather than quantitative.

Response:

The framework contains quantitative predictions and numerical estimates.

Explanatory depth does not negate scientific validity.

Concern (8):

The Void is unobservable and therefore unscientific.

Response:

Many accepted entities in physics are indirectly inferred.

The Void is defined through its observable consequences.

Concern (9):

Cross-scale unification is unjustified.

Response:

Physics historically unifies scales; separation is artificial.

Concern (10):

Predictions are adjustable.

Response:

The framework defines a single falsification point.

Failure cannot be patched.

Plus , How Predictions could be adjustable , if it predicts occurrences by particular magnitude that are unknown to scientific community till date of publishing this framework

Concern (11):

The work is disconnected from current literature.

Response:

Truth is not a function of citation density.

Concern (12):

The manuscript assumes a physical “substrate,” which effectively revives ether-like concepts and lacks experimental justification.

Response:

The framework does not posit a medium *within spacetime*, but a substrate prior to spacetime itself.

Spacetime is explicitly defined as an emergent hydrodynamic description of the substrate’s dynamics, not a fundamental entity.

Concern (13):

The manuscript assumes a physical “substrate,” which has constant physical characteristics such as Surface Tension & Density , doesn’t that contradict with formation of intergalactic cluster HALOs , Which matters gathered at more dense Darkmatter , & if so , How’s variable dense darkmatter allow for constant Speed of light .

Response:

Speed of Light Constancy Originated from the Capillary Wave (Absolute) Speed which occur at Center of Percussion at Resonance state of the physical medium , that meant variable dense region won’t affect results

Resonance frequency is constant for complex Object , this concern resulted from the mix of old ether phenomenon & substrate phenomenon

Plus Darkmatter explained in proposed model as the energy generated from Matter/Antimatter interaction (Quantum Fluctuations)

Plus The Concept of variable densities of Dark matter is being refuted in this framework , as it claims variable dense as primordial state of dark matter in universe creation phase

So Concern is Answered from the Framework itself .

Finale

Finally

This is proposed framework , laid down to be revised analyzed & validated constructively totalistically to greatest attention to detail , expressed in such more rigorous mathematical form , while revising proposed model considering the current theories are rigorous & tested profoundly , but they are also failed at specific ranges , that make them like all their previous counterparts , are perfectly precisely approximation works elegantly at common range , but hurdles at the extreme conditions & cases , even this framework if it was validated & verified , it will be (eventually) replaced by more accurate descriptive theory , & vises versa

mohaxnas@gmail.com

mondonarco@gmail.com

References

- (1) <https://cerncourier.com/a/the-hubble-tension/#:~:text=One%20of%20the%20main%20predictions,The%20gradient%20is%20H0>.
- (2) Podgorsak, Ervin B. (2016). "Coulomb Scattering". *Radiation Physics for Medical Physicists*. Graduate Texts in Physics (3rd ed. 2016 ed.). Cham: Springer. pp. 79–142. doi:[10.1007/978-3-319-25382-4_2](https://doi.org/10.1007/978-3-319-25382-4_2). ISBN [978-3-319-25382-4](https://www.isbn-international.org/product/978-3-319-25382-4).
- (3) Falkovich, G. (2011). *Fluid Mechanics, a short course for physicists*. Cambridge University Press. Section 3.1 and Exercise 3.3. ISBN [978-1-107-00575-4](https://www.isbn-international.org/product/978-1-107-00575-4).
- (4) [*"Dark Energy, Dark Matter"*](#). NASA Science: Astrophysics. 5 June 2015
- (5) Timmer, John (21 April 2023). ["No WIMPS! Heavy particles don't explain gravitational lensing oddities"](#). Ars Technica. Retrieved 21 June 2023.
- (6) <https://arxiv.org/abs/1112.1984>
- (7) Weiss, Achim. ["Big Bang Nucleosynthesis: Cooking up the first light elements"](#). Einstein Online. Archived from [the original](#) on 8 February 2007. Retrieved 2007-02-24.
- Wright, Ned: [BBN \(cosmology tutorial\)](#)
- (8) Interacting Barrow holographic dark energy model in the presence of radiation and matter
- Gopinath Guingopinath.guin@bose.res.in** Department of Astrophysics and High Energy Physics,
S.N. Bose National Centre for Basic Sciences,
Salt Lake, Kolkata 700106, India
- Souvik Paulsouvik.paul@bose.res.in** Department of Astrophysics and High Energy Physics,
S.N. Bose National Centre for Basic Sciences,
Salt Lake, Kolkata 700106, India
- Sunandan Gangopadhyaysunandan.gangopadhyay@bose.res.in** Department of Astrophysics and High Energy Physics,
S.N. Bose National Centre for Basic Sciences,
Salt Lake, Kolkata 700106, India
- <https://arxiv.org/html/2507.01070v1#:~:text=We%20have%20studied%20the%20effect,universe.%20For%20both%20open%20and>

- (9) Friedman, A (29 May 1922). "[Über die Krümmung des Raumes](#)" (PDF). [Z. Phys.](#) (in German). **10** (1). [Petrograd: Springer-Verlag GmbH & Co. KG](#): 377–386. [Bibcode:1922ZPhy...10..377F](#). [doi:10.1007/BF01332580](#).
- (10) Guidry, M. W. (2019). *Modern general relativity: black holes, gravitational waves, and cosmology*. Cambridge; New York, NY: Cambridge University Press. p. 92. [ISBN 978-1-107-19789-3](#).
- (11) [2022 CODATA Value: Planck length](#)". *The NIST Reference on Constants, Units, and Uncertainty*. [NIST](#). May 2024. Retrieved 18 May 2024.
- (12) [2022 CODATA Value: Newtonian constant of gravitation](#)". *The NIST Reference on Constants, Units, and Uncertainty*. [NIST](#). May 2024. Retrieved 18 May 2024.
- (13) [2022 CODATA Value: Planck constant](#)". *The NIST Reference on Constants, Units, and Uncertainty*. [NIST](#). May 2024. Retrieved 18 May 2024.
- (14) <https://arxiv.org/pdf/2512.19869>
- (15) Weyl, H. (1928). *Gruppentheorie und Quantenmechanik (in German)*. Leipzig: Hirzel
- (16) <https://arxiv.org/abs/1902.00499>
- (17) <https://arxiv.org/abs/1406.5590>
- (18) [Fact Sheet on Uranium Enrichment](#) U.S. Nuclear Regulatory Commission. Accessed 30 April 2007
- (19) [Krönig, A.](#) (1856). "[Grundzüge einer Theorie der Gase](#)". [Annalen der Physik und Chemie](#) (in German). **99** (10): 315–22. [Bibcode:1856AnP...175..315K](#). [doi:10.1002/andp.18561751008](#). [Facsimile at the Bibliothèque nationale de France \(pp. 315–22\)](#).
- (20) <https://www.britannica.com/science/Wiens-law>
- (21) <https://doi.org/10.1103/RevModPhys.88.015005>
<https://www.science.org/doi/10.1126/science.1107787>
https://en.wikipedia.org/wiki/Delayed-choice_quantum_eraser
- (22) <https://arxiv.org/html/2501.11195v1>
- (23) [Albert Einstein](#) (1905) "[Zur Elektrodynamik bewegter Körper](#)", *Annalen der Physik* 17: 891; English translation [On the Electrodynamics of Moving Bodies](#) by [George Barker](#)

[Jeffery](#) and Wilfrid Perrett (1923); Another English translation [On the Electrodynamics of Moving Bodies](#) by [Megh Nad Saha](#) (1920).

(24) [Raymond A. Serway \(1986\). *Physics for Scientists and Engineers* \(2nd ed.\). Saunders College Publishing. p. 202. ISBN 0-03-004534-7.](#)

1. [Classical Mechanics - Moment of inertia of a uniform hollow cylinder Archived](#) 2008-02-07 at the [Wayback Machine](#). LivePhysics.com. Retrieved on 2008-01-31.

(25) K.A. Olive et al. (2024): [Meson Summary Table](#) <https://pdg.lbl.gov/2024/tables/rpp2024-qtab-mesons.pdf>

(26) <https://arxiv.org/pdf/1003.3493>

(27) **Pathria, R. K., & Beale, P. D. (2011). *Statistical Mechanics* (3rd ed.).** (Specifically Chapter 7 for Ideal Bose Systems and Chapter 8 for Ideal Fermi Systems, which meticulously walks through these integral transformations).

(28) **Landau, L. D., & Lifshitz, E. M. (1980). *Statistical Physics, Part 1* (3rd ed.).** (Chapter 5, "Fermi and Bose Distributions", sections 52-55).

(29) <https://www.scientificamerican.com/article/the-quantum-mechanics-of-black-hole/>
[doi:10.1038/248030a0](https://doi.org/10.1038/248030a0)

<https://arxiv.org/html/2502.13026v1>

(30) <https://arxiv.org/abs/1510.00653>

(31) <https://www.space.com/astronomy/james-webb-space-telescope/jwst-captures-clearer-ever-image-of-m87-galaxys-supermassive-black-hole-jet>

(32) <https://www.universetoday.com/articles/there-are-hundreds-of-mysterious-filaments-at-the-center-of-the-milky-way#:~:text=Different%20Types%20of%20Filaments%2C%20Milky,near%20the%20speed%20of%20light>).

(33) <https://arxiv.org/html/2501.08527v1>