

ASP.NET PROJECT WEB APPLICATION AND DATABASE.

Name: Mohd Aadil

UID: 24BIT054

Roll No: 48

College: Jai Hind College

Class: SYIT

Project Title:

NoQ-India: Smart Queue Optimizer for Government Offices

Project Description:

NoQ-India is a smart digital queue management system that replaces long physical queues in government offices with a virtual, remote, and predictive queue system. Citizens can book tokens via mobile app, SMS, or voice calls, track real-time queue status, and receive wait-time alerts. Designed for inclusivity, it supports feature phones, senior citizens, and rural users, improving efficiency, transparency, and public service delivery across India.

AdminController.cs:

```
AdminController.cs | Dashboard.cshtml | Book.cshtml | TokenController.cs | HomeController.cs | Token.cs | Login.cshtml
NoQIndia | NoQIndia.Controllers.AdminController | Login(string Email, string Password)

1  using NoQIndia.Models;
2  using System;
3  using System.Collections.Generic;
4  using System.Configuration;
5  using System.Data.SqlClient;
6  using System.Web.Mvc;
7
8  namespace NoQIndia.Controllers
9  {
10     0 references
11     public class AdminController : Controller
12     {
13         string cs = ConfigurationManager.ConnectionStrings["dbcon"].ConnectionString;
14
15         // LOGIN PAGE
16         0 references
17         public ActionResult Login()
18         {
19             return View();
20         }
21
22         [HttpPost]
23         0 references
24         public ActionResult Login(string Email, string Password)
25         {
26             if (Email == "mohdaadil9867@gmail.com" && Password == "aadil@9867")
27             {
28                 Session["Admin"] = "true";
29                 return RedirectToAction("Dashboard");
30             }
31
32             ViewBag.Error = "✗ Invalid Admin Credentials";
33             return View();
34         }
35     }
36 }
```

```
AdminController.cs x Dashboard.cshtml Book.cshtml TokenController.cs HomeController.cs Token.cs Login.cshtml
NoQIndia NoQIndia.Controllers.AdminController Dashboard()

36 0 references
37 public ActionResult Dashboard()
38 {
39     if (Session["Admin"] == null)
40         return RedirectToAction("Login");
41
42     List<TokenViewModel> list = new List<TokenViewModel>();
43
44     using (SqlConnection con = new SqlConnection(cs))
45     {
46         con.Open();
47
48         SqlCommand cmd = new SqlCommand(@"
49 SELECT TokenNumber,
50        CitizenName,
51        Mobile,
52        OfficeType,
53        ServiceType,
54        Status,
55        DATEDIFF(SECOND, GETDATE(),
56        DATEADD(MINUTE, (TokenNumber*5), CreatedTime)) AS RemainingSeconds
57 FROM Tokens
58 WHERE Status='Waiting'
59 ORDER BY TokenNumber", con);
60
61         SqlDataReader dr = cmd.ExecuteReader();
62
63         while (dr.Read())
64         {
65             list.Add(new TokenViewModel
66             {
67                 TokenNumber = Convert.ToInt32(dr["TokenNumber"]),
68                 CitizenName = dr["CitizenName"].ToString(),
69                 Mobile = dr["Mobile"].ToString(),
70                 OfficeType = dr["OfficeType"].ToString(),
71                 ServiceType = dr["ServiceType"].ToString(),
72                 Status = dr["Status"].ToString(),
73                 RemainingSeconds = Convert.ToInt32(dr["RemainingSeconds"])
74             });
75         }
76
77         return View(list);
78     }
```

HomeController.cs:

```
AdminController.cs Dashboard.cshtml Book.cshtml TokenController.cs HomeController.cs x Token.cs Login.cshtml
NoQIndia NoQIndia.Controllers.HomeController Index()

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using System.Web;
5  using System.Web.Mvc;
6
7  namespace NoQIndia.Controllers
8  {
9      0 references
10     public class HomeController : Controller
11     {
12         0 references
13         public ActionResult Index()
14         {
15             return View();
16         }
17
18         0 references
19         public ActionResult About()
20         {
21             ViewBag.Message = "SMART Queue Management System";
22             return View();
23         }
24
25         0 references
26         public ActionResult Contact()
27         {
28             ViewBag.Message = "Contact Page";
29             return View();
30         }
31     }
```

TokenController.cs:

```
AdminController.cs  Dashboard.cshtml  Book.cshtml  TokenController.cs  HomeController.cs  Token.cs  Login.cshtml
NoQIndia
NoQIndia.Controllers.TokenController
Book(string CitizenName, string Mobile, string Office

1  using System;
2  using System.Configuration;
3  using System.Data.SqlClient;
4  using System.Web.Mvc;
5
6  namespace NoQIndia.Controllers
7  {
8      public class TokenController : Controller
9      {
10         string cs = ConfigurationManager.ConnectionStrings["dbcon"].ConnectionString;
11
12         // =====
13         // BOOK TOKEN (GET)
14         // =====
15         public ActionResult Book()
16         {
17             return View();
18         }
19     }
```

```
// =====
// BOOK TOKEN (POST)
// =====
[HttpPost]
0 references
public ActionResult Book(string CitizenName, string Mobile, string OfficeType, string ServiceType)
{
    // SERVER SIDE VALIDATION
    if (string.IsNullOrEmpty(Mobile) || Mobile.Length != 10 || !long.TryParse(Mobile, out _))
    {
        ViewBag.Error = "Mobile number must be exactly 10 digits.";
        return View();
    }

    using (SqlConnection con = new SqlConnection(cs))
    {
        con.Open();

        // Allow only SAME NAME + SAME MOBILE once
        SqlCommand check = new SqlCommand(
            "SELECT COUNT(*) FROM Tokens WHERE CitizenName=@n AND Mobile=@m AND Status='Waiting'", con);

        check.Parameters.AddWithValue("@n", CitizenName);
        check.Parameters.AddWithValue("@m", Mobile);

        int exists = Convert.ToInt32(check.ExecuteScalar());

        if (exists > 0)
        {
            ViewBag.Error = "You already have an active token.";
            return View();
        }

        SqlCommand getToken = new SqlCommand(
            "SELECT COUNT(*) + 1 FROM Tokens WHERE Status='Waiting'", con);

        int tokenNumber = Convert.ToInt32(getToken.ExecuteScalar());

        SqlCommand cmd = new SqlCommand(@"
```

```

        SqlCommand cmd = new SqlCommand(@"
INSERT INTO Tokens
(CitizenName, Mobile, OfficeId, OfficeType, ServiceType, TokenNumber, Status, CreatedTime)
VALUES
(@n,@m,1,@ot,@st,@t,'Waiting',GETDATE())", con);

        cmd.Parameters.AddWithValue("@n", CitizenName);
        cmd.Parameters.AddWithValue("@m", Mobile);
        cmd.Parameters.AddWithValue("@ot", OfficeType);
        cmd.Parameters.AddWithValue("@st", ServiceType);
        cmd.Parameters.AddWithValue("@t", tokenNumber);

        cmd.ExecuteNonQuery();

        ViewBag.Token = tokenNumber;
        ViewBag.CreatedTime = DateTime.Now.ToString("yyyy-MM-ddTHH:mm:ss");
        ViewBag.EstimatedSeconds = (tokenNumber - 1) * 300;
    }

    return View("Success");
}

```

```

// =====
// LIVE QUEUE
// =====
0 references
public ActionResult Queue()
{
    SqlConnection con = new SqlConnection(cs);
    con.Open();

    // ☒ 1. Auto-complete FIRST token if 5 min passed
    SqlCommand markDone = new SqlCommand(@"
UPDATE Tokens
SET Status='Done'
WHERE TokenId IN (
    SELECT TOP 1 TokenId
    FROM Tokens
    WHERE Status='Waiting'
    ORDER BY CreatedTime
)
AND DATEADD(MINUTE,5,CreatedTime) <= GETDATE()", con);

    markDone.ExecuteNonQuery();

    // ☒ 2. Shift token numbers (1,2,3...)
    SqlCommand reorder = new SqlCommand(@"
WITH OrderedTokens AS
(
    SELECT TokenId,
           ROW_NUMBER() OVER (ORDER BY CreatedTime) AS NewToken
    FROM Tokens
    WHERE Status='Waiting'
)
UPDATE Tokens
SET TokenNumber = OrderedTokens.NewToken
FROM Tokens
INNER JOIN OrderedTokens
ON Tokens.TokenId = OrderedTokens.TokenId", con);

```

```

        reorder.ExecuteNonQuery();

        // 3. Fetch active queue
        SqlCommand cmd = new SqlCommand(@"
SELECT TokenId,
       TokenNumber,
       CitizenName,
       OfficeType,
       DATEDIFF(SECOND, GETDATE(),
       DATEADD(MINUTE, (TokenNumber*5), CreatedTime)) AS RemainingSeconds
FROM Tokens
WHERE Status='Waiting'
ORDER BY TokenNumber", con);

        SqlDataReader dr = cmd.ExecuteReader();
        return View(dr);
    }

```

```

// =====
// ADMIN: COMPLETE TOKEN
// =====
0 references
public ActionResult CompleteToken(int id)
{
    using (SqlConnection con = new SqlConnection(cs))
    {
        con.Open();

        // Mark token as Done
        SqlCommand done = new SqlCommand(
            "UPDATE Tokens SET Status='Done' WHERE TokenId=@id", con);
        done.Parameters.AddWithValue("@id", id);
        done.ExecuteNonQuery();

        // Reorder tokens
        SqlCommand reorder = new SqlCommand(@"
WITH OrderedTokens AS
(
    SELECT TokenId,
           ROW_NUMBER() OVER (ORDER BY CreatedTime) AS NewToken
FROM Tokens
WHERE Status='Waiting'
)
UPDATE Tokens
SET TokenNumber = OrderedTokens.NewToken
FROM Tokens
INNER JOIN OrderedTokens
ON Tokens.TokenId = OrderedTokens.TokenId", con);

        reorder.ExecuteNonQuery();
    }

    return RedirectToAction("Queue");
}

```

Token.cs:

```
AdminController.cs  Dashboard.cshtml  Book.cshtml  TokenController.cs  HomeController.cs  Token.cs  Login.cshtml
NoQIndia
NoQIndia.Models.TokenViewModel
TokenNumber

1  using System;
2
3  namespace NoQIndia.Models
4  {
5      0 references
6      public class TokenViewModel
7      {
8          0 references
9          public int TokenNumber { get; set; }
10         2 references
11         public string CitizenName { get; set; }
12         2 references
13         public string Mobile { get; set; }
14         2 references
15         public string OfficeType { get; set; }
16         2 references
17         public string ServiceType { get; set; }
18         2 references
19         public string Status { get; set; }
20         3 references
21         public int RemainingSeconds { get; set; }
22     }
23 }
```

Dashboard.cshtml:

```
AdminController.cs  Dashboard.cshtml  Book.cshtml  TokenController.cs  HomeController.cs  Token.cs  Login.cshtml
1  @model List<NoQIndia.Models.TokenViewModel>
2
3  @{
4      ViewBag.Title = "Admin Dashboard";
5  }
6
7  <h2>Admin Dashboard</h2>
8
9  <table border="1" cellpadding="8" width="100%">
10     <tr>
11         <th>Token</th>
12         <th>Name</th>
13         <th>Mobile</th>
14         <th>Office</th>
15         <th>Service</th>
16         <th>Status</th>
17         <th>Remaining Time</th>
18     </tr>
19
20     @foreach (var item in Model)
21     {
22         <tr>
23             <td>@item.TokenNumber</td>
24             <td>@item.CitizenName</td>
25             <td>@item.Mobile</td>
26             <td>@item.OfficeType</td>
27             <td>@item.ServiceType</td>
28             <td>@item.Status</td>
29             <td>
30                 @{
31                     var min = item.RemainingSeconds / 60;
32                     var sec = item.RemainingSeconds % 60;
33                 }
34                 @min m @sec s
35             </td>
36         </tr>
37     }
38 </table>
```

Login.cshtml:

```
AdminController.cs | Dashboard.cshtml | Book.cshtml | TokenController.cs | HomeController.cs | Token.cs | Login.cshtml | x
1 <h2>Admin Login</h2>
2
3 @if (ViewBag.Error != null)
4 {
5     <p style="color:red">@ViewBag.Error</p>
6 }
7
8 <form method="post">
9     <input type="email" name="Email" placeholder="Email" required /><br /><br />
10    <input type="password" name="Password" placeholder="Password" required /><br /><br />
11    <button type="submit">Login</button>
12</form>
```

About.cshtml:

```
AdminController.cs | Dashboard.cshtml | TokenController.cs | HomeController.cs | Token.cs | Login.cshtml | About.cshtml | x
1 @if
2 {
3     ViewBag.Title = "About";
4 }
5 <main aria-labelledby="title">
6     <h2 id="title">@ViewBag.Title.</h2>
7     <h3>@ViewBag.Message</h3>
8
9     <div class="page-card">
10         <h2>About SMART Queue</h2>
11
12         <p>
13             SMART Queue Management System is designed to reduce long waiting
14             times in public offices by providing digital token booking.
15         </p>
16
17         <p>
18             Citizens can book tokens for Aadhaar Seva Kendra, Hospitals,
19             RTO Offices, and Indian Post Offices.
20         </p>
21
22         <p>
23             This system ensures transparency, efficiency, and a better
24             experience for both citizens and staff.
25         </p>
26     </div>
27
28 </main>
29
```

Contact.cshtml:

```
Dashboard.cshhtml | TokenController.cs | HomeController.cs | Token.cs | Login.cshhtml | About.cshhtml | Contact.cshhtml
1  @if
2  ViewBag.Title = "Contact";
3  }
4
5  <div class="page-card">
6      <h2>Contact Us</h2>
7
8      <p>
9          If you have any questions regarding the SMART Queue system,
10         feel free to contact us.
11     </p>
12
13     <div class="contact-box">
14         <p><strong>Email:</strong> mohdaadil9867@gmail.com</p>
15         <p><strong>Phone:</strong> 98676161881</p>
16     </div>
17 </div>
```

_Layout.cshhtml:

```
Dashboard.cshhtml | Token.cs | Login.cshhtml | About.cshhtml | Contact.cshhtml | Index.cshhtml | _Layout.cshhtml
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <link href="~/Content/site-custom.css" rel="stylesheet" />
5
6      <meta charset="utf-8" />
7      <meta name="viewport" content="width=device-width, initial-scale=1.0">
8      <title>@ViewBag.Title - My ASP.NET Application</title>
9      @Styles.Render("~/Content/css")
10     @Scripts.Render("~/bundles/modernizr")
11 </head>
12 <body>
13     <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-dark bg-dark">
14         <div class="container">
15             @Html.ActionLink("Application name", "Index", "Home", new { area = "" }, new { @class = "navbar-brand" })
16             <button type="button" class="navbar-toggler" data-bs-toggle="collapse" data-bs-target=".navbar-collapse"
17                 aria-expanded="false" aria-label="Toggle navigation">
18                 <span class="navbar-toggler-icon"></span>
19             </button>
20             <div class="collapse navbar-collapse d-sm-inline-flex justify-content-between">
21                 <ul class="navbar-nav flex-grow-1">
22                     <li>@Html.ActionLink("Home", "Index", "Home", new { area = "" }, new { @class = "nav-link" })</li>
23                     <li>@Html.ActionLink("About", "About", "Home", new { area = "" }, new { @class = "nav-link" })</li>
24                     <li>@Html.ActionLink("Contact", "Contact", "Home", new { area = "" }, new { @class = "nav-link" })</li>
25                 </ul>
26             </div>
27         </div>
28     </nav>
29     <div class="container body-content">
30         @RenderBody()
31         <hr />
32         <footer>
33             <p>&copy; @DateTime.Now.Year - My ASP.NET Application</p>
34         </footer>
35     </div>
36
37     @Scripts.Render("~/bundles/jquery")
38     @Scripts.Render("~/bundles/bootstrap")
39     @RenderSection("scripts", required: false)
40 </body>
41 </html>
```

Book.cshhtml:

```

Dashboard.cshtml Login.cshtml About.cshtml Contact.cshtml Index.cshtml _Layout.cshtml Book.cshtml
1  <@if (ViewBag.Error != null)
2  {
3      <p style="color:red">@ViewBag.Error</p>
4  }
5
6
7  <h2>Book Token</h2>
8
9  <@using (Html.BeginForm())
10 {
11     <label>Name</label>
12     <input type="text" name="CitizenName" required />
13
14     <label>Mobile</label>
15     <input type="text"
16         name="Mobile"
17         maxlength="10"
18         pattern="[0-9]{10}"
19         title="Enter exactly 10 digit mobile number"
20         required
21         oninput="this.value=this.value.replace(/^[^0-9]/g, '')" />
22
23     <label>Office Type</label>
24     <select id="officeType" name="OfficeType" onchange="loadServices()" required>
25         <option value="">Select</option>
26         <option>Aadhaar Seva Kendra</option>
27         <option>Hospital</option>
28         <option>RTO Office</option>
29         <option>Indian Post Office</option>
30     </select>
31
32     <label>Service</label>
33     <select id="serviceType" name="ServiceType" required></select>
34
35     <br />
36     <br />
37     <button type="submit">Get Token</button>
38 }
39

```

```

<script>
function loadServices() {
    let o = document.getElementById("officeType").value;
    let s = document.getElementById("serviceType");
    s.innerHTML = "";

    if (o === "Aadhaar Seva Kendra") {
        s.innerHTML += "<option>DOB Update</option>";
        s.innerHTML += "<option>Mobile Number Update</option>";
        s.innerHTML += "<option>Change Address</option>";
    }

    if (o === "Hospital")
        s.innerHTML += "<option>OPD</option><option>Emergency</option>";

    if (o === "RTO Office")
        s.innerHTML += "<option>License Renewal</option><option>DL Update</option>";

    if (o === "Indian Post Office")
        s.innerHTML += "<option>Speed Post</option><option>Account Services</option>";
    }
</script>

```

Queue.cshtml:

```

Login.cshtml | About.cshtml | Contact.cshtml | Index.cshtml | _Layout.cshtml | Book.cshtml | Queue.cshtml
1  @using System.Data.SqlClient
2  @model SqlDataReader
3
4  @{
5      ViewBag.Title = "Live Queue";
6  }
7
8  <h2>Live Queue</h2>
9
10 <table border="1" cellpadding="10" cellspacing="0" style="width:100%; background:#f9f9f9;">
11 <tr style="background:#007bff;color:white;">
12 <th>Token</th>
13 <th>Name</th>
14 <th>Office</th>
15 <th>Remaining Time</th>
16 </tr>
17
18 @while (Model.Read())
19 {
20 <tr>
21 <td>@Model["TokenNumber"]</td>
22 <td>@Model["CitizenName"]</td>
23 <td>@Model["OfficeType"]</td>
24 <td>
25 <span class="timer" data-seconds="@Model["RemainingSeconds"]"></span>
26 </td>
27 </tr>
28 }
29 </table>
30

```

```

<script>
function startTimers() {
    document.querySelectorAll(".timer").forEach(function (el) {
        let seconds = parseInt(el.getAttribute("data-seconds"));

        if (isNaN(seconds) || seconds < 0) {
            el.innerText = "Completed";
            return;
        }

        setInterval(function () {
            if (seconds <= 0) {
                el.innerText = "Completed";
                return;
            }

            let min = Math.floor(seconds / 60);
            let sec = seconds % 60;
            el.innerText = min + "m " + sec + "s";
            seconds--;
        }, 1000);
    });
}

startTimers();

// Auto refresh page every 10 seconds
setTimeout(() => location.reload(), 10000);
</script>

```

Success.cshtml:

```

About.cshtml | Contact.cshtml | Index.cshtml | _Layout.cshtml | Book.cshtml | Queue.cshtml | Success.cshtml
1  <h2>🎫 Your Token Booked!</h2>
2
3  <h3>Token Number: <b>@ViewBag.Token</b></h3>
4
5  <p>
6      ⌚ Estimated Waiting Time:
7      <span id="timer"></span>
8  </p>
9
10 <script>
11     let tokenNo = parseInt("@ViewBag.Token");
12     let createdTime = new Date("@ViewBag.CreatedTime").getTime();
13
14     let allowedTime = tokenNo * 60 * 1000; // token = minutes
15
16     let timerInterval = setInterval(function () {
17
18         let now = new Date().getTime();
19         let elapsed = now - createdTime;
20         let remaining = allowedTime - elapsed;
21
22         if (remaining <= 0) {
23             document.getElementById("timer").innerHTML =
24                 "Your turn is now! ⏱️";
25             clearInterval(timerInterval);
26         } else {
27             let min = Math.floor(remaining / 60000);
28             let sec = Math.floor((remaining % 60000) / 1000);
29             document.getElementById("timer").innerHTML =
30                 min + "m " + sec + "s";
31         }
32     }, 1000);
33 </script>
34
35
```


Web.config:

```

Contact.cshtml | Index.cshtml | _Layout.cshtml | Book.cshtml | Queue.cshtml | Success.cshtml | Web
<?xml version="1.0" encoding="utf-8"?>
<!--
For more information on how to configure your ASP.NET application, please visit
https://go.microsoft.com/fwlink/?LinkId=301880
-->
<configuration>
  <connectionStrings>
    <add name="dbcon"
        connectionString="Data Source=.\\SQLEXPRESS;Initial Catalog=NoQIndiaDB;Integrated Security=True"
        providerName="System.Data.SqlClient"/>
  </connectionStrings>

```

Folder Structure:



TokenBook Page:

My ASP.NET Application

https://localhost:44397/Token/Book

Application nameHomeAboutContact

Book Token

Name

Mobile

Office Type

Select

Service

Get Token

© 2026 - My ASP.NET Application

My ASP.NET Application

https://localhost:44397/Token/Book

Application nameHomeAboutContact

Book Token

Name

Mobile

Office Type

Aadhaar Seva Kendra

Service

DOB Update

Get Token

© 2026 - My ASP.NET Application

Select

Aadhaar Seva Kendra

Hospital

RTO Office

Indian Post Office

https://localhost:44397/Token/Book

Summarize

Application nameHomeAboutContact

Book Token

Name

Mobile

Office Type

Aadhaar Seva Kendra

Service

DOB Update

Get Token

© 2026 - My ASP.NET Application

DOB Update

Mobile Number Update

Change Address

Application nameHomeAboutContact

Book Token

Name

Mobile

Office Type

Hospital

Service

OPD

Get Token

© 2026 - My ASP.NET Application

OPD

Emergency

Application nameHomeAboutContact

Book Token

Name

Mobile

Office Type

RTO Office

Service

License Renewal

Get Token

© 2026 - My ASP.NET Application

License Renewal

DL Update

Application name Home About Contact

Book Token

Name

Mobile

Office Type

Indian Post Office

Service

Speed Post

Speed Post

Account Services

Get Token

© 2026 - My ASP.NET Application

Application name Home About Contact

Book Token

Name

Amit Gupta

Mobile

8758426525

Office Type

Indian Post Office

Service

Speed Post

Get Token

Application name Home About Contact



Your Token Booked!

Token Number: 3

 Estimated Waiting Time: 2m 56s

Application name Home About Contact

Book Token

Name

Deepak Vimal

Mobile

8758426525

Office Type

Aadhaar Seva Kendra

Service

Get Token

Application name Home About Contact



Your Token Booked!

Token Number: 4

 Estimated Waiting Time: 3m 57s

TokenQueue Page:

SQL Server Page:

```
194 Use NoQIndiaDB;
195 Select * from Tokens;
```

100 %

15 0 ↑ ↓

Results Messages

	TokenId	CitizenName	Mobile	Officeld	TokenNumber	Status	CreatedTime	OfficeType	ServiceType
1	1	mohd aadil	9867160881	1	1	Done	2026-01-15 22:40:41.010	NULL	NULL
2	2	mohd aadil	9867161881	1	2	Done	2026-01-15 22:50:23.230	NULL	NULL
3	3	Amit Gupta	9984108619	1	3	Done	2026-01-25 11:22:14.700	NULL	NULL
4	4	Amit Gupta	9984108619	1	4	Done	2026-01-25 14:41:26.373	NULL	NULL
5	5	mohd aadil	9867160881	1	5	Done	2026-01-25 14:49:43.207	NULL	NULL
6	6	mohd aadil	9867161881	1	6	Done	2026-01-25 15:03:52.473	Aadhaar	Change DOB
7	7	mohd aadil	9867161881	1	7	Done	2026-01-25 15:31:45.633	Aadhaar	Update Aadhaar
8	8	mohd aadil	9867161881	1	8	Done	2026-01-25 16:02:29.780	Aadhaar Seva Kendra	Change Address
9	9	zaid	7379528356	1	1	Done	2026-01-25 16:20:21.260	Hospital	Emergency
10	10	Afaan	5875462554	1	2	Done	2026-01-25 16:21:46.930	RTO Office	License Renewal
11	11	Tanveer	5875462554	1	3	Done	2026-01-25 16:24:37.827	Indian Post Office	Account Services
12	12	Rahul	8758426525	1	1	Done	2026-01-25 16:35:35.707	Hospital	OPD
13	13	Rahul	8758426525	1	1	Done	2026-01-25 16:42:31.693	Hospital	Emergency
14	14	tauseef	8758426525	1	1	Done	2026-01-25 16:42:51.997	Indian Post Office	Account Services
15	15	tafeek	8758426525	1	1	Done	2026-01-25 16:43:10.440	Aadhaar Seva Kendra	DOB Update
16	16	asif	9999999999	1	1	Done	2026-01-25 18:12:29.353	Aadhaar Seva Kendra	Mobile Number Update
17	17	Rahul	9999999999	1	1	Done	2026-01-25 18:18:51.913	Hospital	Emergency
18	18	mohd aadil	9984108619	1	1	Done	2026-01-25 18:29:46.777	Aadhaar Seva Kendra	DOB Update
19	19	mohd	9984108619	1	1	Done	2026-01-25 18:32:40.553	Aadhaar Seva Kendra	DOB Update
20	20	Amit Gupta	8758426525	1	1	Done	2026-01-25 19:08:58.657	Indian Post Office	Speed Post
21	21	Deepak Vi...	8758426525	1	1	Done	2026-01-25 19:09:44.547	Aadhaar Seva Kendra	Mobile Number Update