

sep attribute

In Python, the sep attribute is used in the print() function to specify the separator.

```
1 date=20
2 month=3
3 year=2024
4 print(date,month,year,sep="/")
5
```

end attribute

In Python, the end attribute in the print() function is used to specify what should be printed at the end of the output line.

```
1 print("Hello", end=" ")
2 print("World")
3
```

+ (Concatenation) operator

It is used to join (combine) two or more strings into a single string.

```
1 str1 = "Hello"  
2 str2 = "World"  
3 print(str1 + " " + str2)  
4
```

* (Replication) operator

It is used to repeat (replicate) a string or a list multiple times.

```
1 print("Hello " * 3)  
2  
3
```

{} (Replacement) operator

It allows you to insert (replace) values inside a string dynamically.

```
1 name = "Amit"
2 friend = "Mohit"
3 print("{} is the friend of {}".format(friend, name))
4
```

eval() function

It evaluates the specified expression, if the expression is a legal Python statement, it will be executed.

```
1 a = 4
2 b = 5
3 print(eval("a * b + 10"))
4
5 print(eval("10 + 20 * 3"))
6
```

```
1 expression = input("Enter a mathematical expression: ")
2 # e.g., 5 + 10 * 2
3 print("Result =", eval(expression))
4
```