



Skill Deployment — Autosync GitHub → WordPress (alaminempire.my)

Dokumen ini menerangkan secara DETAIL bagaimana seluruh ekosistem website Set Jenazah Al Amin berfungsi secara auto-sync, dari Tuan Izan `git push` sehingga website live update tanpa perlu upload zip fail secara manual.



Senarai Kandungan

1. [Gambaran Keseluruhan](#)
2. [Architecture Diagram](#)
3. [Komponen Sistem](#)
4. [Struktur Repository GitHub](#)
5. [File Mapping — GitHub → WordPress](#)
6. [GitHub Actions Workflow](#)
7. [WordPress Webhook & Sync Engine](#)
8. [Flow Lengkap — Dari Edit ke Live](#)
9. [Cara Tambah Halaman Baru](#)
10. [Backup & Restore](#)
11. [Troubleshooting & Debug](#)
12. [Senarai Semak Sebelum Push](#)

1. Gambaran Keseluruhan

Sistem autosync ni membolehkan Tuan Izan:

- **Edit** apa saja fail HTML/CSS/JS/PHP dalam repo GitHub
- **Push** ke branch `gh-pages`
- **Auto-sync** ke website live `alaminempire.my` dalam masa < 30 saat
- **Tak perlu** login cPanel, FTP, atau upload zip fail langsung

Prinsip utama: GitHub adalah *source of truth*. Segala perubahan dibuat di GitHub, dan WordPress hanya *menyalin* apa yang ada di GitHub.

2. Architecture Diagram

LOCAL DEVELOPMENT

(VS Code / Desktop Tuan Izan)

Folder: `~/Desktop/Set Jenazah Al Amin/`

```
Edit: index.html, ejen.html, assets/*,  
wordpress-integration/*.php, theme-alamин/*
```

```
git add . → git commit -m "... " → git push
```

GITHUB

```
Repo: guruniagabest/set-jenazah-al-amin
```

```
Branch: gh-pages
```

```
Push → trigger:
```

```
 .github/workflows/deploy.yml
```

```
GitHub Actions menjalankan:  
curl ke WordPress webhook
```

WORDPRESS (alaminepire.my)

```
Plugin: Al Amin Landing Page (alamин-landing.php)
```

```
Webhook diterima → validate secret
```

```
→ Response 200 serta-merta
```

```
→ close HTTP connection (fastcgi_finish_request)
```

```
Background process:
```

1. Download zipball dari GitHub API
2. Extract zip (ZipArchive / PclZip / unzip)
3. Backup PHP files sedia ada
4. Syntax check PHP baru
5. Copy semua file ke directory plugin/theme
6. Padam backup > 30 hari
7. Purge cache: LiteSpeed + OPCache + WP Cache



WEBSITE LIVE — alaminepire.my

(Homepage, Ejen, Privacy, Terms, 404, Blog, Theme)

3. Komponen Sistem

3.1. GitHub Repository

- **URL:** `https://github.com/guruniagabest/set-jenazah-al-amin`
- **Branch aktif:** `gh-pages`
- **Access:** GitHub Token (classic) disimpan dalam WordPress Settings

3.2. GitHub Actions

- **Fail:** `.github/workflows/deploy.yml`
- **Trigger:** Setiap push ke branch `gh-pages`
- **Tugas:** Hantar HTTP request ke WordPress webhook URL

3.3. WordPress Plugins (2 biji)

Plugin	File	Fungsi
Al Amin Landing Page	alamin-landing.php	Homepage, Ejen, Privacy, Terms, 404 override + Webhook + Sync Engine
Al Amin Blog Template	alamin-blog-template.php	Blog archive, single post template override

3.4. WordPress Theme

- **Folder:** `/wp-content/themes/alamini/`
- **Tujuan:** Backup theme WordPress — auto-sync dari GitHub
- **Nota:** Theme ni sebenarnya jarang digunakan sebab plugin dah override terus. Tapi disediakan sebagai fallback.

3.5. Webhook Secret

- **Auto-generate:** Kali pertama plugin aktif, WordPress generate secret 64 character
- **Disimpan dalam:** `wp_options` table (key: `alamin_webhook_secret`)
- **Nampak di:** Settings > Al Amin Landing (hanya admin)
- **Simple key (fallback):** `alamin-sync-2026` — guna untuk GitHub Actions supaya tak perlu dapatkan secret dari WordPress

4. Struktur Repository GitHub

```

|
|— wordpress-integration/
|   |— alamin-landing.php           # Plugin utama (sync engine)
|   |— alamin-blog-template.php    # Plugin blog template
|   |— 404-content.html            # Kandungan muka surat 404
|   |— privacy-policy-content-only.html # Kandungan privacy (body sahaja)
|   |— terms-conditions-content-only.html # Kandungan terms (body sahaja)
|   |— assets/
|       |— tailwind.css             # CSS Tailwind (static build)
|       |— main-BbVA84tI.css        # CSS Vite build
|       |— main-CSy2RB92.js         # JS Vite build
|   └─ theme-alamin/                # Theme WordPress (auto-sync)
|       |— style.css
|       |— index.php
|       |— home.php
|       |— front-page.php
|       |— single.php
|       |— page-ejen.php
|       |— header.php
|       |— footer.php
|       |— 404.php
|       |— functions.php
|       └─ assets/
|
|— assets/
|   └─ images/
|       └─ *.webp                   # Semua gambar auto-sync
|
|— index.html                       # → landing-content.html (HOMEPAGE)
|— ejen.html                        # → ejen-content.html (PAGE EJEN)
|— privacy-policy.html              # → privacy-policy.html
|— terms-conditions.html            # → terms-conditions.html
|— ebook.html                       # → ebook.html (EBOOK PAGE)
|— preview-404.html                 # Preview 404 (rujukan)
|— preview-blog-post.html           # Preview blog post (rujukan)
|
|— package.json                     # Tailwind config
|— tailwind.config.js
|— DEEPCOPILOT.md                  # Panduan untuk AI agent
|— team-alamin-dev.md              # Team development notes
└─ skilldeployment.md              # ← Dokumen ni

```

5. File Mapping

Ini adalah **senarai padanan fail** dari GitHub → WordPress. Setiap kali Tuan Izan push, fail-fail ni akan automatik disalin.

5.1. Content Pages (HTML)

Fail di GitHub	→	Destinasi di WordPress	Fungsi
index.html	→	landing-content.html	Homepage utama
ejen.html	→	ejen-content.html	Halaman Ejen & Stokis
privacy-policy.html	→	privacy-policy.html	Privacy Policy (full page)
terms-conditions.html	→	terms-conditions.html	Terms & Conditions (full page)
wordpress-integration/privacy-policy-content-only.html	→	privacy-policy-content-only.html	Privacy body sahaja (blog template)
wordpress-integration/terms-conditions-content-only.html	→	terms-conditions-content-only.html	Terms body sahaja (blog template)
wordpress-integration/404-content.html	→	404-content.html	Halaman 404
ebook.html	→	ebook.html	Ebook page (ebook.percuma)

5.2. Assets (CSS / JS / Images)

Fail di GitHub	→	Destinasi di WordPress
assets/tailwind.css	→	assets/tailwind.css
assets/main-BbVA84tI.css	→	assets/main-BbVA84tI.css
assets/main-CSy2RB92.js	→	assets/main-CSy2RB92.js
Semua assets/images/*.webp	→	assets/images/*.webp

Nota Penting: Semua `.webp` dalam `assets/images/` (termasuk subfolder) akan auto-sync. Gunakan format `.webp` untuk prestasi optimum.

5.3. PHP Plugins (dengan Syntax Check)

Fail di GitHub	→	Destinasi di WordPress
wordpress-integration/alaman-landing.php	→	alaman-landing.php
wordpress-integration/alaman-blog-template.php	→	alaman-blog-template.php

Syntax Check: Plugin akan jalankan `php -l` pada PHP files SEBELUM overwrite. Kalau syntax error, file **tak akan ditulis** — selamat.

5.4. Theme Files (Auto-Sync)

Fail di GitHub	→	Destinasi di WordPress
wordpress-integration/theme-alaman/style.css	→	style.css
wordpress-integration/theme-alaman/index.php	→	index.php
wordpress-integration/theme-alaman/home.php	→	home.php
wordpress-integration/theme-alaman/front-page.php	→	front-page.php
wordpress-integration/theme-alaman/single.php	→	single.php
wordpress-integration/theme-alaman/page-ejen.php	→	page-ejen.php
wordpress-integration/theme-alaman/header.php	→	header.php
wordpress-integration/theme-alaman/footer.php	→	footer.php
wordpress-integration/theme-alaman/404.php	→	404.php
wordpress-integration/theme-alaman/functions.php	→	functions.php
wordpress-integration/theme-alaman/assets/*	→	assets/*

6. GitHub Actions Workflow

Fail: `.github/workflows/deploy.yml`

```
name: Auto Sync GitHub → WordPress
on:
  push:
    branches: [gh-pages]           # Trigger bila push ke gh-pages SAHAJA
```

```

jobs:
  sync:
    name: Sync ke WordPress
    runs-on: ubuntu-latest
    steps:
      - name: Trigger WordPress Webhook
        run: |
          # Hantar request ke WordPress
          HTTP_CODE=$(curl -s -o /tmp/sync-response.json -w "%{http_code}" \
            'https://www.alaminempire.my/?alamin_webhook=1&secret=...')

          # Semak response
          if [ "$HTTP_CODE" = "200" ]; then
            echo "✅ Sync berjaya!"
          elif [ "$HTTP_CODE" = "429" ]; then
            echo "⌚ Rate limited — sync baru lepas jalan"
          elif [ "$HTTP_CODE" = "403" ]; then
            echo "❌ Secret invalid"
            exit 1
          else
            echo "❌ Gagal (HTTP $HTTP_CODE) "
            exit 1
          fi

```

Cara Kerja Workflow:

1. **Trigger:** Tuan Izan push ke `gh-pages`
2. **Action:** Satu step sahaja — `curl` ke WordPress webhook URL
3. **Parameter:** `alamin_webhook=1` + `secret=...`
4. **Validasi:** HTTP 200 = ok, 429 = kena rate limit (tunggu 60s), 403 = secret salah
5. **Kosong:** Workflow ni ringan sangat (< 5 saat) — dia hanya trigger, bukan buat kerja berat

Cara Setup Webhook Secret dalam Workflow:

Secret `alamin-sync-2026` sudah di-hardcode dalam plugin sebagai `ALAMIN_SIMPLE_KEY`. URL dalam workflow guna secret yang sama:

```
https://www.alaminempire.my/?alamin_webhook=1&key=alamin-sync-2026
```

Kenapa guna simple key? Sebab GitHub Actions tak boleh access WordPress database untuk dapatkan webhook secret auto-generate. Simple key ni cukup selamat — ia cuma trigger sync, bukan admin access.

7. WordPress Webhook & Sync Engine

Plugin: `alamin-landing.php`

Function: `alamin_webhook_handler()` (line ~300)

7.1. Webhook Handler — Langkah demi Langkah

```
① Request masuk → ?alamin_webhook=1&secret=... atau &key=...
|
|— Validate secret / simple key
|   └─ Salah → HTTP 403 "Invalid secret"
|
|— Rate limit check (1 sync per 60 saat)
|   └─ Kena limit → HTTP 429 "Rate limited"
|
|— Hantar response 200 serta-merta
|   └─ JSON: {"success": true, "message": "Sync diterima..."}
|
|— Tutup HTTP connection
|   └─ ob_flush() + flush()
|       └─ fastcgi_finish_request() ← NI YANG PENTING
|
└─ Jalan kan sync (client dah disconnect — takde timeout)
    └─ alamin_fetch_full_sync()
        └─ alamin_purge_server_cache()
```

7.2. Sync Engine — `alamin_fetch_full_sync()` — Detailed

Langkah	Tindakan	Detail
1	Set timeout	<code>set_time_limit(300)</code> — 5 minit untuk proses zip besar
2	Dapatkan SHA commit	Request ke <code>GET /repos/.../branches/gh-pages</code> — untuk version tracking
3	Download zipball	Request ke <code>GET /repos/.../zipball/gh-pages</code> — download full repo sebagai zip
4	Simpan ke tmp	<code>tempnam(sys_get_temp_dir(), 'alamin-sync-')</code>

Langkah	Tindakan	Detail
5	Extract zip	3 fallback methods: ZipArchive → PclZip → exec unzip
6	Cari root folder	GitHub zipball balut dalam folder <code>{owner}-{repo}-{sha}/</code>
7	Backup PHP files	Backup content sedia ada → <code>alamin-backups/backup-{timestamp}.bak</code> (serialized)
8	Syntax check PHP	<code>php -l / token_get_all / shell_exec</code> — kalau error, skip file
9	Copy semua files	Ikut file mapping (lihat seksyen 5)
10	Update theme	Copy <code>theme-alamin/</code> ke <code>/wp-content/themes/alamin/</code>
11	Padam backup lama	Backup > 30 hari automatik delete
12	Logging	Semua aktiviti dicatat dalam error log (WP_DEBUG)
13	Return result	Array dengan commit SHA, senarai files, errors (jika ada)

7.3. Cache Purge — `alamin_purge_server_cache()`

Selepas semua files diupdate, cache website kena purge supaya content baru nampak:

- ① WordPress **Object** Cache → `wp_cache_flush()`
- ② LiteSpeed Cache → `litespeed_purge_all()` + **header** `X-LiteSpeed-Purge: *`
- ③ OPCache → `opcache_reset()` — WAJIB supaya PHP compile code baru

Kenapa OPCache penting? WordPress guna OPCache. Kalau PHP files (plugin) diupdate tapi OPCache tak direset, WordPress masih guna code LAMA. Reset OPCache paksa PHP compile semula.

8. Flow Lengkap — Dari Edit ke Live

Scenario: Tuan Izan nak update homepage

STEP 1 — EDIT

Tuan Izan buka `index.html` dalam VS Code
→ Edit content / gambar / text
→ Save (%S)

STEP 2 — COMMIT & PUSH

Terminal:

```
git add .  
git commit -m "Update homepage hero section"  
git push origin gh-pages
```

STEP 3 – GITHUB ACTIONS (auto, < 5 saat)

→ GitHub detect **push** ke gh-pages
→ Run .github/workflows/deploy.yml
→ curl ke https://www.aminempire.my/?amin_webhook=1&key=amin-sync-2026

STEP 4 – WORDPRESS WEBHOOK (auto, < 1 saat)

→ Plugin terima request
→ Validate key = amin-sync-2026 
→ Hantar response 200 serta-merta
→ Tutup HTTP connection

STEP 5 – SYNC ENGINE BACKGROUND (10-30 saat)

→ Set timeout 300s
→ GitHub Token dari WordPress Settings
→ Download zipball (1-5 MB)
→ Extract guna ZipArchive
→ Backup existing files
→ Syntax check PHP files
→ **Copy:**
 index.html → landing-content.html 
 assets/tailwind.css → assets/tailwind.css 
 assets/images/*.webp → assets/images/*.webp 
→ Purge LiteSpeed cache
→ Reset OPcache

STEP 6 – LIVE 

Buka <https://www.aminempire.my/>
→ Content baru dah nampak!
→ Total masa: ~15-40 saat dari **push**

9. Cara Tambah Halaman Baru

9.1. Scenario: Nak tambah halaman "Testimonial" di /testimonial/

Ada **3 langkah** perlu dibuat — 2 dekat GitHub, 1 dekat plugin PHP:

Langkah A: Buat fail HTML baru di GitHub

Buat fail `testimonial.html` dalam root repo:

```
<!DOCTYPE html>
<html lang="ms">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Testimonial - Set Jenazah Al Amin</title>
  <!-- ... CSS, fonts, etc ... -->
</head>
<body>
  <!-- Content testimonial -->
  <h1>Testimonial Pelanggan</h1>
  ...
</body>
</html>
```

Langkah B: Tambah route dalam plugin

Edit `wordpress-integration/alaman-landing.php`, cari function

`alaman_direct_homepage()` :

```
// Dalam alamin_direct_homepage(), sebelum 'return;' di akhir
if ($path === '/testimonial' || $path === '/testimonial/') {
  alamin_serve_page('testimonial');
  exit;
}
```

Kemudian dalam function `alaman_serve_page()` , tambah case baru:

```
} elseif ($type === 'testimonial') {
  $file = $plugin_dir . 'testimonial.html';
  if (!file_exists($file)) return;

  header('Content-Type: text/html; charset=UTF-8');
  readfile($file);
  exit;
}
```

Langkah C: Tambah file mapping dalam sync engine

Cari array `$content_files` dalam function `alamin_fetch_full_sync()` dan tambah:

```
$content_files = [  
    // ... existing mappings ...  
    'testimonial.html' => $landing_dir . 'testimonial.html',  
];
```

✅ Selepas 3 perubahan ni push ke GitHub, halaman `/testimonial/` akan live auto-sync!

9.2. Alternatif: Guna Blog Post (WordPress Native)

Kalau halaman baru tu content ringkas (macam artikel), lebih senang guna WordPress blog:

1. Login ke `https://www.alaminempire.my/wp-admin`
2. Posts → Add New
3. Tulis content → Publish
4. URL auto jadi `https://www.alaminempire.my/blog/tajuk-artikel/`
5. Dah siap — guna template blog sedia ada

Bila guna HTML? Bila halaman tu ada design khas (interaktif, banyak JS, layout kompleks). Guna WordPress blog untuk artikel/content ringan.

10. Backup & Restore

10.1. Backup Automatik

Setiap kali sync:

1. Plugin backup **PHP files** sedia ada ke `alamin-backups/backup-{timestamp}.bak`
2. Format backup: serialized array — `{ 'file-rel-path' => 'content', ... }`
3. Backup **content files** (HTML, CSS) TIDAK di-backup — hanya PHP
4. Backup > 30 hari **auto-padam**

10.2. Lokasi Backup

```
wp-content/plugins/alamin-landing-v2/  
└─ alamin-backups/  
    └─ backup-20250101-120000.bak
```

```
|— backup-20250102-150000.bak
|— ...
```

10.3. Restore Manual (dari WordPress Admin)

1. Settings → Al Amin Landing
2. Scroll ke "Backup & Restore"
3. Senarai backup dipaparkan — klik **Restore** di sebelah backup yang dikehendaki
4. Confirm — plugin akan restore PHP files dari backup

10.4. Download Backup

1. Settings → Al Amin Landing
2. Klik "Backup & Download"
3. Satu zip akan di-download — mengandungi semua file plugin

11. Troubleshooting & Debug

11.1. Ciri-ciri Debug

Plugin ada debug mode untuk troubleshoot. Tambah `?alamin_debug=landing` atau `?alamin_debug=all` di URL website (mesti login sebagai admin WordPress):

```
https://www.alaminempire.my/?alamin_debug=landing
```

Output:

```
ALAMIN_LANDING_PLUGIN=active
MODE=landing
FILE=/path/to/alamin-landing.php
VERSION=2.0.0
```

11.2. Masalah Biasa & Penyelesaian

Masalah	Punca	Solusi
Website tak update selepas push	Webhook tak sampai / kena rate limit	Check GitHub Actions log. Tunggu 60s, trigger manual: buka URL <code>https://www.alaminempire.my/?alamin_webhook=1&key=alamin-sync-2026</code>
HTTP 429	Sync baru jalan < 60s lepas	Tunggu. Sistem dah ada rate limiter

Masalah	Punca	Solusi
HTTP 403	Secret / key salah	Check <code>ALAMIN_SIMPLE_KEY</code> dalam plugin vs URL dalam <code>deploy.yml</code>
Content lama masih nampak	Cache belum purge	Tambah <code>?v=123</code> dekat URL / guna Incognito / Clear browser cache
PHP error white screen	Syntax error dalam PHP file	Restore backup dari Settings > Al Amin Landing
"Gagal download zip"	GitHub Token expired	Generate token baru di GitHub → Settings → Developer settings → Personal access tokens → Tokens (classic). Repo scope. Masukkan dalam Settings > Al Amin Landing
"Zip data kosong"	Network issue / GitHub API down	Cuba trigger sync sekali lagi selepas 1-2 minit
Gambar <code>.webp</code> tak nampak	Gambar tak wujud dalam <code>assets/images/</code>	Confirm gambar ada dekat GitHub dan format <code>.webp</code>

11.3. Trigger Sync Manual (Tanpa Git Push)

Buka URL ni dalam browser:

```
https://www.alaminempire.my/?alamin_webhook=1&key=alamin-sync-2026
```

Atau dari terminal:

```
curl 'https://www.alaminempire.my/?alamin_webhook=1&key=alamin-sync-2026'
```

✅ Response `{"success":true,"message":"Sync diterima. Sedang diproses..."}` bermakna sync dah mula.

11.4. Check Logs

Plugin guna `error_log()` — logs nampak dalam:

- **cPanel:** Metrics → Errors (kalau ada akses)
- **WordPress:** WP_DEBUG mesti `true` dalam `wp-config.php` (sementara)
- **File:** Kalau WP_DEBUG enabled, log dalam `/wp-content/debug.log`

12. Senarai Semak Sebelum Push

Guna checklist ni sebelum `git push` untuk elak masalah:

✓ Checklist Content

- ☐ HTML valid — tiada tag tak tutup
- ☐ Semua pautan guna domain relatif (`/ejen/`) atau full (`https://...`)
- ☐ Gambar `.webp` ada dalam `assets/images/` dan path betul
- ☐ CSS/JS assets dipanggil dengan path betul
- ☐ Page dah di-test guna `preview-*.html` atau `npx serve .` tempatan

✓ Checklist PHP

- ☐ PHP files dah di-test syntax (boleh guna `php -l file.php`)
- ☐ Fungsi baru tak bertembung dengan WordPress function
- ☐ Tiada `exit;` atau `die();` yang tak sengaja tertinggal dalam non-page functions
- ☐ Kalau tambah route baru → tambah dalam `alamin_direct_homepage()` DAN `alamin_serve_page()`


✓ Checklist GitHub

- ☐ Branch betul: sedang dekat `gh-pages` (`git branch` untuk check)
- ☐ Commit message deskriptif
- ☐ Push: `git push origin gh-pages`
- ☐ Check GitHub Actions dalam <https://github.com/guruniagabest/set-jenazah-al-amin/actions> — hijau ✓

✓ Checklist Post-Push

- ☐ Buka website — content baru dah nampak?
- ☐ Check incognito/private window untuk pastikan bukan browser cache
- ☐ Kalau tak nampak ➡ trigger sync manual
- ☐ Kalau PHP error ➡ restore backup dari WordPress admin

Lampiran: Ringkasan Satu Muka Surat



Sync En

Downloa

→ Extra

→ Backu

→ Synta

→ Copy

→ Purge



WEBSIT

alaminem

✓ Updat

🕒 Anggaran masa: 15-40 saat dari push sampai live

📁 Files di-sync: HTML, CSS, JS, PHP, WebP images, Theme files

🛡️ Backup: Auto sebelum setiap sync, disimpan 30 hari

🔒 Safety: Syntax **check** sebelum overwrite PHP files

Dokumen ini disediakan untuk rujukan Tuan Izan.

Al Amin Jameelah Ventures · SSM: 202403142250 · <https://alaminempire.my>