


GitHub Task2

1. Install git.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop
$ git --version
git version 2.37.1.windows.1

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop
$ |
```

2. Create a repo in github with README.md and .ignore file.



Successfully Created a repo in github with README.md and .ignore file.

3. Clone the created repo to local.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git clone git@github.com:mohdparvez1407-ops/Spider-Man-01.git
Cloning into 'Spider-Man-01'...
remote: Enumerating objects: 31, done.
remote: Counting objects: 100% (31/31), done.
remote: Compressing objects: 100% (22/22), done.
remote: Total 31 (delta 12), reused 18 (delta 6), pack-reused 0 (from 0)
Receiving objects: 100% (31/31), 6.22 KiB | 3.11 MiB/s, done.
Resolving deltas: 100% (12/12), done.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ |
```

4. Create two files in local repo.

```

MINGW64/C:/Users/USER/Desktop/Spider-Man-01

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ touch md

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls
a b demo.txt md wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ touch vivo

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls
a b demo.txt md vivo wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$

```

Successfully created two files in local repository

5. Commit two files and push to central Repository.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git pull --rebase origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 932 bytes | 186.00 KiB/s, done.
From github.com:mohdparvez1407-ops/Spider-Man-01
 * branch          master      -> FETCH_HEAD
 c3e4bca..a4a33fd  master      -> origin/master
Successfully rebased and updated refs/heads/master.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 249 bytes | 249.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:mohdparvez1407-ops/Spider-Man-01.git
 a4a33fd..a831b55  master -> master
branch 'master' set up to track 'origin/master'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git push
Everything up-to-date

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$

```

 Spider-Man-01 Public

Pin <

master 1 Branch 0 Tags

Go to file T

Add file ▼

<> Code ▼

 mohdparvez1407-ops added in new files a831b55 · 1 minute ago 13 Commits

 .gitignore	added	51 minutes ago
 README.md	Add greeting message to README	44 minutes ago
 a	added coouple of files	3 days ago
 b	added coouple of files	3 days ago
 md	added in new files	1 minute ago
 vivo	added in new files	1 minute ago
 wow	added wow file	3 days ago

Successfully committed push to two files in central Repository.

6. Create a branch in local and create a sample file and push to central.

MINGW64:/c/Users/USER/Desktop/Spider-Man-01

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git branch --l
* master

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git branch release

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git branch--l
git: 'branch--l' is not a git command. See 'git --help'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git branch --l
* master
  release

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git checkout release
Switched to branch 'release'

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
$ touch release

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
$ ls
README.md  a  b  demo.txt  md  release  vivo  wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
$ git status
On branch release
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    release

nothing added to commit but untracked files present (use "git add" to track)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
$ git add .

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
$ git status
On branch release
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   release

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (release)
```

Spider-Man-01 Public

release 2 Branches 0 Tags

Go to file T Add file <> Code

This branch is 1 commit ahead of master.

mohdparvez1407-ops added new branch d8f9cd8 · 7 minutes ago 14 Commits

.gitignore	added	1 hour ago
README.md	Add greeting message to README	1 hour ago
a	added couple of files	3 days ago
b	added couple of files	3 days ago
md	added in new files	25 minutes ago
release	added new branch	7 minutes ago
vivo	added in new files	25 minutes ago
wow	added wow file	3 days ago

7. Create a branch in github and clone that to local.

mohdparvez1407-ops / Spider-Man-01

<> Code Issues Pull requests 1 Agents

Spider-Man-01 Public

hotfix 3 Branches 0 Tags

This branch is up to date with master.

mohdparvez1407-ops added in new files

.gitignore	ad
README.md	Ac

Successfully created new branch in github.now do to in local git clone

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git fetch origin
From github.com:mohdparvez1407-ops/Spider-Man-01
* [new branch]      hotfix      -> origin/hotfix

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ $ git checkout hotfix
bash: $: command not found

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git checkout hotfix
Switched to a new branch 'hotfix'
branch 'hotfix' set up to track 'origin/hotfix'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git branch -list
error: did you mean '--list' (with two dashes)?

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git branch
* hotfix
  master
  release

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ |

```

Successfully created new branch in clone git

8. Merge the created branch with master in git local.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls
README.md  a  b  demo.txt  md  vivo  wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git merge hotfix
Updating a831b55..87bf494
Fast-forward
  alphabet | 0
  1 file changed, 0 insertions(+), 0 deletions(-)
  create mode 100644 alphabet

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls
README.md  a  alphabet  b  demo.txt  md  vivo  wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$

```

9. Merge the created branch with master in github by sending a pull request.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls
README.md  a  alphabet  b  demo.txt  md  vivo  wow


USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git checkout hotfix
Switched to branch 'hotfix'
Your branch is ahead of 'origin/hotfix' by 1 commit.
(use "git push" to publish your local commits)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git push -u origin hotfix
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 247 bytes | 247.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:mohdparvez1407-ops/Spider-Man-01.git
   a831b55..87bf494  hotfix -> hotfix
branch 'hotfix' set up to track 'origin/hotfix'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ |
```

Successfully pushed pull request to github.

Now do to master to hotfix pull request merge successfully .



The screenshot shows a GitHub pull request page for the repository `github.com/mohdparvez1407-ops/Spider-Man-01`. The pull request, titled "added in alphapet file #2", has been successfully merged. A message states: "Pull request successfully merged and closed. You're all set — the `hotfix` branch can be safely deleted." Below this, there is a section to "Add a comment" with a text area and a "Comment" button. At the bottom, a note reminds users to follow the GitHub Community Guidelines, and a "ProTip!" suggests adding `.patch` or `.diff` to the end of URLs for Git's plaintext views.

10. Create a file in local and send that to branch in github.

```
MINGW64:/c/Users/USER/Desktop/Spider-Man-01
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git status
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

nothing to commit, working tree clean

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ touch task10.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git status
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      task10.txt

nothing added to commit but untracked files present (use "git add" to track)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git add .

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git commit -m "added file 10"
[hotfix 405c921] added file 10
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 task10.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 242 bytes | 242.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:mohdparvez1407-ops/Spider-Man-01.git
   87bf494..405c921  hotfix -> hotfix

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git push -u origin hotfix
Everything up-to-date
branch 'hotfix' set up to track 'origin/hotfix'.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$
```

Created successful a new file in local and pushed in git hub branch is hotfix

11.Clone only a branch from github to local.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git clone remotegit@github.com:mohdparvez1407-ops/Spider-Man-01.git
Cloning into 'Spider-Man-01'...
remotegit@github.com: Permission denied (publickey).
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git remote
origin

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git remote -v
origin  git@github.com:mohdparvez1407-ops/Spider-Man-01.git (fetch)
origin  git@github.com:mohdparvez1407-ops/Spider-Man-01.git (push)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git clone -b hotfix --single-branch git@github.com:mohdparvez1407-ops/Spider-Man-01.git
Cloning into 'Spider-Man-01'...
remote: Enumerating objects: 37, done.
remote: Counting objects: 100% (37/37), done.
remote: Compressing objects: 100% (26/26), done.
remote: Total 37 (delta 15), reused 24 (delta 8), pack-reused 0 (from 0)
Receiving objects: 100% (37/37), 6.82 KiB | 537.00 KiB/s, done.
Resolving deltas: 100% (15/15), done.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ |
```

12.Create a file with all passwords and make that untrackable with git.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git check-ignore -v clone.txt
.gitignore:10:clone.txt clone.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ |
```

Git checkout master

Ls -a

Vi .ignore (create a file clone.txt)

Touch clone.txt

Vi clone.txt password123

Cat .gitignore

Git status

13. Make a commit and make that commit reset without saving changes.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ touch reset.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        reset.txt

no changes added to commit (use "git add" and/or "git commit -a")

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git add reset.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git commit -m "added reset file"
[master 2c89c5a] added reset file
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 reset.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git commit -m "added reset file"
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git log --oneline
2c89c5a (HEAD -> master) added reset file
87bf494 added in alphabet file
a831b55 (origin/master, origin/HEAD) added in new files
a4a33fd Add greeting message to README
```

14. Revert a committed commit to the older version.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git log --oneline
87bf494 (HEAD -> master) added in alphapet file
a831b55 (origin/master, origin/HEAD) added in new files
a4a33fd Add greeting message to README
c3e4bca added
45c634f added
f48d5f2 Revert "added"
ce5d932 Revert "Add greetings to README.md"
8d08cb5 added
4c498fc Add .gitignore file with common exclusions
181e0e3 Add greetings to README.md
402490b Delete zp
1c490e2 added a file abc
ef1d34f added wow file
6c8832e added coople of files

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git revert 87bf494
[master 1921100] Revert "added in alphapet file"
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 alphabet

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git log --oneline
1921100 (HEAD -> master) Revert "added in alphapet file"
87bf494 added in alphapet file
a831b55 (origin/master, origin/HEAD) added in new files
a4a33fd Add greeting message to README
c3e4bca added
45c634f added
f48d5f2 Revert "added"
ce5d932 Revert "Add greetings to README.md"
8d08cb5 added
4c498fc Add .gitignore file with common exclusions
181e0e3 Add greetings to README.md
402490b Delete zp
1c490e2 added a file abc
ef1d34f added wow file
6c8832e added coople of files

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls -a
./ ../ .git/ .gitignore README.md a b clone.txt demo.txt md vivo wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
```

15. Push a file to stash without savings the changes and work on another file.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ touch opps

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git stash
Saved working directory and index state WIP on hotfix: 405c921 added file 10

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git stash list
stash@{0}: WIP on hotfix: 405c921 added file 10

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git status
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

nothing to commit, working tree clean

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ touch max.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git add .

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git commit -m "work on max.txt"
[hotfix faeelf3] work on max.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 max.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git pul
git: 'pul' is not a git command. See 'git --help'.

The most similar commands are
    pull
    push

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 894 bytes | 298.00 KiB/s, done.
From github.com:mohdparvez1407-ops/Spider-Man-01
a831b55..00abfc6 master -> origin/master
Already up to date.

```

16.Undo the stash file and start working on that again.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ touch opps

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ echo "My first work" >> opps

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git stash
warning: in the working copy of 'opps', LF will be replaced by CRLF the next time Git touches it
Saved working directory and index state WIP on hotfix: faeelf3 work on max.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git stash list
stash@{0}: WIP on hotfix: faeelf3 work on max.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git stash pop
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   clone.txt
    new file:   opps

Dropped refs/stash@{0} (44c975b41cedbbd565172c8adbf27692f31743d7)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ echo "Working again on opps" >> opps

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git status
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   clone.txt
    new file:   opps

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   opps

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$

```

17. Generate a ssh-keygen and configure into github.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git remote add origin git@github.com:mohdparvez1407-ops/Spider-Man-01.git
error: remote origin already exists.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ git remote -v
origin  git@github.com:mohdparvez1407-ops/Spider-Man-01.git (fetch)
origin  git@github.com:mohdparvez1407-ops/Spider-Man-01.git (push)

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ls -a ~/.ssh
./ ../ id_rsa id_rsa.pub known_hosts known_hosts.old

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ cat ~/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQgQCtnFFYgb90YCVXrmxxmYC3SuhIiL6ypbtgSuV6Q7Fd
mSPvkMLZMNvjt4ILHHuBuiaV5xcfJujC04lt70qkZji2aCyvZVL3vmefzMKGmipcpxVX2dGbNUMx460v1
nCJ+emwDHRlhVpP4VaDLuvbowkTlZSRENp0df0etX2ehUdJdChIS5RBztCwPVlXh8+VZ4bHkzu5m/MUF

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$ ssh -T git@github.com
Hi mohdparvez1407-ops! You've successfully authenticated, but GitHub does not pr

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (master)
$

```

18. Configure webhooks to github.

The screenshot shows the GitHub repository settings for 'Spider-Man-01'. The 'Webhooks' section is active, displaying a message: 'was successfully created. We sent a ping payload to test it out! Read more about it at <https://docs.github.com/webhooks/#ping-event>.' Below this, a table lists the configured webhooks. One webhook is shown with the URL 'https://webhook.site/526e3eb5-535...' and a status of 'Last delivery was successful.' The interface includes a sidebar with navigation options like 'Issues', 'Pull requests', 'Agents', 'Actions', 'Projects', 'Wiki', 'Security and quality', 'Insights', and 'Settings'. The top navigation bar shows the repository name and a search bar.

webhook.site/#1/VIEW/52be3ed5-535T-4d6b-D/T3-83/ITdbDT8/5/CD/5179-AU1Z-4/bc-D/7b-T4/C4b8ed/CU/1

ebhook.site

Docs & APIFeatures & PricingTerms, Privacy & SecuritySupportBlog

CopyEditNew

26e3eb5ShareScheduleForm BuilderCSV ExportCustom ActionsReplayXHR RedirectRedirect NowMore

1/50) Newest First

Query

#7cb75 140.82.115.83
26 5:16:51 PM 8.3 kB

#1b503 140.82.115.62
26 5:11:16 PM 7.4 kB

PrevNextLast

```
"site_admin": false
},
"created": false,
"deleted": false,
"base_ref": null,
"compare": "https://github.com/mohdparvez1407-ops/Spider-Man-01/compare/faee1f31ab55...62f55ccdef65",
"commits": [
  {
    "id": "62f55ccdef651dcf81e1041e6bc378d9a6c8a202",
    "tree_id": "6d79d0be38f0e46c3834c607f1066ba0a3b2ec40",
    "distinct": true,
    "message": "testing github webhooks",
    "timestamp": "2026-09-24T17:15:37+05:30",
    "url": "https://github.com/mohdparvez1407-ops/Spider-Man-01/commit/62f55ccdef651dcf81e1041e6bc378d9a6c8a202",
    "author": {
      "name": "mohdparvez1407-ops",
      "email": "mohdparvez1407@gmail.com",
      "date": "2026-09-24T17:15:37+05:30",
      "username": "mohdparvez1407-ops"
    },
    "committer": {
      "name": "mohdparvez1407-ops",
      "email": "mohdparvez1407@gmail.com",
      "date": "2026-09-24T17:15:37+05:30",
      "username": "mohdparvez1407-ops"
    },
    "added": [
      "clone.txt",
      "opps",
      "webhooks.txt"
    ]
  }
]
```

```

changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   opps

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        webhooks.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git add .
warning: in the working copy of 'opps', LF will be replaced by CRLF the next time Git touches it

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git status
On branch hotfix
Your branch is up to date with 'origin/hotfix'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   clone.txt
        new file:   opps
        new file:   webhooks.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git commit -m "testing github webhooks"
[hotfix 62f55cc] testing github webhooks
3 files changed, 3 insertions(+)
create mode 100644 clone.txt
create mode 100644 opps
create mode 100644 webhooks.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git push -u origin hotfix
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 375 bytes | 375.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:mohdparvez1407-ops/Spider-Man-01.git
   faee1f3..62f55cc hotfix -> hotfix
branch 'hotfix' set up to track 'origin/hotfix'.

```

19. Basic understanding of .git file.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ ls
README.md a alphabet b clone.txt demo.txt max.txt md opps task10.txt vivo webhooks.txt wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ ls -la
./ ../ .git/ .gitignore README.md a alphabet b clone.txt demo.txt max.txt md opps task10.txt vivo webhooks.txt wow

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ cd .git/

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01/.git (GIT_DIR!)
$ ls
COMMIT_EDITMSG FETCH_HEAD HEAD ORIG_HEAD config description hooks/ index info/ logs/ objects/ packed-refs refs/

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01/.git (GIT_DIR!)
$ |

```

20. Check all the logs of git.

```
USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01/.git (GIT_DIR!)
$ git log
commit 62f55ccdef651dcf81e1041e6bc378d9a6c8a202 (HEAD -> hotfix, origin/hotfix)
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Thu Sep 24 17:15:37 2026 +0530

    testing github webhooks

commit faee1f31ab55bffa3b34e8ee2ab570e40f66c978
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Thu Sep 24 15:49:29 2026 +0530

    work on max.txt

commit 405c9215a68c69d4f396c07307af8bbd4e728837
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Thu Sep 24 12:55:21 2026 +0530

    added file 10

commit 87bf49432ca35e8e5d9045cc2bfb0aa2b8f2af64
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Wed Sep 23 23:38:12 2026 +0530

    added in alphapet file

commit a831b556e9f0af285d52c275d7938d2112a9c596
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Wed Sep 23 18:30:14 2026 +0530

    added in new files

commit a4a33fdf81d788e6644da218e900ef50dfda1c54
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Wed Sep 23 17:51:47 2026 +0530

    Add greeting message to README

commit c3e4bca5dd2625658637063a23c55ac015add7ac
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Wed Sep 23 17:44:55 2026 +0530

    added

commit 45c634fabe849341f82ae422c0615739c54f5116
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Wed Sep 23 17:43:15 2026 +0530
```

21. Rename the commit message.

```

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git commit --amend
[hotfix 7a4a0e6] updated and testing github webhooks
Date: Thu Sep 24 17:15:37 2026 +0530
3 files changed, 3 insertions(+)
create mode 100644 clone.txt
create mode 100644 opps
create mode 100644 webhooks.txt

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)
$ git log
commit 7a4a0e6c346b5d7aa5386461526098794dc0b73d (HEAD -> hotfix)
Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>
Date: Thu Sep 24 17:15:37 2026 +0530

    updated and testing github webhooks

```

22. Merge multiple commits into single commit.

```

pick 405c921 added file 10
squash faee1f3 work on max.txt
squash 7a4a0e6 updated and testing github webhooks

# Rebase 87bf494..7a4a0e6 onto 87bf494 (3 commands)
#
# Commands:
# p, pick <commit> = use commit
# r, reword <commit> = use commit, but edit the commit message
# e, edit <commit> = use commit, but stop for amending
# s, squash <commit> = use commit, but meld into previous commit
# f, fixup [-C | -c] <commit> = like "squash" but keep only the previous
#                               commit's log message, unless -C is used, in which case
#                               keep only this commit's message; -c is same as -C but
#                               opens the editor
# x, exec <command> = run command (the rest of the line) using shell
# b, break = stop here (continue rebase later with 'git rebase --continue')
# d, drop <commit> = remove commit
# l, label <label> = label current HEAD with a name
# t, reset <label> = reset HEAD to a label
# m, merge [-C <commit> | -c <commit>] <label> [# <oneline>]
# .      create a merge commit using the original merge commit's
# .      message (or the oneline, if no original merge commit was
# .      specified); use -c <commit> to reword the commit message
#
# These lines can be re-ordered; they are executed from top to bottom.
#
# If you remove a line here THAT COMMIT WILL BE LOST.
#
# However, if you remove everything, the rebase will be aborted.
#
~

```

MINGW64:/c/Users/USER/Desktop/Spider-Man-01

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)

\$ git rebase -i HEAD~3

[detached HEAD ec51b03] added file 10

Date: Thu Sep 24 12:55:21 2026 +0530

5 files changed, 3 insertions(+)

create mode 100644 clone.txt

create mode 100644 max.txt

create mode 100644 opps

create mode 100644 task10.txt

create mode 100644 webhooks.txt

Successfully rebased and updated refs/heads/hotfix.

USER@DESKTOP-NTBFNKM MINGW64 ~/Desktop/Spider-Man-01 (hotfix)

\$ git log

commit ec51b033b3ede3f78e2ad4151f4dd21c942eda28 (HEAD -> hotfix)

Author: mohdparvez1407-ops <mohdparvez1407@gmail.com>

Date: Thu Sep 24 12:55:21 2026 +0530

added file 10

work on max.txt

updated and testing github webhooks

commit 87bf49432ca35e8e5d8045cc2bf0aa2b8f2af64