Task on S3

1. **Create an S3 bucket and upload some objects to S3.**

   → Log in to the AWS Management Console.

   → Open S3 → General purpose buckets.

   → Click Create bucket.

   → Enter a globally unique bucket name, for example, my-devops-demo-bucket-2026.

   → Select the required AWS Region.

   → Keep Block all public access enabled unless public access is specifically required.

   → Keep Bucket Versioning disabled for this basic task.

   → Click Create bucket.

   → Open the newly created bucket.


   → Click Upload.

   → Click Add files or Add folder.


   → Select the required files from your computer.

   → Click Upload and wait for the upload to complete successfully.


   → Verify that the uploaded objects are visible under the Objects tab.


my-devops-demo-bucket-2026
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/buckets/my-devops-demo-bucket-2026-parvez?region=us-east-1&tab=objects
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez
Successfully created bucket "my-devops-demo-bucket-2026-parvez"
my-devops-demo-bucket-2026-parvez Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Search
ENG
IN
7:25 PM
10/22/2026


•


Make objects public
Task on VPC.pdf - Obj
Task on s3.pdf
Task+on+VPC.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/buckets/my-devops-demo-bucket-2026-parvez?region=us-east-1&tab=objects
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez
Upload succeeded
For more information, see the Files and folders table.
my-devops-demo-bucket-2026-parvez Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
Name
Type
Last modified
Size
Storage class
Task on VPC.pdf
pdf
October 22, 2026, 19:51:22 (UTC+05:30)
2.9 MB
Standard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Search
ENG
IN
7:54 PM
10/22/2026


•




2. Deploy a static website in the S3 bucket.




•



Edit static website hos
Make objects public -
Task on VPC.pdf - Obj
Task on s3.pdf
Task+on+VPC.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/bucket/my-devops-demo-bucket-2026-parvez/property/website/edit?region=us-east-1
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez > Edit static website hosting
Hosting type
Host a static website
Use the bucket endpoint as the web address. Learn more
Redirect requests for an object
Redirect requests to another bucket or domain. Learn more
For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access
Index document
Specify the home or default page of the website.
index.html
Error document - optional
This is returned when an error occurs.
error.html
Redirection rules – optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. Learn more
1
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Search
ENG
IN
8:30 PM
10/22/2026

•



my-devops-demo-bucket-2026
my-devops-demo-bucket-2026
New Tab
Ask Gemini
Not secure
http://my-devops-demo-bucket-2026-parvez.s3-website-us-east-1.amazonaws.com
new project s3
29°C
Sunny
Search
ENG
IN
10:11 AM
10/23/2026

- 


3. Enable cross-region replication on S3 buckets.

- 


-


S3 buckets | S3 | us-east-1
S3 buckets | S3 | ap-south-1
Task on s3.pdf
Ask Gemini
https://ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1
Search
[Alt+S]
Asia Pacific (Mumbai)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Buckets
General purpose buckets All AWS Regions
Directory buckets
General purpose buckets (2) Info
Buckets are containers for data stored in S3.
Copy ARN
Empty
Delete
Create bucket
Find buckets by name
Name
AWS Region
Creation date
my-devops-demo-bucket-2026-parvez
US East (N. Virginia) us-east-1
October 22, 2026, 19:24:55 (UTC+05:30)
parvez-crr-source-2026-unique
Asia Pacific (Mumbai) ap-south-1
October 23, 2026, 11:47:20 (UTC+05:30)
Account snapshot Info
Updated daily
Storage Lens provides visibility into storage usage and activity trends.
View dashboard
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
31°C
Sunny
Search
ENG
IN
11:52 AM
10/23/2026


.


S3 buckets | S3 | us-east-1
parvez-crr-source-2026-unique
Task on s3.pdf
Ask Gemini
https://ap-south-1.console.aws.amazon.com/s3/buckets/parvez-crr-source-2026-unique?region=ap-south-1&tab=properties
Search
[Alt+S]
Asia Pacific (Mumbai)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > parvez-crr-source-2026-unique
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Successfully edited Bucket Versioning
To transition, archive, or delete older object versions, configure lifecycle rules for this bucket.
parvez-crr-source-2026-unique Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Bucket overview
AWS Region
Asia Pacific (Mumbai) ap-south-1
Amazon Resource Name (ARN)
arn:aws:s3:::parvez-crr-source-2026-unique
Creation date
October 23, 2026, 11:47:20 (UTC+05:30)
Bucket Versioning
Edit
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more
Bucket Versioning
Enabled
Multi-factor authentication (MFA) delete
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
31°C
Sunny
Search
ENG
IN
12:10 PM
10/23/2026


.




.




I have successfully uploaded two file in parvez-crr-….buckets in mumbai region.to another region n.virginia.


https://ap-south-1.console.aws.amazon.com/s3/buckets/parvez-crr-source-2026-unique?region=ap-south-1&tab=objects
Amazon S3 > Buckets > parvez-crr-source-2026-unique
parvez-crr-source-2026-unique Info
Objects (2)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
Name
Type
Last modified
Size
Storage class
2.case Scripts.docx
docx
October 23, 2026, 12:46:15 (UTC+05:30)
70.0 KB
Standard
in
-
October 23, 2026, 12:42:40 (UTC+05:30)
0 B
Standard


.


https://us-east-1.console.aws.amazon.com/s3/buckets/my-devops-demo-bucket-2026-parvez?region=us-east-1&tab=objects
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez
my-devops-demo-bucket-2026-parvez Info
Objects (3)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
Name
Type
Last modified
Size
Storage class
2.case Scripts.docx
docx
October 23, 2026, 12:46:15 (UTC+05:30)
70.0 KB
Standard
error.html
html
October 22, 2026, 20:32:38 (UTC+05:30)
17.0 B
Standard
in
-
October 23, 2026, 12:42:40 (UTC+05:30)
0 B
Standard

.



.



4. **Configure a bucket policy so only the Admin user can see the objects of the S3 bucket.**

Step 1: Open Bucket Policy

Open S3 → Buckets.

Select my-devops-demo-bucket-2026-parvez.

Click Permissions.

Scroll down to Bucket policy.

Click Edit.


Step 2: Paste this policy


This policy allows the root user to list and read objects, and explicitly denies those actions to other IAM users in your account.


```
{
 "Version": "2012-10-17",
 "Statement": [
  {
   "Sid": "AllowRootListBucket",
   "Effect": "Allow",
   "Principal": {
    "AWS": "arn:aws:iam::590183902086:root"
   },
   "Action": "s3:ListBucket",
   "Resource": "arn:aws:s3:::my-devops-demo-bucket-2026-parvez"
  },
  {
   "Sid": "AllowRootReadObjects",
   "Effect": "Allow",
```

```
  "Principal": {
    "AWS": "arn:aws:iam::590183902086:root"
  },
  "Action": "s3:GetObject",
  "Resource": "arn:aws:s3:::my-devops-demo-bucket-2026-parvez/*"
 },
 {
  "Sid": "DenyOtherIAMUsersListAndRead",
  "Effect": "Deny",
  "Principal": "*",
  "Action": [
    "s3:ListBucket",
    "s3:GetObject"
  ],
  "Resource": [
    "arn:aws:s3:::my-devops-demo-bucket-2026-parvez",
    "arn:aws:s3:::my-devops-demo-bucket-2026-parvez/*"
  ],
  "Condition": {
    "ArnNotLike": {
      "aws:PrincipalArn": "arn:aws:iam::590183902086:root"
    }
  }
```


```
    }
  ]
}
```


Edit bucket policy - S3 bucket
Create user | IAM | Global
2.case Scripts.docx - Object in
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/bucket/my-devops-demo-bucket-2026-parvez/property/policy/edit?region=us-east-1
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez > Edit bucket policy
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Policy
{
"Version": "2012-10-17",
"Statement": [
{
"Sid": "AllowRootListBucket",
"Effect": "Allow",
"Principal": {
"AWS": "arn:aws:iam::590183902086:root"
},
"Action": "s3:ListBucket",
"Resource": "arn:aws:s3:::my-devops-demo-bucket-2026-parvez"
},
{
"Sid": "AllowRootReadObjects",
"Effect": "Allow",
"Principal": {
"AWS": "arn:aws:iam::590183902086:root"
},
"Action": "s3:GetObject",
"Resource": "arn:aws:s3:::my-devops-demo-bucket-2026-parvez/*"
},
{
"Sid": "DenyOtherIAMUsersListAndRead",
"Effect": "Deny",
Edit statement
Select a statement
Select an existing statement in the policy or add a new statement.
+ Add new statement
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
31°C
Sunny
Search
ENG
IN
1:19 PM
10/23/2026



my-devops-demo-bucket-202
Create user | IAM | Global
2.case Scripts.docx - Object in
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/buckets/my-devops-demo-bucket-2026-parvez?region=us-east-1&tab=objects
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (3)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
1
Name
Type
Last modified
Size
Storage class
2.case Scripts.docx
docx
October 23, 2026, 12:46:15 (UTC+05:30)
70.0 KB
Standard
error.html
html
October 22, 2026, 20:32:38 (UTC+05:30)
17.0 B
Standard
in
-
October 23, 2026, 12:42:40 (UTC+05:30)
0 B
Standard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
31°C
Sunny
Search
ENG
IN
1:33 PM
10/23/2026




.




5. **Set up lifecycle policies to automatically transition or delete objects based on specific criteria.**


Create lifecycle rule - S3 bucket
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/management/my-devops-demo-bucket-2026-parvez/lifecycle/create?region=us-east-1
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez > Lifecycle configuration > Create lifecycle rule
We don't recommend transitioning objects less than 128 KB because the transition costs can outweigh the storage savings. If your use case requires transitioning objects less than 128 KB, specify a minimum object size filter for each applicable lifecycle rule with a transition action.
Transition current versions of objects between storage classes
Choose transitions to move current versions of objects between storage classes based on your use case scenario and performance access requirements. These transitions start from when the objects are created and are consecutively applied. Learn more
Choose storage class transitions
Days after object creation
Standard-IA
30
Remove
Glacier Instant Retrieval
90
Remove
Glacier Flexible Retrieval (formerly Glacier)
180
Remove
Add transition
Expire current versions of objects
For version-enabled buckets, Amazon S3 adds a delete marker and the current version of an object is retained as a noncurrent version. For non-versioned buckets, Amazon S3 permanently removes
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
32°C
Mostly sunny
Search
ENG
IN
3:05 PM
10/23/2026


•


Create lifecycle rule - S3 bucket
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/management/my-devops-demo-bucket-2026-parvez/lifecycle/create?region=us-east-1
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > my-devops-demo-bucket-2026-parvez > Lifecycle configuration > Create lifecycle rule
the object. Learn more
Days after object creation
365
Review transition and expiration actions
Current version actions
Day 0
Objects uploaded
Day 30
Objects move to Standard-IA
Day 90
Objects move to Glacier Instant Retrieval
Noncurrent versions actions
Day 0
No actions defined.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
32°C
Mostly sunny
Search
ENG
IN
3:08 PM
10/23/2026


.




6. Push some objects to S3 using the AWS CLI.




.


MINGW64:/c/Users/USER/Documents
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws sts get-caller-identity --region us-east-1
{
"UserId": "AIDAYS2NTVODJ2LVXQMVJ",
"Account": "590183902086",
"Arn": "arn:aws:iam::590183902086:user/my-testkey"
}
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 ls --region us-east-1
2026-10-22 19:24:55 my-devops-demo-bucket-2026-parvez
2026-10-23 11:47:20 parvez-crr-source-2026-unique
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ echo "Hello Parvez, uploading to S3 using AWS CLI" > test.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ ls
2. Default.rdp 'My Music'@ S3 'Task on VPC.pdf' desktop.ini index.html the '~$sk on VPC.docx'
'2.case Scripts.docx' Deploy 'My Pictures'@ 'Task on EC2.1v.docx' a error.html static touch
'Custom Office Templates'/ 'GitHub 2nd task.docx' 'My Videos'@ 'Task on VPC.docx' bucket. in test.txt website
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 cp test.txt s3://my-devops-demo-bucket-2026-parvez/ --region us-east-1
upload: .\test.txt to s3://my-devops-demo-bucket-2026-parvez/test.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 ls s3://my-devops-demo-bucket-2026-parvez/ --region us-east-1
aws: [ERROR]: An error occurred (AccessDenied) when calling the ListObjectsV2 operation: User: arn:aws:iam::590183902086:user/my-testkey is not authorized to perform: s3:ListBucket on resource
: "arn:aws:s3:::my-devops-demo-bucket-2026-parvez" with an explicit deny in a resource-based policy
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 ls --region us-east-1
2026-10-22 19:24:55 my-devops-demo-bucket-2026-parvez
2026-10-23 15:44:35 parvez-cli-practice-2026-unique
2026-10-23 11:47:20 parvez-crr-source-2026-unique
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 cp test.txt s3://parvez-cli-practice-2026-unique/ --region us-east-1
upload: .\test.txt to s3://parvez-cli-practice-2026-unique/test.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 ls s3://parvez-cli-practice-2026-unique/ --region us-east-1
2026-10-23 15:46:01 44 test.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$
32°C
Mostly sunny
Search
ENG
IN
3:46 PM
10/23/2026


.


parvez-cli-practice-2026-unique
Task on s3.pdf
Ask Gemini
https://us-east-1.console.aws.amazon.com/s3/buckets/parvez-cli-practice-2026-unique?region=us-east-1&tab=objects
Search
[Alt+S]
United States (N. Virginia)
Parvez909 (590183902086)
Parvez909
Amazon S3 > Buckets > parvez-cli-practice-2026-unique
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
parvez-cli-practice-2026-unique Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
test.txt
txt
October 23, 2026, 15:46:01 (UTC+05:30)
44.0 B
Standard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
32°C
Mostly sunny
Search
ENG
IN
3:47 PM
10/23/2026


7. Write a Bash script to create an S3 bucket.




•




•




8. Upload a 1 GB file to S3 using the CLI.



•



•


MINGW64:/c/Users/USER/Documents
$ ls -lh 1gb.txt
-rw-r--r-- 1 USER 197121 1.0G Oct 23 16:23 1gb.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 cp 1gb.txt s3://parvez-s3-bash-20261023-590183902086/ --region ap-south-1
upload: .\1gb.txt to s3://parvez-s3-bash-20261023-590183902086/1gb.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3 ls s3://parvez-s3-bash-20261023-590183902086/ --region ap-south-1
2026-10-23 16:25:24 1073741824 1gb.txt
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3api head-object \
> --bucket parvez-s3-bash-20261023-590183902086 \
> --key 1gb.txt \
> --region ap-south-1
{
"AcceptRanges": "bytes",
"LastModified": "2026-10-23T10:55:24+00:00",
"ContentLength": 1073741824,
"ETag": "\"c789e490a90359de2bd3b09d7e957cfd-128\"",
"ContentType": "text/plain",
"ServerSideEncryption": "AES256",
"Metadata": {}
}
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ "ContentLength": 1073741824
bash: ContentLength:: command not found
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ "ContentLength": 1073741824
bash: ContentLength:: command not found
USER@DESKTOP-NTBFNKM MINGW64 ~/Documents
$ aws s3api head-object \
> --bucket parvez-s3-bash-20261023-590183902086 \
> --key 1gb.txt \
> --region ap-south-1
{
"AcceptRanges": "bytes",
"LastModified": "2026-10-23T10:55:24+00:00",
"ContentLength": 1073741824,
"ETag": "\"c789e490a90359de2bd3b09d7e957cfd-128\"",
"ContentType": "text/plain",
"ServerSideEncryption": "AES256",
"Metadata": {}
}
32°
Search
ENG
IN
4:32 PM
10/23/2026