


Week 3 Day 1 AI Extension was applied with GroQ models and page class generated the inspected the login screen Selenium with Java



Converted to switch the language to support with Playwright /Typescript

leafaptaps.com/opentaps/control/main

Testleaf
Always Ahead

Leafaptaps Login

Username

Password

Login

AI Browser Extension for Code Generation

Code Generator

Settings

☐ Feature File☒ Page Class

Reset Chat

I'm happy to help you create a Playwright page object, but I need a few details first:

1. Which programming language should the page class be written in (e.g., JavaScript/TypeScript, Python, Java, C#)?
2. The HTML markup of the page (the DOM content) so I can choose stable locators.
3. The page URL (if it influences any navigation logic).

Could you please provide these pieces of information? Once I have them, I'll generate the requested Playwright page class for you.

Copy

TypeScript

Inspect

Activate Windows
Go to Settings to activate Windows.

Generate

leafaptaps.com/opentaps/control/main

Testleaf
Always Ahead

Leafaptaps Login

Username

Password

Login

AI Browser Extension for Code Generation

Code Generator

Settings

☐ Feature File☒ Page Class

Reset Chat

TypeScript

Copy

```
import { Page, Locator } from '@playwright/test';


/**
 * Page Object representing the target page.
 * Provides stable locators and actions for interacting with the UI.
 */
export class TargetPage {
  readonly page: Page;

  // Example stable locators - replace with actual selectors from the DOM
  readonly header: Locator;
  readonly usernameInput: Locator;
  readonly passwordInput: Locator;
```


Activate Windows
Go to Settings to activate Windows.

Week 3 - Day 2

Reset and Download Button for .xls added



Week 3 - Day 2 Home Assignment Integrate the Jira with this existing codebase



←→↺🔍localhost:5173

🏠🔖🔍🔗👤Finish up

Story Title *

KAN-29: Ahc Reports Reports Ahc

Summary

Ahc Reports Reports Ahc

Description

As a user, I want to ahc reports reports ahc so that the related functionality works as expected.

Acceptance Criteria *

Given reports exist in the system, when a user views or generates a report, then the report should display accurate and up-to-date information.

Additional Info

Any additional information (optional)...

TEST CASE ID	TITLE	CATEGORY	EXPECTED RESULT
▶ TC-001	View existing report with valid permissions	Positive	The selected report is displayed with accurate and up-to-date information matching the source data
▶ TC-002	Generate a new report with default parameters	Positive	A new report is created and displayed; the content reflects the latest data in the system
▶ TC-003	Generate report with specific date range filter	Positive	Report is generated showing data only within the specified date range and matches source records for that period
▶ TC-004	Attempt to view a report without proper authorization	Authorization	Access is denied and an appropriate error message (e.g., "You do not have permission to view this report") is displayed
▶ TC-005	Attempt to generate a report with invalid date format	Negative	The system shows a validation error indicating the date format is incorrect and does not generate a report

17:31