






Before Ingestion 122 Resumes






After Ingestion 123 resumes







Now Vector Search




BM25 Search





Hybrid Search with ranking #1 to 5 and match %








Frontend Resume UI Implementation Phase by Phase



localhost:5173
New Chrome available
RecruitBot
Intake workspace
PEOPLE OPERATIONS / INTAKE
Resume ingestion
Prepare candidate resumes for your searchable talent pool.
RESUME INTAKE
Add a resume
01 / 01
Drop a resume PDF here
or choose a file from your device
Browse files
PDF format
Select a PDF to continue
Upload Resume
THIS SESSION
Active
00
resumes submitted
No recent activity
Upload activity will appear here after the backend connection is added.
Activate Windows
Go to Settings to activate Windows.
Type here to search
29°C
ENG
10:43
04-10-2026


File Edit Selection View Go Run Terminal Help
HR Resume portal
Update
Explorer
HR Resume portal
recruitbot-web
src
assets
features
App.css
App.tsx
index.css
main.tsx
.gitignore
.oxlintrc.json
index.html
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
tsconfig.node.json
vite.config.ts
Resumes (1)
src
config
Outline
Timeline
Local History will track recent changes as you save them unless the file has been excluded or is too large. Source Control has not been configured.
recruitbot-web
http://localhost:5173/
Sharing with Agent
Dimensions: 390 844 DPR: 1
Scale: Auto (24%)
Output (Ctrl+Shift+U)
Problems
Output
Terminal
ortal\node_modules\express\lib\application.js:635:24
)
PS C:\Users\user\Desktop\HR Resume portal> npm run dev
at processTicksAndRejections (node:internal/process/task_queues:104:5)
[ERROR] 10:32:44 Error: listen EADDRINUSE: address already in use :::3000
PS C:\Users\user\Desktop\HR Resume portal> npm run build
> resume-rag-backend@1.0.0 build
> tsc
PS C:\Users\user\Desktop\HR Resume portal>
Chat
Claude Code
Create MongoDB vector search config
i am not able to see the phase 1 front end ui
Proceed with Phase 2 only. Do not proceed with Phase 3 until I approve
Completed 32 steps in 4m 28s
Phase 2 complete
The Vite page now shows the resume-upload interface: drag/drop and browse selection, selected filename and file size, a status panel, and an upload button. Selecting a non-PDF shows an error. Clicking Upload does not contact the backend or claim success; it reports that upload is not connected yet.
Verification: The frontend build passed. In the browser, the sample PDF appeared as selected, the invalid-file error displayed, and the layout fit at 390 px with no horizontal overflow. No backend requests were sent.
View it at http://localhost:5173. I have not started Phase 3.
recruitbot-web
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Activate Windows
Go to Settings to activate Windows.
Claude



File Edit Selection View Go Run Terminal Help
HR Resume portal
Update
Explorer
HR Resume portal
recruitbot-web
src
assets
features
App.css
App.tsx
index.css
main.tsx
.gitignore
.oxlintrc.json
index.html
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
tsconfig.node.json
vite.config.ts
Resumes (1)
src
config
Outline
Timeline 45095429-500c-494d-8095-be7b33581a1b
Local History will track recent changes as you save them unless the file has been excluded or is too large. Source Control has not been configured.
recruitbot-web
http://localhost:5173/
Sharing with Agent
Dimensions: 390 844 DPR: 1
Scale: Auto (24%)
Problems 1 Output Terminal
ortal\node_modules\express\lib\application.js:635:24
)
PS C:\Users\user\Desktop\HR Resume portal> npm run dev
at processTicksAndRejections (node:internal/process/task_queues:104:5)
[ERROR] 10:32:44 Error: listen EADDRINUSE: address already in use :::3000
PS C:\Users\user\Desktop\HR Resume portal> npm run build
> resume-rag-backend@1.0.0 build
> tsc
PS C:\Users\user\Desktop\HR Resume portal>
Chat Claude Code
Create MongoDB vector search config
Proceed with Phase 3 only. Do not proceed with Phase 4 until I approve
Completed 26 steps in 4m 19s
Phase 3 complete
The upload screen now sends the selected PDF as multipart/form-data using the field file, displays transfer and processing states, and reflects the backend's actual response or error. It prevents resubmitting after a completed response. No backend code was changed.
Verification: Frontend build passed. A live browser request reached the backend as multipart/form-data and returned HTTP 200; the backend identified the resume as already stored and skipped the duplicate, so no new resume was added.
Endpoint note: The guide says /v1/resume/inject, but the backend actually registers POST /v1/resume/ingest; /inject is not registered. The frontend uses the implemented /ingest route.
Updated the ingestion API service, upload screen, and upload components. I have not proceeded to Phase 4.
recruitbot-web
Describe what to build
Agent Auto Balance
Local Default permissions
Activate Windows
Go to Settings to activate Windows.
Claude


localhost:5173
New Chrome available
PEOPLE OPERATIONS / INTAKE
Resume ingestion
Prepare candidate resumes for your searchable talent pool.
RESUME INTAKE
Add a resume
01 / 01
sample_upload.pdf
1 KB · PDF selected
PDF format
File ready
Upload Resume
Upload status
Ready
PDF selected
THIS SESSION
Active
00
resumes ingested
Awaiting upload
Backend responses for this session appear here.
Activate Windows
Go to Settings to activate Windows.








MongoDB it was 120 earlier now after new resume ingestion it is 121




Phase 5 completed


File Edit Selection View Go Run Terminal Help
HR Resume portal
Update
Explorer
HR Resume portal
recruitbot-web
src
assets
features
App.css
App.tsx
index.css
main.tsx
.gitignore
.oxlintrc.json
index.html
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
tsconfig.node.json
vite.config.ts
Resumes (1)
src
config
Outline
Timeline
Local History will track recent changes as you save them unless the file has been excluded or is too large. Source Control has not been configured.
recruitbot-web
recruitbot-web
http://localhost:5173/
Sharing with Agent
Dimensions: 390 844 DPR: 1
Scale: Auto (24%)
Problems 1 Output Terminal
ortal\node_modules\express\lib\application.js:635:24
)
PS C:\Users\user\Desktop\HR Resume portal> npm run
ev--------------------
at processTicksAndRejections (node:internal/proc
ess/task_queues:104:5)
[ERROR] 10:32:44 Error: listen EADDRINUSE: address a
lready in use :::3000
PS C:\Users\user\Desktop\HR Resume portal> npm run b
uild
> resume-rag-backend@1.0.0 build
> tsc
PS C:\Users\user\Desktop\HR Resume portal>
Chat Claude Code
Create MongoDB vector search config
okay Proceed with Phase 5 only. Do not proceed with Phase 6 until I approve
Completed 27 steps in 5m 15s
Phase 5 complete
Extended the existing upload status panel with six ingestion stages. Transfer percentage reflects real browser upload progress; processing remains active while waiting for the backend. Later stages become complete only after a successful ingestion response. On failure, the UI reports that the backend failed without guessing which internal step failed.
Verification: Build passed. A real backend response for an existing resume showed the duplicate as skipped; an invalid sample PDF returned HTTP 422 and displayed the failure state with retry available. The six-stage list also fits at 390 px. No new resume was added to MongoDB.
The frontend remains available at http://localhost:5173. I have not proceeded to Phase 6.
recruitbot-web
Describe what to build
Agent Auto Balance
Local Default permissions
Activate Windows
Go to Settings to activate Windows.
Claude



localhost:5173
New Chrome available
Prepare candidate resumes for your searchable talent pool.
RESUME INTAKE
Add a resume
01 / 01
Drop a resume PDF here
or choose a file from your device
Browse files
PDF format
Upload status
No file sel
THIS SESSION
Active
00
resumes ingested
Open
This PC > Desktop > HR Resume portal
Search HR Resume portal
Organize
New folder
Day 02
Day 02 - Resume
HR Resume portal
Dropbox
OneDrive
Name
Date modified
Type
Size
01_IT_Business_Analyst_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
02_Senior_QA_Automation_Engineer_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
03_HR_Business_Partner_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
04_Software_Engineer_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
05_Project_Manager_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
06_Data_Analyst_Resume 04-10-2026 05:35 Microsoft Edge PDF ... 4 KB
File name: 01_IT_Business_Analyst_Resume
Custom Files
Open
Cancel
Activate Windows
Go to Settings to activate Windows.




MongoDB now122 resume




Phase 6 completed




Duplicate Resume Ingestion







Phase 7




Selected word file not pdf




Only PDF allowed




Phase 8





Phase 9




Frontend build passed; frontend and backend are responding.


Phase 7 validation checks were confirmed: empty submit, non-PDF, and oversized PDF are blocked before an ingestion request.


A valid PDF reached the backend. It was already stored, so ingestion returned HTTP 200 with status: "skipped" and did not add a duplicate.


Search readiness is true with 122 resumes and 122 embeddings. The BM25 endpoint returned HTTP 200 with results.


cloud.mongodb.com/v2/6aa458d486d63e0f8da747d9#/explorer/6aa459e786d63e0f8dab7ea7/RAGDB/resumes/find
Data Explorer
My Queries
Data Modeling
CLUSTERS (1)
Search clusters
Cluster0
RAGDB
Resume_Storage
TEST
resumes
test_cases
userstories
admin
local
sample_mflix
Cluster0 > RAGDB > resumes
Documents 122
Aggregations
Schema
Indexes 1
Validation
ADD DATA
BULK
EXPORT CODE
_id: ObjectId('6abd4d7e4f0198c9b05da217')
fileName: "Abish - Marketing (1) (1).pdf"
sourceHash: "ebc5c9dc44df26b21c26855db0c9b6e842acd36faec93da5184e9232e4da72e3"
rawText: "Phone:
+91 8668169115
Email:…"
name: "Phone"
email: "abzsh05@gmail.com"
phone: "+91 8668169115"
location: "Native"
company: null
role: "1.SEO Manager"
education: "ME"
totalExperience: 1.5
relevantExperience: null
Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales
Activate Windows


Phase 10



HR Resume portal
Explorer
recruitbot-web
package.json
postcss.config.js
README.md
tailwind.config.js
tsconfig.app.json
tsconfig.json
tsconfig.node.json
vite.config.ts
Resumes (1)
src
config
database.ts
env.ts
multerConfig.ts
resume-vector-search-index.json
skills.ts
controllers
middleware
modules
RecruitBot http://localhost:5173/ingestion
http://localhost:5173/ingestion
RecruitBot
Intake workspace
PEOPLE OPERATIONS / INTAKE
Resume ingestion
Prepare candidate resumes for your searchable talent pool.
Problems 1 Output Debug Console Terminal Ports
> resume-rag-backend@1.0.0 dev
PS C:\Users\user\Desktop\HR Resume portal> npm run dev
[INFO] 10:32:39 ts-node-dev ver. 2.0.0 (using ts-node ver. 10.9.2, typescript ver. 5.9.3)
MongoDB connected successfully
Error: listen EADDRINUSE: address already in use :::
net:2328:16)
at listenInCluster (node:net:2437:12)
at Server.listen (node:net:2562:7)
at app.listen (C:\Users\user\Desktop\HR Resume portal\node_modules\express\lib\application.js:635:24)
at startServer (C:\Users\user\Desktop\HR Resume
Chat Claude Code
Create MongoDB vector search config
okay Proceed with Phase 10 only. Do not proceed with Phase 11 until I approve
Phase 10 complete
Added the retrieval foundation in the existing frontend project: a routed AppShell, shared API client, typed retrieval contracts, chat/search/UI Zustand stores, Tailwind theme configuration, and accessible Shadcn-style primitives.
Verification: The production build and scoped Prettier check pass. ESLint reports no errors, with two non-blocking Fast Refresh warnings. In the browser, / shows the Candidate search foundation, and the Resume intake link opens /ingestion with the existing upload screen intact.
The Vite app is available at http://localhost:5173. Search controls and chat behavior are not included; those belong to Phase 11 and later. I have not proceeded to Phase 11.
Describe what to build
Activate Windows


localhost:5173
New Chrome available
RecruitBot
Talent workspace
WORKSPACE
Candidate search
Resume intake
Local workspace
RETRIEVAL WORKSPACE
Candidate search
Search workspace foundation is ready.
Activate Windows
Go to Settings to activate Windows.
Type here to search
31°C
ENG
12:22



localhost:5173/ingestion
New Chrome available
RecruitBot
Intake workspace
PEOPLE OPERATIONS / INTAKE
Resume ingestion
Prepare candidate resumes for your searchable talent pool.
RESUME INTAKE
Add a resume
01 / 01
Drop a resume PDF here
or choose a file from your device
Browse files
PDF format
Select a PDF to continue
Upload Resume
THIS SESSION
Active
00
resumes ingested
No recent activity
Backend responses for this session appear here.
Activate Windows
Go to Settings to activate Windows.


Phase 11


File Edit Selection View Go Run Terminal Help
HR Resume portal
Explorer
HR Resume portal
src
app.ts
server.ts
tests
uploads
.env
.env.example
.gitignore
01_IT_Business_Analyst_Resume.pdf
01_Resume_Ingestion_Phasewise_1_To_17_Implementation02.md
01_Resume_Ingestion_Phasewise_Implementation 1.md
02_Resume_Retrieval_Phasewise_Implementation 2.md
02_Senior_QA_Automation_Engineer_Resume.pdf
03_HR_Business_Partner_Resume.pdf
04_Software_Engineer_Resume.pdf
05_Project_Manager_Resume.pdf
06_Data_Analyst_Resume.pdf
07_Talent_Acquisition_Specialist_Resume.pdf
08_Manual_QA_Analyst_Resume.pdf
09_Product_Manager_Resume.pdf
10_DevOps_Engineer_Resume.pdf
Outline
Timeline 02_Resume_Retrieval_Phasewise_Implementation 2.md
File Saved
2 hrs
02_Resume_Retrieval_Phasewise_Implementation 2.md
12. Final Rule for Learners
Verify fallback + end-to-end search
Application complete
The implementation objective is not simply to create endpoints. The learner must prove each phase with its request, expected response, MongoDB result, and test checkpoint before moving forward.
Problems
Output
Debug Console
Terminal
Ports
> resume-rag-backend@1.0.0 dev
PS C:\Users\user\Desktop\HR Resume portal> npm run dev
[INFO] 10:32:39 ts-node-dev ver. 2.0.0 (using ts-node ver. 10.9.2, typescript ver. 5.9.3)
MongoDB connected successfully
Error: listen EADDRINUSE: address already in use :::
net:2328:16)
at listenInCluster (node:net:2437:12)
at Server.listen (node:net:2562:7)
at app.listen (C:\Users\user\Desktop\HR Resume portal\node_modules\express\lib\application.js:635:24)
at startServer (C:\Users\user\Desktop\HR Resume
Update
Chat
Claude Code
Create MongoDB vector search config
okay Proceed with Phase 11 only. Do not proceed with Phase 12 until I approve
Phase 11 complete
Added the sidebar controls and connected them to the existing Zustand stores: search mode selection, complementary hybrid weights with presets, result limit, and Clear chat. The Resume intake link remains available. Search/chat interactions are still placeholders for later phases.
Verified: Browser checks confirmed mode switching, 50/50 and 70/30 weights, keyboard adjustment to 71/29, result limit 10, and working intake navigation with no mobile horizontal overflow. Build and Prettier pass; ESLint has two non-blocking Fast Refresh warnings. Vite notes the initial bundle exceeds 500 KB.
The app is available at http://localhost:5173. I have not proceeded to Phase 12.
Describe what to build
Activate Windows
Go to Settings to activate Windows.
Ln 1363, Col 1
Spaces: 2
UTF-8
LF
Markdown
Claude



localhost:5173
New Chrome available
RecruitBot
Online
Search mode
Vector Search
Semantic matching
BM25 Keyword
Lexical matching
Hybrid
Combined ranking
Search weights
BM25
50%
Vector
50%
50 / 50
70 / 30
30 / 70
Results limit
Talent workspace
RecruitBot
RETRIEVAL WORKSPACE
Candidate search
Search workspace foundation is ready.
Activate Windows
Go to Settings to activate Windows.


Phase 12



File Edit Selection View Go Run Terminal Help
HR Resume portal
Explorer
HR Resume portal
src
app.ts
server.ts
tests
uploads
.env
.env.example
.gitignore
01_IT_Business_Analyst_Resume.pdf
01_Resume_Ingestion_Phasewise_1_To_17_Implementation02.md
01_Resume_Ingestion_Phasewise_Implementation 1.md
02_Resume_Retrieval_Phasewise_Implementation 2.md
02_Senior_QA_Automation_Engineer_Resume.pdf
03_HR_Business_Partner_Resume.pdf
04_Software_Engineer_Resume.pdf
05_Project_Manager_Resume.pdf
06_Data_Analyst_Resume.pdf
07_Talent_Acquisition_Specialist_Resume.pdf
08_Manual_QA_Analyst_Resume.pdf
09_Product_Manager_Resume.pdf
10_DevOps_Engineer_Resume.pdf
Outline
Timeline
Local History will track recent changes as you save them unless the file has been excluded or is too large. Source Control has not been configured.
02_Resume_Retrieval_Phasewise_Implementation 2.md
RecruitBot
http://localhost:5173/
Sharing with Agent
Dimensions: 390 844 DPR: 1 Scale: Auto (27%)
Problems Output Debug Console Terminal Ports
> resume-rag-backend@1.0.0 dev
PS C:\Users\user\Desktop\HR Resume portal> npm run dev
[INFO] 10:32:39 ts-node-dev ver. 2.0.0 (using ts-node ver. 10.9.2, typescript ver. 5.9.3)
MongoDB connected successfully
Error: listen EADDRINUSE: address already in use :::net:2328:16)
at listenInCluster (node:net:2437:12)
at Server.listen (node:net:2562:7)
at app.listen (C:\Users\user\Desktop\HR Resume portal\node_modules\express\lib\application.js:635:24)
at startServer (C:\Users\user\Desktop\HR Resume
Update
Chat
Claude Code
Create MongoDB vector search config
okay Proceed with Phase 12 only. Do not proceed with Phase 13 until I approve
Phase 12 complete
Added the chat topbar, welcome message, suggestion chips, user/assistant bubbles, scrollable message thread, loading indicator, and auto-resizing composer. Search mode changes update the topbar, and Clear chat restores the welcome state. The ingestion route remains available.
Verification: Browser interactions passed, including suggestions, Enter/Shift+Enter, mode updates, and mobile layout. No search API request was sent; backend search and candidate results are Phase 13. Build and formatting checks pass. ESLint has two non-blocking Fast Refresh warnings; Vite reports a bundle-size warning.
The app is at http://localhost:5173. I have not proceeded to Phase 13.
RecruitBot
Describe what to build
Agent
Auto
Balance
Activate Windows
Go to Settings to activate Windows.
Claude




Phase 13 BM25 Search and Vector Search





localhost:5173
New Chrome available
RecruitBot
Online
Search mode
Vector Search
Semantic matching
BM25 Keyword
Lexical matching
Hybrid
Combined ranking
Results limit
Show top
5
results
Clear chat
Resume intake
RecruitBot · Talent workspace
Talent workspace
RecruitBot
RecruitBot
Vector Search · Semantic similarity
Vector Search
Selenium automation engineer 3 years
07:01 PM
Found 5 candidatesVector Search · 4024 ms
#1
MKAssociate Senior Software Engineer, 07/2022 - Current
0.776 · Similarity
JavaSeleniumPostmanSQLJenkinsREST AssuredCucumberRAG
Matched by vector
#2
Search resumes by skill, role, experience, or company
Press Enter to search · Shift+Enter for a new line
Activate Windows
Go to Settings to activate Windows.



localhost:5173
New Chrome available
RecruitBot
Online
Search mode
Vector Search
Semantic matching
BM25 Keyword
Lexical matching
Hybrid
Combined ranking
Results limit
Show top
5
results
Clear chat
Resume intake
RecruitBot · Talent workspace
Talent workspace
RecruitBot
RecruitBot
BM25 Keyword · Lexical matching
BM25 Keyword
Java backend developer AWS cloud
07:02 PM
Found 5 candidatesBM25 Keyword · 732 ms
#1
RAJADURAI ARIVAZHAGANBackend developer
47 · BM25
6 years
JavaSQLMongoDBJenkins
RAJADURAI ARIVAZHAGAN Backend developer rajaduraimax96@gmail.com | 9600376187 | Shollinganallur, Chennai | 6 years experience OBJECTIVE Backend Software Developer with over 6 years of experience desig
Matched by bm25
Search resumes by skill, role, experience, or company
Press Enter to search · Shift+Enter for a new line
Activate Windows
Go to Settings to activate Windows.





Phase 14



Phase 15


02_Resume_Retrieval_Phasewise_Implementation 2.md
12. Final Rule for Learners
Verify fallback + end-to-end search
Application complete
The implementation objective is not simply to create endpoints. The learner must prove each phase with its request, expected response, MongoDB result, and test checkpoint before moving forward.
Chat
Claude Code
Resume retrieval phase 13 completion
Proceed with Phase 15. Do not proceed with Phase 16 until I approve
End-to-end results:
| Check | Result
1–3 | Welcome + 4 chips → chip fires search → summary header and ranked cards #1–#5
4–5 | BM25 mode: topbar badge updates, cards show BM25 score pills
6–7 | Hybrid: weight panel appears; sliders stay complementary (55/45), presets work (30/70)
7b | A hybrid search renders LLM-rank cards (marked "Partial results" because of the Groq limit)
8–9 | Card click opens the full profile; focus stays inside; Escape closes and focus returns to the card
9b | Enter on a card opens the modal; clicking outside closes it
10 | Clear chat resets the thread and the welcome message comes back
10b | Ingestion page is still reachable from the sidebar
— | No console errors or warnings
The frontend builds, lint shows 0 errors, and Prettier is clean.
Differences from the spec:
I kept the app's light green theme and Avenir font, not the doc's dark indigo palette and Inter font.
Ask Claude to edit...
Activate Windows
Go to Settings to activate Windows.


localhost:5173
New Chrome available
RecruitBot
Online
Search mode
Vector Search
Semantic matching
BM25 Keyword
Lexical matching
Hybrid
Combined ranking
Results limit
Show top 5 results
Clear chat
Resume intake
Talent workspace
RecruitBot
BM25 Keyword
#3
GEANT CLEMENT RADJE
104 - BM25
4 years
Java
Selenium
Playwright
API Testing
Postman
SQL
Jenkins
Cucumber
#4
RAJADURAI ARIVAZHAGAN
Backend developer
96 - BM25
6 years
Search resumes by skill, role, experience, or company
Activate Windows
Go to Settings to activate Windows.



AI Developer

CONTACT

khaleelurahman34@gmail.com

+917604936742

SKILLS

SQL | MongoDB | Python | RAG | GitHub

EXPERIENCE

1 year total


experience in building and deploying real-


AI Developer

EDUCATION

BTech -Artificial Intelligence and Data Science

Source: Khaleelur Rahman_ Resume.pdf





PAVITHRAN S

Senior Manager – Career Services & Learning & Development | 2020 – 2025 · onboarding pipelines, 40

CONTACT

pavithran.shiva8@gmail.com

s, ensuring consistent delivery quality.

EXPERIENCE

10 years total

experience across EdTech, higher education, and skill development ecosystems. Proven expertise in


- **Senior Manager – Career Services & Learning & Development | 2020 – 2025**
- **Training Excellence Manager / Centre Head / Regional Operations Lead | 2016 – 2020**


EDUCATION

MBA - Analytics | 2024 – 2026

Source: Naukri_Pavithransivakumar[10y_0m].pdf

Phase 17 more than 500 characters is truncated


02_Resume_Retrieval_Phasewise_Implementation 2.md
12. Final Rule for Learners
Verify fallback + end-to-end search
Application complete
The implementation objective is not simply to create endpoints. The learner must prove each phase with its request, expected response, MongoDB result, and test checkpoint before moving forward.
Chat
Claude Code
Resume retrieval phase 13 completion
what to test?
image.png 2147×1404
Thought for 4s
The screenshot shows Phase 17 working:
The pasted query was cut off at 500 characters (it ends mid-word at "Integr").
The search still ran normally: 5 results in 1,343 ms.
Two things in it are worth flagging. The first is the name "M□□□□□ K□□□□". I'll check what characters are actually stored for it:
PowerShell Inspect stored name characters (read-only)
Set-Location ..
$js = @'
require("dotenv").config();
file: Mukesh_Kanna_Resume -update resume.pdf
codepoints: U+4D U+0 U+0 U+0 U+0 U+0 U+20 U+48 U+0 U+0 U+0 U+0
NFKC: "M\u0000\u0000\u0000\u0000\u0000 K\u0000\u0000\u0000\u0000"
Ask Claude to edit...
Opus 5.5 Medium
Activate Windows
Go to Settings to activate Windows.


localhost:5173
New Chrome available
RecruitBot
Online
Search mode
Vector Search
Semantic matching
BM25 Keyword
Lexical matching
Hybrid
Combined ranking
Results limit
Clear chat
Resume intake
Talent workspace
RecruitBot
Vector Search · Semantic similarity
Search for highly qualified candidates or job opportunities for a **Senior QE Engineer / Senior Quality Engineer / Senior Quality Assurance Engineer / Senior QA Engineer / Senior Software Test Engineer / Senior SDET / Senior Automation Test Engineer / Senior Quality Engineering Specialist** position. Focus on professionals with strong hands-on experience in **Quality Engineering, Software Quality Assurance, Test Automation, API Testing, UI Testing, Functional Testing, Regression Testing, Integr
Found 5 candidates
Vector Search · 1343 ms
M□□□□□ K□□□□
Associate Senior Software Engineer, 07/2022 - Current
0.805 - Similarity
Search resumes by skill, role, experience, or company
Activate Windows
Go to Settings to activate Windows.