


Working Sub-flow



Details of each node: Created a new work flow Test_Case_Converter

When Executed by Another Workflow

Parameters Settings Execute step

Input data mode: Accept all data

OUTPUT: 5 Items

T	path	mode	type	sha	#	size	url
T	CRM_25-main/CRM_25-main/src/main/java/com/salesforce/testcases/TC001_CreateNewCase.java	100644	blob	ca06129b50c2dd5dd4da5c95a616ac337d621221	1489		https://api.github.com/repos/Harrish-sdet/CRM/git/blobs/ca06129b50c2dd5dd4da5c95a616ac337d621221

I wish this node would...

Activate Windows
Go to Settings to activate Windows.

Loop Over Items

Loop Over Items

INPUT: 5 Items

T	path	mode	type	sha	#	size	url
T	CRM_25-main/CRM_25-main/src/main/java/com/salesforce/testcases/TC001_CreateNewCase.java	100644	blob	ca06129b50c2dd5dd4da5c95a616ac337d621221	1489		https://api.github.com/repos/Harrish-sdet/CRM/git/blobs/ca06129b50c2dd5dd4da5c95a616ac337d621221

Wait

Convert to File

AI Agent

HTTP Request

Variables and context

Parameters Settings Execute step

You may not need this node — n8n nodes automatically run once for each input item. More info

Batch Size: 1

Options: Reset

OUTPUT: Run 6 of 6 (5 Items)

Done Branch (5 Items) Loop Branch

1

data

File Name: TC001_CreateNewCase.spec.ts
File Extension: ts
Mime Type: text/plain
File Size: 2.37 kB

View Download

2

data

File Name: TC002_CreateIndividuals.spec.ts
File Extension:

I wish this node would...

Activate Windows
Go to Settings to activate Windows.

Http Request

The screenshot shows the 'HTTP Request' node configuration. The 'INPUT' tab on the left lists a 'Loop Over Items' with a path to a Java file. The 'Parameters' tab in the center shows the method set to 'GET', the URL using a JSON variable, and headers set to 'Accept'. The 'OUTPUT' tab on the right shows the raw JSON response of the request.

This screenshot shows the 'HTTP Request' node configuration with the 'Specify Headers' dropdown set to 'Using Fields Below'. The 'Headers' section shows a single header 'Accept' with the value 'application/vnd.github.raw+json'. The 'Send Body' option is disabled. The 'OUTPUT' tab shows the raw JSON response.

AI Agent

The screenshot shows the 'AI Agent' node configuration. The 'INPUT' tab on the left shows the 'HTTP Request' node as the data source. The 'Parameters' tab in the center shows the 'Prompt (User Message)' set to a fixed expression that uses the 'data' from the previous node. The 'OUTPUT' tab on the right shows the AI-generated response, which is a JSON object containing test case information.

Convert to File

Convert to File

INPUT: AI Agent (1 item)

Operation: Convert to Text File

Text Input Field: output

Put Output File in Field: data

File Name: `{{ $('Loop Over Items').item.json.path.split('/').pop().replace('.java', '.spec.ts') }}`

TC005_CreateWorkType.spec.ts

OUTPUT: Run 5 of 5 (1 item)

data

File Name: TC005_CreateWorkType.spec.ts

File Extension: ts

Mime Type: text/plain

File Size: 1.81 kB

View Download

Wait

Wait

INPUT: Convert to File (Run 5 of 5 (1 item))

data

File Name: TC005_CreateWorkType.spec.ts

File Extension: ts

Mime Type: text/plain

File Size: 1.81 kB

View Download

Parameters: Resume (After Time Interval)

Wait Amount: 60.00

Wait Unit: Seconds

OUTPUT: Run 5 of 5 (1 item)

data

File Name: TC005_CreateWorkType.spec.ts

File Extension: ts

Mime Type: text/plain

File Size: 1.81 kB

View Download

Code in Javascript{}

Code in JavaScript

INPUT: Loop Over Items (Run 6 of 6 (5 items))

Done Branch (5 items)

1

data

File Name: TC001_CreateNewCase.spec.ts

File Extension: ts

Mime Type: text/plain

File Size: 2.37 kB

View Download

2

data

File Name: TC002_CreateIndividuals.spec.ts

File Extension: ts

JavaScript

1 return \$('Convert to File').all();

OUTPUT: 1 item

data

File Name: TC005_CreateWorkType.spec.ts

File Extension: ts

Mime Type: text/plain

File Size: 1.81 kB

View Download

