


Week 4 – Day 01 swagger-api-testcase-generator-updated-ui 2 –

Extracted, Changed Groq Key and executed UI works fine




Gave the prompt


Analyze my entire project as an API Architect.

Currently, after launching the agent, the application navigates directly to the Upload File page. I want to introduce a new UI feature before this page by adding a radio button with two options: Upload File and Upload Link. The existing Upload File flow is already implemented and should remain unchanged. If the user selects Upload Link, the application should accept a URL as input and then it should go through a validation process same as upload file and display generate test cases button to generate test cases based on the information available in the link.. identify the impacted files. Do not implement any changes yet; only provide the list of impacted files. Once the analysis is complete, I will proceed with the implementation in Agent Mode.

Added Radio Button Upload File and Upload Link



Upload booker-api file and generated test cases



Testleaf API Testcase Generator

Swagger uploaded and validated successfully.

STEP 2

Validated

booker-api.yaml

OpenAPI: **3.0.3**

Errors: **0**

Warnings: **1**

Valid Specification

Proceed to generate testcases

Testleaf API Testcase Generator

Clear

7

1

1

1

Authentication: 1

Authorization: 1

Validation: 1

Search ID, endpoint, method, or title


All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	GET	/booking/{id}	positive	Retrieve existing booking with valid ID	High	View
TC-API-002	GET	/booking/{id}	negative	Retrieve non-existent booking returns 404	High	View
TC-API-003	GET	/booking/{id}	boundary	Retrieve booking using boundary ID value 0	Medium	View
TC-API-004	GET	/booking/{id}	authentication	Access booking without authentication headers	Low	View

Activate Windows

Now using Upload Link

<https://petstore.swagger.io/v2/swagger.json>



Homework

Enhance the existing application by implementing a feature that automatically categorizes the generated test cases into standard testing types such as Smoke, Sanity, Regression, Functional.

Once the test cases are generated, the application should classify each test case into the most appropriate category and display the categorized results in a structured and user-friendly format

The new functionality should seamlessly integrate with the existing test case generation workflow without impacting current features

Using File upload booker-api file and generated test cases with testing types Smoke, Sanity, Regression,

STEP 3

Groq LLM - Openai/pt-Oss-120b

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases
7

Smoke Tests
1

Sanity Tests
1

Regression Tests
5

Functional Tests
0

Test type classification Every generated case has one primary testing type.

● Smoke: 1 ● Sanity: 1 ● Regression: 5 ● Functional: 0

Testleaf

API Testcase Generator

Clear

Test type classification Every generated case has one primary testing type.




● Smoke: 1 ● Sanity: 1 ● Regression: 5 ● Functional: 0

All test types

All categories

ID	METHOD	ENDPOINT	TEST TYPE	SCENARIO	TITLE	PRIORITY	STATUS
TC-API-001	GET	/booking/{id}	Smoke	positive	Retrieve existing booking with valid ID	High	View
TC-API-002	GET	/booking/{id}	Regression	negative	Retrieve non-existent booking returns 404	High	View
TC-API-003	GET	/booking/{id}	Regression	boundary	Retrieve booking with boundary ID value 0	Medium	View
TC-API-004	GET	/booking/{id}	Sanity	validation	Retrieve booking with negative ID fails validation	Medium	View
TC-API-005	GET	/booking/{id}	Regression	error-handling	Handle not-found error gracefully	Medium	View
TC-API-006	GET	/booking/{id}	Regression	authentication	Access booking without authentication headers	Low	View
TC-API-007	GET	/booking/{id}	Regression	authorization	Access booking with irrelevant auth token	Low	View

Using upload link <https://petstore.swagger.io/v2/swagger.json> generated test cases with testing types Smoke, Sanity, Regression,



Testleaf
ALWAYS AHEAD

API Testcase Generator

Clear

Test type classification

Every generated case has one primary testing type.

Smoke: 3Sanity: 1Regression: 5Functional: 1

Search ID, endpoint, method, or title

All test types

All categories

ID	METHOD	ENDPOINT	TEST TYPE	SCENARIO	TITLE	PRIORITY	STATUS
TC-API-001	GET	/pet/findByStatus	Smoke	positive	Find pets by status with valid status	High	View
TC-API-002	GET	/pet/{petId}	Regression	negative	Get pet by ID with invalid non-numeric ID	High	View
TC-API-003	GET	/store/order/{orderId}	Regression	boundary	Get order by ID at maximum allowed value	Medium	View
TC-API-004	GET	/user/login	Regression	authentication	Login with valid credentials	High	View
TC-API-005	GET	/pet/{petId}	Regression	authorization	Get pet by ID with valid API key	High	View
TC-API-006	POST	/store/order	Sanity	validation	Place order with missing required fields	High	View

Activate Windows
Go to Settings to activate Windows.