
TERRAFORM-02

Added two providers





Created lifecycle


1.create_before_destroy

2.prevent destroy


3.ignore changes


File Edit Selection View Go Run
terraform.practice
Update
Explorer
terra...
.terraform
.terraform.lock.hcl
hello.txt
main.tf
terraform-practice
terraform.tfstate
terraform.tfstate.bac...
terraform-practice
main.tf
main.tf (in file) ↔ main.tf (in Visual Studio Code) - Resolve save conflict
hello.txt
main.tf > ...
12 }
13
14 resource "random_pet" "petname" {
15 prefix = "mr"
16 separator = "."
17 length = 1
18 }
19
20 resource "local_file" "pet" {
21 filename = "${path.module}/hello.txt"
22 content = "we love tiger! Pet name: ${random_pet.petname.id}"
23
24 lifecycle {
25 create_before_destroy = true
26 }
27 }
28
Problems Output Debug Console Terminal Ports
powersh...
powershell
Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.
Enter a value: yes
local_file.pet: Creating...
local_file.pet: Creation complete after 0s [id=b52e09c429b3a3810f5cfecb49f538e51c029f32]
Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
PS C:\terraform.practice>
Outline
Timeline main.tf
File Saved 7 mins
File Saved 46 mins
File Saved 49 mins
File Saved 59 mins
File Saved 1 hr


File Edit Selection View Go Run
terraform.practice
Update
Explorer
terraform.practice
.terraform
.terraform.lock.hcl
hello.txt
main.tf
terraform-practice
terraform.tfstate
terraform.tfstate.bac...
terraform-practice
main.tf
main.tf (in file) ↔ main.tf (in Visual Studio Code) - Resolve save conflict
hello.txt
Chat
main.tf > ...
14 resource "random_pet" "petname" {
16 separator = "."
17 length = 1
18 }
19
20 resource "local_file" "pet" {
21 filename = "${path.module}/hello.txt"
22 content = "we love animals! Pet name: ${random_pet.petname.id}"
23
24 lifecycle {
25 prevent_destroy = true
26 }
27 }
28
Problems Output Debug Console Terminal Ports
powersh...
powershell
Plan: 1 to add, 0 to change, 1 to destroy.
Error: Instance cannot be destroyed
on main.tf line 20:
20: resource "local_file" "pet" {
Resource local_file.pet has lifecycle.prevent_destroy set, but the plan calls for this resource to be destroyed. To avoid this error and continue with the plan, either disable
Build with Agent
AI responses may be inaccu
Generate Agent Instructions
onboard AI onto your codeb
main.tf
Describe what to build
Agent Models
Local Default permissions
Outline
Timeline main.tf
File Saved now
File Saved 14 mins
File Saved 53 mins
File Saved 56 mins
File Saved 1 hr


Explorer
terraform.practice
.terraform
.terraform.lock.hcl
hello.txt
main.tf
terraform-practice
terraform.tfstate
terraform.tfstate.bac...
main.tf 1
main.tf (in file) ↔ main.tf (in Visual Studio Code) - Resolve save conflict 1
hello.txt
main.tf > resource "local_file" "pet"
resource "random_pet" "petname" {
length = 1
}
resource "local_file" "pet" {
filename = "${path.module}/hello.txt"
content = "we love animals! Pet name: ${random_pet.petname.id}"
lifecycle {
ignore_changes = [
all
]
}
Problems 1
Output
Debug Console
Terminal
Ports
25: ignore_changes = true
A static list expression is required.
PS C:\terraform.practice> terraform validate
Success! The configuration is valid.
PS C:\terraform.practice> terraform apply
local_file.pet: Refreshing state... [id=b52e09c429b3a3810f5cfecb49f538e51c029f32]
Outline
Timeline main.tf
File Saved now
File Saved 4 mins
File Saved 18 mins
File Saved 57 mins
File Saved 1 hr
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
main.tf
Describe what to build
Agent
Models
Local
Default permissions
powersh...
powershell

Variables


File Edit Selection View Go Run
terraform.practice
Update
Explorer
terraform.practice
.terraform
variable.tf
variable.tf
.terraform.lock.hcl
hello.txt
main.tf
terraform-practice
terraform.tfstate
terraform.tfstate.bac...
variables.tf
terraform-practice
main.tf
hello.txt
.terraform.lock.hcl
terraform -version
terraform {
required_providers {
local = {
source = "hashicorp/local"
version = "~> 2.5"
}
}
}
provider "local" {}
resource "local_file" "pet" {
filename = "/root/hello.txt"
content = "we love animals!"
}
resource "random_pet" "petname" {
variable.tf
main.tf
.terraform.lock.hcl
variable "filename" {
type = string
default = "hello.txt"
}
variable "content" {
type = string
default = "we love animals"
}
Problems
Output
Debug Console
Terminal
Ports
Terraform has compared your real infrastructure against your configuration and found no differences, so no changes are needed.
Apply complete! Resources: 0 added, 0 changed, 0 destroyed.
PS C:\terraform.practice> Get-Content .\hello.txt
we love tiger! Pet name: mr.escargot
PS C:\terraform.practice> Get-Content .\hello.txt
we love animals. Pet name: mr.escargot
PS C:\terraform.practice> terraform apply
random_pet.petname: Refreshing state... [id=mr.escargot]
Outline
Timeline terraform-pra...
File Saved 1 hr
File Saved
File Saved 3 hrs
File Saved 1 day
File Saved
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
terraform-practice
Describe what to build
Agent
Models
Local
Default permissions
powersh...
powershell
Ln 21, Col 18
Spaces: 2
UTF-8
CRLF
Plain Text

Integrate Terraform with Jenkins

