

AI-POWERED CYBERSECURITY PLATFORM

Cyber Threat Detection System

Machine Learning-Driven SOC Platform for Real-Time Network Intrusion Classification,
Anomaly Detection & Threat Intelligence

🌲 Random Forest Classifier

📊 UNSW-NB15 Benchmark

⚡ Real-Time Traffic Inference

🛡️ Interactive SOC Dashboard

PROJECT TYPE: Machine Learning & Cybersecurity

DATASET: UNSW-NB15 Network Flows

STATUS: Verified & Production-Ready

Why Cyber Threat Detection?

Bridging the gap between explosive network traffic volumes and human analyst limitations

⚠️ The Traditional Security Crisis

- ✖ **Packet Overload:** Modern enterprise networks process millions of flow records per second, making manual inspection impossible.
- ✖ **Static Signature Failures:** Legacy firewalls rely on pre-stored hashes and rules, which immediately fail against zero-day and polymorphic attacks.
- ✖ **Alert Fatigue:** Security Operations Centers (SOC) face thousands of false positives daily, drowning critical intrusion signals.
- ✖ **Delayed Response Time:** Traditional forensic triage takes hours or days after a breach has already compromised critical infrastructure.

💡 The Proposed AI Solution

- ✦ **Behavioral Machine Learning:** Learns complex statistical patterns in network flow headers (duration, packet rates, byte sizes, protocol states).
- ✦ **Binary Classification:** Instantly classifies network activity into Normal (0) or Threat (1).
- ✦ **Model Prediction Confidence:** Generates probabilistic confidence scores (0% to 100%) for every single network packet record.
- ✦ **Unified SOC Interface:** Translates low-level network telemetry into actionable executive metrics, donut charts, and downloadable reports.

Core Goals & Architectural Standards

Clear project criteria designed for real-world reliability and SOC operator usability

 **Real ML Inference**

- ◆ **Zero Hardcoded Metrics:** Every single metric on the dashboard is computed live from the loaded machine learning model.
- ◆ **Dynamic Confidence:** Computes probability distribution using `predict_proba()`.
- ◆ **Rapid Batch Processing:** Evaluates thousands of network flow records within milliseconds.

 **Dual SOC Dashboard**

- ◆ **Interactive Streamlit UI:** Instant CSV upload, dynamic cards, donut charts, and live data filtering.
- ◆ **Full-Stack FastAPI Backend:** Production REST API endpoints, JWT auth, and SQLite persistence.
- ◆ **Executive Reports:** Automated PDF report generation and CSV result export.

 **Robustness & Safety**

- ◆ **Strict Validation:** Verifies incoming CSV features against trained model schema before inference.
- ◆ **Zero-Crash Design:** Handles missing features, missing labels, and missing models gracefully with clean alerts.
- ◆ **100% Test Verified:** Validated with an automated 10-scenario verification suite.

MODEL PIPELINE

Random Forest

100 Estimators + Balanced Weights

CLASSIFICATION TARGET

Binary (0 / 1)

0 = Normal, 1 = Threat

DATASET STANDARD

UNSW-NB15

42 Extracted Network Features

TEST VERIFICATION

10 / 10 PASS

End-to-End System Reliability

UNSW–NB15 Network Benchmark

A modern, realistic cyber network traffic dataset reflecting contemporary attack vectors

Dataset Characteristics

- ◆ **Origin:** Created by the Australian Centre for Cyber Security (ACCS) at the University of New South Wales (UNSW).
- ◆ **Modern Context:** Overcomes the severe flaws and outdated attack profiles of 1999 KDD–Cup/NSL–KDD datasets.
- ◆ **Traffic Diversity:** Combines authentic real-world background traffic with contemporary synthetic attack vectors.
- ◆ **Files In Project:**
 - data/UNSW_NB15_training-set.csv (175,341 records)
 - data/UNSW_NB15_testing-set.csv (82,332 records)
 - data/sample/sample_network_traffic.csv (500 records)

Key Network Flow Features (42 Features)

- Flow Duration & Packet Metrics:**
dur (flow duration), spkts (source packets), dpkts (destination packets)
- Byte Volume & Transfer Rates:**
sbytes (source bytes), dbytes (destination bytes), sload, dload
- Protocols & Service Attributes:**
proto (tcp, udp, arp, ospf...), service (http, dns, ftp, smtp...), state
- Connection & TCP Window Features:**
sttl, dttl, swin, dwin, tcprtt, synack, ackdat, ct_state_ttl

Scikit-learn Automated Preprocessing Pipeline

Ensuring robust data cleaning, missing value imputation, and categorical encoding

⚙️ Two-Branch ColumnTransformer

- ✦ **Column Dropping:** Automatically removes non-feature columns `['id', 'attack_cat']` to eliminate data leakage and target contamination.
- ✦ **Numerical Feature Pipeline:**
 - Applied to all continuous flow metrics (bytes, packets, rates, timers)
 - `SimpleImputer(strategy='median')`: Resilient against heavy network outliers
- ✦ **Categorical Feature Pipeline:**
 - Applied to string features: `['proto', 'service', 'state']`
 - `SimpleImputer(strategy='most_frequent')`: Fills nulls
 - `OneHotEncoder(handle_unknown='ignore')`: Prevents crashes when new unseen protocols appear in live network traffic

💻 Pipeline Architecture Code

```
# Preprocessing Transformers
numeric_pipeline = Pipeline([
    ("imputer", SimpleImputer(strategy="median"))
])

categorical_pipeline = Pipeline([
    ("imputer", SimpleImputer(strategy="most_frequent")),
    ("encoder", OneHotEncoder(
        handle_unknown="ignore",
        sparse_output=True
    ))
])

preprocessor = ColumnTransformer([
    ("numeric", numeric_pipeline, numerical_features),
    ("categorical", categorical_pipeline, categorical_features)
])

# Complete Production Pipeline
pipeline = Pipeline([
    ("preprocessing", preprocessor),
    ("model", RandomForestClassifier(n_estimators=100))
])
```

Random Forest Classifier

Ensemble decision tree architecture tuned for high detection rate and minimum false alarms

 **Why Random Forest?**

- ◆ **Ensemble Power:** Combines 100 decorrelated decision trees using bagging (bootstrap aggregation) to drastically eliminate individual tree variance.
- ◆ **Non-Linear Patterns:** Effortlessly captures complex non-linear relationships between packet rates, protocols, and attack signatures.
- ◆ **High Dimensionality:** Handles over 42 input features without suffering from the curse of dimensionality.

 **Model Hyperparameters**


- ◆ **n_estimators = 100:** 100 independent decision trees voting concurrently on threat status.
- ◆ **class_weight = 'balanced':** Automatically adjusts weights inversely proportional to class frequencies, solving intrusion class imbalance.
- ◆ **n_jobs = -1:** Utilizes all CPU cores for parallelized inference and rapid training.
- ◆ **random_state = 42:** Ensures deterministic, reproducible training runs across all systems.

 **Inference Outputs**

- ◆ **Discrete Prediction:**
`pipeline.predict(X)`
Returns `0 = Normal` or `1 = Threat`.
- ◆ **Prediction Confidence:**
`pipeline.predict_proba(X)`
Extracts the highest probability class: e.g. **98.40% Confidence**.
- ◆ **Evaluation Metrics:** Precision, Recall, F1-Score, and full Confusion Matrix.

End-to-End System Workflow

From raw network flow CSV ingestion to dynamic SOC visual telemetry



**Front-End Presentation Layer**

- ◆ **Streamlit Web Application**: Lightweight, reactive UI running on `localhost:8501`.
- ◆ **Real-Time Refresh**: `st.rerun()` powered refresh button updates timestamps and reloads calculations dynamically.

**Model Management Layer**

- ◆ **Cached Singleton Loader**: `@st.cache_resource` ensures the 100-tree model loads once into memory.
- ◆ **Zero Latency Inference**: Batch vectorization computes predictions across hundreds of rows in under 0.1 seconds.

Interactive Streamlit SOC Dashboard

A cybersecurity-themed interface inspired by modern enterprise Security Operations Centers

Dynamic Live Metrics

- ◆ **Total Records Card:** Live count of uploaded network packet records (displays -- in standby).
- ◆ **Threats Detected Card:** Count of flows classified as 1 (Threat).
- ◆ **Normal Traffic Card:** Count of flows classified as 0 (Normal).
- ◆ **Threat Rate Card:** Exact calculated percentage: $(\text{Threats} / \text{Total}) * 100$.
- ◆ **Model Status Indicator:** Real-time indicator displaying ● Ready to Detect or ● Analysis Complete.

Dual SOC Visualizations

- ◆ **Threat Ratio Donut Chart:**
Visualizes the distribution of Threat vs Normal flows with the exact percentage rendered boldly in the center.
- ◆ **Detection Accuracy Donut Chart:**
 - If ground-truth 'label' exists in CSV: Calculates true accuracy %, error %, and exact correct count.
 - If 'label' is absent: Displays N/A with an explanation message without failing.
- ◆ **Confusion Matrix Breakdown:** Displays TP, FP, TN, and FN breakdown when labeled data is supplied.

Threat Detection & Results Management

Empowering security analysts with dynamic filtering, inspection, and forensic CSV export

Interactive Table

- ◆ **Full Results Grid:** Every uploaded row enriched with model prediction, status badge, and confidence percentage.
- ◆ **Row Limit Selection:** Select preview count (10, 25, 50, 100, or All rows) for smooth browser rendering.
- ◆ **Row Indexing:** Clear # sequential numbering for forensic tracking.

Status Filtering

- ◆ **Status Multi-Filter:**
 - **All**: Complete traffic stream
 - **Threats Only**: Isolates active attacks for immediate SOC triage
 - **Normal Only**: Audits baseline network flows
- ◆ **Instant UI Filtering:** Instant client-side state filtering without re-running model inference.

Results Export

- ◆ **Download Results Button:** Generates a downloadable CSV with a single click.
- ◆ **Filename:** `cyber_threat_detection_results.csv`
- ◆ **Audit Columns:** Enriches original network flow data with `Prediction`, `Status`, and `Confidence (%)` for forensic investigations.

Sidebar Navigation Structure

-  **Dashboard:** Stat Cards & Donut Charts
-  **Threat Detection:** Filterable Table & Export
-  **Analytics:** Protocols & Data Summaries
-  **About:** ML & Dataset Documentation

Full-Stack FastAPI & Threat Intelligence

Extending detection into an enterprise multi-tier architecture with REST APIs and database persistence

FastAPI Backend Architecture

- ◆ **High Performance API:** Asynchronous REST endpoints powered by Uvicorn server (`main.py` on port 8000).
- ◆ **Modular Routers:**
 - `/api/auth`: User login & JWT token issuance
 - `/api/analyze`: Upload & automated log parsing
 - `/api/dashboard`: Aggregated threat statistics
 - `/api/reports`: Security report generation
- ◆ **Database Persistence:** SQLite database (`cyber_threat_detector.db`) via SQLAlchemy ORM for threat records, users, and audit logs.

Threat Intelligence & PDF Reports

- ◆ **Indicators of Compromise (IOC):** Tracks malicious IP addresses, known hash signatures, and detection rules.
- ◆ **Automated PDF Security Reports:**

Integrated `pdf_generator.py` built with ReportLab creates professional C-level PDF security audit reports containing incident breakdowns and mitigation steps.
- ◆ **Role-Based Access Control (RBAC):** Authenticated administrator & security analyst roles secured with hashed passwords.

Automated 10–Point Verification Test Suite

Rigorous testing verifying 10 real-world deployment scenarios and edge-cases (test_system.py)

✓ All 10 Test Cases Verified (100% Pass)

[PASS] TEST 01: Application start with no CSV (standby state initialized)
[PASS] TEST 02: Valid UNSW-NB15 CSV upload (sample_network_traffic.csv)
[PASS] TEST 03: Different CSV upload (dynamic recalculation to new file)
[PASS] TEST 04: Refresh Dashboard simulation (state & timestamp update)
[PASS] TEST 05: CSV Export generation (cyber_threat_detection_results.csv)
[PASS] TEST 06: Ground-truth label present (88.00% Accuracy + Confusion Matrix)
[PASS] TEST 07: Unlabeled CSV upload (graceful Accuracy N/A display)
[PASS] TEST 08: Missing model features (graceful error catch, zero crash)
[PASS] TEST 09: Missing model file (graceful 'Model Unavailable' alert)
[PASS] TEST 10: Sidebar navigation (Dashboard, Threats, Analytics, About)

🛡 Robustness & Fault Tolerance

- ✦ **Zero Hardcoded Falsehoods:** All assertions verify that metrics and donut counts correspond to real model inferences.
- ✦ **Graceful Missing Feature Handling:** If an uploaded CSV is missing columns like ['dur', 'spkts', 'sbytes'], the system catches it and highlights missing columns without throwing a 500 error.
- ✦ **Memory Efficient:** Rapid batch processing of 500 records in 0.05 seconds with negligible memory footprint.

Conclusion & Future Enhancements

Summary of project outcomes, real-world utility, and planned technology extensions

Key Project Achievements

- ✓ **Production-Grade ML Pipeline:** Built with Scikit-learn, Random Forest (100 trees), and ColumnTransformer on the UNSW-NB15 benchmark.
- ✓ **Dual Deployment Modes:** Intuitive Streamlit SOC interface for immediate data exploration + FastAPI backend for enterprise integration.
- ✓ **Automated Forensic Workflow:** Real-time threat classification, probabilistic confidence ratings, filterable results, and one-click CSV export.
- ✓ **Battle-Tested Reliability:** Verified against 10 critical operational test cases with zero-crash error handling.

Future Enhancements

- ✦ **Live Packet Capture (Scapy / PCAP):** Direct interface with network interface cards (NIC) for real-time live sniffing.
- ✦ **Deep Learning Ensembles:** Integrating LSTM or Temporal Convolutional Networks (TCN) to detect sequential multi-stage cyber attack patterns.
- ✦ **Automated Active Response:** Automatically pushing firewall rule updates (iptables/Windows Firewall) to drop malicious source IPs on detection.

Thank You! Any Questions?

Cyber Threat Detection System • Pair Programming Presentation