Optimizations of two trees for broadcast, reduce and allreduce MPI Collectives

ABSTRACT

ACM Reference format:

. 2016. Optimizations of two trees for broadcast, reduce and allreduce MPI Collectives. In *Proceedings of ACM Conference, Washington, DC, USA, July 2017 (Conference'17), 1* pages. DOI: 10.1145/nnnnnnn.nnnnnnnn

1 INTRODUCTION

[Jagpreet: Jagpreet: work on introduction on today]

2 PROPOSED TWOTREESIMPLE

[Jagpreet: Mohit: write a quick draft of this section first with figures, I will edit it later]

- 2.1 Construction
- 2.2 TwoTreeSimple vs TwoTreeSanders
- 3 BROADCAST WITH TWOTREESIMPLE
- 4 REDUCE WITH TWOTREESIMPLE
- 5 ALLREDUCE WITH TWOTREESIMPLE

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s). Conference'17, Washington, DC, USA

© 2016 Copyright held by the owner/author(s). 978-x-xxxx-x x/YY/MM...\$15.00

DOI: 10.1145/nnnnnn.nnnnnnn