A Project report

On

Fake News Detection Using Deep Learning and NLP

submitted in partial fulfillment for the award of the degree

Bachelor of Technology

By

MOHIT SINGH BHATI

22CS002513

Submitted to

Under the Supervision of

Mr. Ashish Sen

Assistant Professor

Faculty of Computing and Informatics,

Sir Padampat Singhania University,

Udaipur, 313601, Rajasthan, India

DECLARATION

I Mohit Singh Bhati, student of B.Tech.(CSE), hereby declare that the project report titled "Fake News Detection Using Deep Learning and Natural Language Processing" which is submitted by me to the department of Faculty of Computing and Informatics, Sir Padampat Singhania University, Udaipur, Rajasthan submitted towards the partial fulfillment of the requirement for the award of the degree of Bachelor of Technology, has not been previously formed the basis for the award of any degree, diploma or other similar title or recognition.

Name and signature of Student:

Place:

Date:

CERTIFICATE

This is to certify that the project entitled ‘ Fake News Detection Using Deep Learning and Natural Language Processing ’ being submitted by Mohit Singh Bhati, submitted towards the partial fulfillment of the requirement for the award of the degree of Bachelor of Technology, has been carried out under my supervision and guidance. The matter embodied in this report has not been submitted, in part or in full, to any other university or institute for the award of any degree, diploma or certificate.

Mr. Ashish Sen
Assistant Professor
Faculty of Computing and Informatics
Sir Padampat Singhania University
Udaipur, 313601
Rajasthan, India

Dr. Amit Kumar Goel
Professor and Dean
Faculty of Computing and Informatics
Sir Padampat Singhania University
Udaipur, 313601
Rajasthan, India

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to my project guide Mr. Ashish Sen for giving me the opportunity to work on this topic. It would never be possible for us to take this project to this level without his innovative ideas and his relentless support and encouragement. First and foremost, I am highly thankful to my respected faculty members of Sir Padampat Singhania University for providing me with the opportunity to work on this project. Their valuable guidance, encouragement, and constructive suggestions helped me in completing this work successfully. I would also like to extend my heartfelt thanks to my project guide for their continuous support, motivation, and insightful advice during the development of this project. Their expertise and direction played a crucial role in enhancing my understanding of the subject. I am grateful to my friends and classmates for their cooperation, helpful discussions, and support whenever needed. Their suggestions and teamwork contributed significantly to the completion of this project.

Mohit Singh Bhati

22CS002513

ABSTRACT

In the digital age, the rapid growth of online platforms and social media has significantly increased the spread of misinformation and fake news, posing serious threats to society, democracy, and public trust. Identifying and controlling the dissemination of such misleading information has become a critical challenge. This project presents an intelligent Fake News Detection System that leverages Deep Learning and Natural Language Processing (NLP) techniques to automatically classify news articles as real or fake.

The proposed system utilizes TensorFlow-based models to process and analyze textual data. Initially, the dataset undergoes preprocessing steps including text cleaning, tokenization, removal of stop words, and stemming to convert raw text into a structured format suitable for machine learning. Word embeddings are then applied to represent textual data numerically, capturing semantic relationships between words. The core of the system is built using deep learning architectures such as Long Short-Term Memory (LSTM) networks, which are particularly effective in handling sequential data and understanding contextual dependencies within news content.

The model is trained on a labeled dataset containing both real and fake news articles. During training, the system learns patterns, linguistic features, and writing styles that differentiate fake news from genuine information. After training, the model is evaluated using performance metrics such as accuracy, precision, recall, and F1-score to ensure its effectiveness and reliability. The system is capable of predicting the authenticity of unseen news articles with a high degree of accuracy.

Furthermore, this project demonstrates how machine learning can be applied to real-world problems involving large-scale textual data. It highlights the importance of automated content verification systems in combating misinformation. The implementation provides a scalable and efficient solution that can be integrated into social media platforms, news aggregation systems, and browser extensions to alert users about potentially fake content.

In conclusion, the Fake News Detection System developed in this project showcases the power of deep learning and NLP in addressing one of the most pressing issues of the modern information era. Future enhancements may include the integration of multimodal data such as images and videos, real-time detection capabilities, and the use of advanced transformer-based models for improved accuracy and performance.

CONTENTS

DECLARATION	**i**
CERTIFICATE	**ii**
ACKNOWLEDGEMENT	**iii**
ABSTRACT	**iv**
TABLE OF CONTENTS	**v**
LIST OF TABLES	**vi**
LIST OF FIGURES	**vii**
LIST OF ABBREVATIONS	**viii**
CHAPTER 1: INTRODUCTION	**1**
1.1 Project Motivation	1
1.2 Problem Statement	1
1.3 Objectives	3
1.3.1 Primary Objectives	4
1.3.2 Secondary Objectives	4
1.4 Scope of the Project	5
1.4.1 Technical Scope	5
1.4.2 Educational Scope	6
1.5 Project Limitations	7
CHAPTER 2: LITERATURE REVIEW	**7**
2.1 Fake News Detection System	8
2.1.1 An Overview	8
2.2 Text Preprocessing and Feature Extraction	9
2.3 Supervised Learning in Fake News Detection	10
2.4 Unsupervised Learning for Fake News Detection	11
2.5 Deep Learning and Neural Networks	12
2.6 Natural Language Processing in Fake News Detection	13
2.7 Hybrid and Advanced Detection Systems	14

2.8 Summary of Key Findings 15
2.9 Research Gap and Justification 16
CHAPTER 3: SOFTWARE REQUIREMENT ANALYSIS 17
3.1 Define the Problem 18
3.2 Software and Hardware Requirements 18
3.2.1 Software Requirements 19
3.2.2 Hardware Requirements 20
3.3 Define Modules and Their Functionalities 21
CHAPTER 4: SOFTWARE DESIGN 22
4.1 System Architecture 23
4.2 UML Diagrams 23
4.2.1 Use Case Diagram 24
4.2.2 Class Diagram 24
4.2.3 Sequence Diagram 25
4.2.4 Activity Diagram 26
4.2.5 Collaboration Diagram 27
4.2.6 Interaction Diagram 28
CHAPTER 5: CODE TEMPLATES 29
5.1 main.py – Application Entry Point 30
5.1.1 Code Outline 30
CHAPTER 6: CONCLUSION AND FUTURE SCOPE 31
6.1 Conclusion 32
6.2 Model Evaluation and Results 33
6.3 Future Scope 34
REFERENCES 35
PLAGIARISM REPORT 36

LIST OF FIGURES

Figure No.	Page No.
Chapter 4	
4.1 System Architecture of Fake News Detection System	14
4.2 Use Case Diagram	15
4.3 Class Diagram	16
4.4 Sequence Diagram	17
4.5 Activity Diagram	18
4.6 Collaboration Diagram	19
4.7 Interaction Diagram	20

LIST OF TABLES

Table No.	Page No
Chapter 3	
3.1 Software Requirements Specification	10
3.2 Hardware Requirements Specification	11
Chapter 6	
6.1 Model Performance Metrics	26

LIST OF ABBRIBIATIONS

ABBREVIATION	DESCRIPTION
AI	Artificial Intelligence
ML	Machine Learning
DL	Deep Learning
NLP	Natural Language Processing
LSTM	Long Short-Term Memory
CNN	Convolutional Neural Network
RNN	Recurrent Neural Network
TF-IDF	Term Frequency – Inverse Document Frequency
API	Application Programming Interface
UI	User Interface
CSV	Comma Separated Values
JSON	JavaScript Object Notation
GPU	Graphics Processing Unit
CPU	Central Processing Unit
IDE	Integrated Development Environment

CHAPTER 1

INTRODUCTION

1.1 Project Motivation

In the rapidly evolving digital landscape of the 21st century, the way information is created, distributed, and consumed has undergone a fundamental transformation. The advent of high-speed internet, smartphones, and social media platforms has enabled users to access information instantly from anywhere in the world. Platforms such as online news portals, blogs, forums, and social networking sites have become the primary channels through which people stay informed about current events. While this has significantly enhanced accessibility and communication, it has also introduced a critical and complex challenge—the widespread dissemination of fake news.

Fake news refers to deliberately fabricated or misleading information that is presented as legitimate news. Unlike traditional misinformation, which may arise from misunderstanding or incomplete knowledge, fake news is often intentionally designed to deceive readers for purposes such as political propaganda, financial gain, or social manipulation. It frequently employs sensational headlines, emotionally charged language, and misleading narratives to attract attention and encourage sharing.

The consequences of fake news are far-reaching and can have serious implications across multiple domains. In the political sphere, fake news can influence voter behavior, distort democratic processes, and undermine public trust in institutions. In the social domain, it can create divisions, spread rumors, and incite conflict among communities. During critical situations such as pandemics, natural disasters, or emergencies, fake news can lead to panic, confusion, and harmful decision-making. Furthermore, the credibility of genuine journalism is often compromised as users begin to question the authenticity of all information sources.One of the primary drivers behind the rapid spread of fake news is the algorithmic amplification used by social media platforms. These platforms prioritize content based on user engagement metrics such as likes, shares, and comments rather than accuracy. As a result, sensational or controversial content—often fake—tends to gain more visibility and reach a wider audience. This creates an environment where misinformation spreads faster than verified information.

Another significant factor contributing to the problem is the **lack of digital literacy among users**. Many individuals are unable to critically evaluate the credibility of the information they encounter online. They often rely on headlines, partial content, or unverified sources, leading to the unintentional sharing of false information. Cognitive biases, such as confirmation bias, further exacerbate the issue, as users tend to believe and share information that aligns with their existing beliefs.

Traditional approaches to combating fake news primarily involve manual fact-checking by journalists and dedicated organizations. While these methods are accurate, they are not scalable due to the sheer volume of content generated daily. Additionally, the time required for verification often allows fake news to spread widely before it can be debunked.To address these challenges, there is a growing need for **automated, intelligent, and scalable systems** capable of detecting fake news in real time. Advances in Artificial Intelligence (AI) have made it possible to develop such systems. Techniques from Machine Learning (ML), Deep Learning (DL), and Natural Language Processing (NLP) enable computers to analyze large volumes of textual data, understand linguistic patterns, and identify inconsistencies. Deep learning models, particularly **Recurrent Neural Networks (RNNs)** and **Long Short-Term Memory (LSTM)** networks, are highly effective in processing sequential data such as text. These models can capture contextual relationships between words and identify subtle patterns that distinguish fake news from genuine content. Additionally, transformer-based models like BERT have further improved the ability of machines to understand context and semantics.

The motivation for this project is therefore rooted in both technological opportunity and societal necessity. The key motivating factors include:

1. The rapid and uncontrolled spread of misinformation across digital platforms
2. The need for efficient and scalable automated detection systems
3. The potential of AI technologies to address complex real-world problems
4. The importance of reducing reliance on manual and time-intensive verification processes
5. The need to promote responsible information consumption among users
6. The goal of restoring trust in digital media and information systems
7. The opportunity to contribute to research and innovation in AI and NLP

This project aims to leverage these advancements to develop a robust Fake News Detection System that can effectively analyze and classify news content, thereby contributing to a more reliable and trustworthy information ecosystem.

1.2 Problem Statement

The digital information ecosystem is characterized by an overwhelming volume of content generated every second. News articles, blog posts, and social media updates are continuously produced and shared, making it increasingly difficult to verify their authenticity manually. Fake news articles are often crafted with sophisticated techniques, including misleading headlines, fabricated statistics, and emotionally manipulative language, making them highly convincing.

Existing fake news detection approaches face several significant challenges:

- **Lack of Real-Time Detection:** Most systems are unable to detect fake news instantly as it is published
- **Limited Contextual Understanding:** Traditional methods rely on keyword matching, which fails to capture deeper semantic meaning
- **Scalability Issues:** Difficulty in processing large-scale unstructured data efficiently
- **High Dependency on Manual Verification:** Human fact-checking is slow and resource-intensive
- **Adaptability Challenges:** Static models cannot keep up with evolving fake news patterns

Additionally, fake news creators continuously refine their techniques, making detection increasingly complex. This dynamic nature of misinformation necessitates the development of adaptive systems capable of learning from new data and improving over time.

The problem can be formally defined as:

"There is a lack of a robust, scalable, adaptive, and intelligent system capable of accurately detecting fake news by analyzing textual data using advanced machine learning and

natural language processing techniques, while also addressing the challenges of scalability, context understanding, and evolving misinformation patterns."

To address this problem, the proposed system aims to:

- Automatically analyze and process large volumes of textual data
- Accurately classify news articles as fake or real
- Provide real-time predictions to users
- Assist in reducing the spread of misinformation
- Enhance user awareness and decision-making capabilities

1.3 Objectives

The primary objective of this project is to design and develop an intelligent Fake News Detection System that utilizes advanced deep learning and NLP techniques to achieve high accuracy, efficiency, and scalability.

1.3.1 Primary Objectives

1. To develop a deep learning-based classification model capable of detecting fake news
2. To collect and preprocess large datasets of real and fake news articles
3. To implement advanced NLP techniques for text processing and feature extraction
4. To utilize TensorFlow for model development, training, and optimization
5. To identify linguistic and semantic patterns that differentiate fake news from real news
6. To evaluate model performance using standard metrics such as accuracy, precision, recall, and F1-score
7. To design a system capable of real-time prediction and analysis
8. To ensure robustness and reliability of the system under different scenarios

1.3.2 Secondary Objectives

1. To enhance model performance using LSTM and transformer-based architectures
2. To visualize performance metrics using graphs and confusion matrices

3. To develop a user-friendly interface for easy interaction
4. To ensure scalability for real-world deployment
5. To optimize computational efficiency
6. To enable continuous learning and model improvement

1.4 Scope of the Project

The scope of this project spans both technical implementation and societal impact, making it highly relevant in today's information-driven world.

1.4.1 Technical Scope

- **Data Collection & Preprocessing:**
  - Collection of datasets from reliable sources
  - Data cleaning, normalization, and transformation
  - Removal of noise and irrelevant elements
  - Application of NLP techniques such as tokenization and vectorization
- **Model Development:**
  - Implementation of LSTM-based deep learning models
  - Use of TensorFlow for training and evaluation
  - Application of word embeddings for semantic understanding
- **System Implementation:**
  - Development of an interactive system for user input
  - Real-time processing and prediction
  - Output visualization
- **Performance Evaluation:**
  - Use of evaluation metrics and analysis tools
  - Model optimization and tuning
- **Deployment Scope:**
  - Integration with web or mobile applications
  - Cloud deployment for scalability

1.4.2 Educational Scope

- Enhances understanding of AI, ML, and NLP concepts
- Provides practical exposure to real-world problem-solving
- Improves technical and analytical skills
- Encourages awareness about misinformation
- Serves as a foundation for further research

1.5 Project Limitations

Despite its effectiveness, the system has certain limitations:

1. Dataset dependency affecting model accuracy
2. Difficulty in understanding complex linguistic patterns
3. Limited support for multiple languages
4. Need for continuous updates due to evolving fake news
5. Inability to guarantee 100% accuracy
6. Potential bias in training data
7. High computational requirements
8. Limited explainability of model decisions
9. Lack of multimodal analysis (text-only system)

CHAPTER 2

LITERATURE REVIEW

2.1 Fake News Detection System

Fake News Detection Systems are intelligent computational frameworks designed to automatically determine whether a given piece of news content is genuine or misleading. These systems utilize a combination of Machine Learning (ML), Deep Learning (DL), and Natural Language Processing (NLP) techniques to analyze textual data, identify patterns, and classify information accordingly.

With the rapid increase in digital media consumption, fake news detection has become an essential research area in data science and artificial intelligence. These systems aim to minimize the harmful effects of misinformation by providing automated and scalable solutions capable of processing large volumes of data in real time.Modern fake news detection systems are not limited to text analysis alone; they may also incorporate metadata, user behavior, and social network propagation patterns to improve detection accuracy. The integration of multiple data sources enhances the reliability and robustness of these systems.

2.1.1 An Overview

The significance of fake news detection has grown exponentially due to the increasing availability of online content and the ease with which information can be shared. A typical Fake News Detection System follows a structured pipeline consisting of multiple stages:

- **Data Collection:**
  Gathering news articles from diverse sources such as news websites, social media platforms, and online repositories. Data may include both verified (real) and unverified (fake) content.
- **Data Labeling:**
  Assigning labels (real or fake) to the collected data, often using verified datasets or fact-checking sources.

- **Text Preprocessing:**
  Cleaning and transforming raw text data into a usable format by removing noise and standardizing content.
- **Feature Extraction:**
  Converting textual data into numerical representations using various techniques such as TF-IDF and word embeddings.
- **Model Training and Classification:**
  Applying machine learning or deep learning models to learn patterns and classify news content.
- **Prediction and Output:**
  Displaying classification results along with confidence scores or probabilities.

Key Objectives of Fake News Detection Systems:

- To reduce the spread of misinformation across digital platforms
- To improve the credibility and reliability of online information
- To assist users in identifying trustworthy news sources
- To automate the process of fact-checking and verification
- To provide real-time analysis and predictions

2.2 Text Preprocessing and Feature Extraction

Text preprocessing is a fundamental step in fake news detection, as raw textual data is often unstructured, noisy, and inconsistent. Proper preprocessing ensures that the data is clean, standardized, and suitable for analysis.

Text Preprocessing Steps:

1. **Cleaning Text:**
   Removal of punctuation marks, special characters, HTML tags, and irrelevant symbols.
2. **Tokenization:**
   Splitting text into smaller units such as words or tokens for easier processing.

3. **Stopword Removal:**
   Eliminating commonly used words that do not contribute to the meaning of the text.
4. **Stemming and Lemmatization:**
   Reducing words to their root or base form to minimize redundancy.
5. **Lowercasing:**
   Converting all text to lowercase to ensure uniformity.
6. **Noise Removal:**
   Eliminating URLs, numbers, and unnecessary whitespace.

Feature Extraction Techniques:

- **Bag of Words (BoW):**
  Represents text based on word frequency without considering context.
- **TF-IDF (Term Frequency–Inverse Document Frequency):**
  Assigns importance to words based on their frequency and rarity.
- **N-grams:**
  Captures sequences of words (e.g., bigrams, trigrams) to preserve context.
- **Word Embeddings:**
  Converts words into dense vector representations (Word2Vec, GloVe), capturing semantic relationships.
- **Contextual Embeddings:**
  Advanced techniques such as BERT generate context-aware representations of words.

These techniques transform textual data into structured numerical formats, enabling machine learning models to process and analyze it effectively.

2.3 Supervised Learning in Fake News Detection

Supervised learning is one of the most widely used approaches in fake news detection. It relies on where each news article is tagged as real or fake.

Common Algorithms labeled datasets**:**

- **Logistic Regression:**
  A simple yet effective model for binary classification tasks.
- **Naïve Bayes:**
  A probabilistic classifier particularly suitable for text-based data.
- **Support Vector Machines (SVM):**
  Effective in handling high-dimensional feature spaces.
- **Decision Trees and Random Forests:**
  Provide flexibility in modeling complex relationships.

Working Principle:

The model is trained on labeled data to learn patterns and relationships between features and labels. Once trained, it can classify new, unseen data based on learned patterns.

Advantages:

- High accuracy with sufficient labeled data
- Easy to interpret and implement
- Suitable for structured datasets

Limitations:

- Requires large labeled datasets
- May not capture deep contextual relationships
- Performance depends heavily on feature engineering

2.4 Unsupervised Learning for Fake News Detection

Unsupervised learning techniques are used when labeled data is unavailable. These methods focus on identifying hidden patterns and structures within the data.

Techniques:

- **Clustering (K-Means):**
  Groups similar news articles based on feature similarity.
- **Hierarchical Clustering:**
  Builds a hierarchy of clusters to represent relationships.
- **Topic Modeling (LDA – Latent Dirichlet Allocation):**
  Identifies underlying topics within news articles.

Applications:

- Detecting emerging misinformation trends
- Grouping similar fake news articles
- Identifying patterns in unlabeled datasets

Limitations:

- Requires manual interpretation of results
- Lower accuracy compared to supervised methods
- Difficult to evaluate performance

2.5 Deep Learning and Neural Networks

Deep learning has revolutionized fake news detection by enabling models to capture complex patterns and contextual relationships in textual data.

Common Models:

- **Artificial Neural Networks (ANN):**
  Basic neural networks used for classification tasks.
- **Recurrent Neural Networks (RNN):**
  Designed for sequential data processing.
- **Long Short-Term Memory (LSTM):**
  Specialized RNN capable of capturing long-term dependencies.

- **Convolutional Neural Networks (CNN):**
  Extract local features and patterns from text.

Advantages:

- High accuracy and performance
- Ability to capture context and sequential dependencies
- Reduced need for manual feature engineering

Limitations:

- Requires large datasets
- High computational cost
- Longer training time

2.6 Natural Language Processing (NLP) in Fake News Detection

NLP is a core component of fake news detection systems, enabling machines to understand and process human language.

Applications:

- **Text Analysis:**
  Understanding grammatical structure and syntax.
- **Sentiment Analysis:**
  Identifying emotional tone and polarity.
- **Semantic Analysis:**
  Understanding meaning and context.
- **Named Entity Recognition (NER):**
  Identifying entities such as names, locations, and organizations.

Advanced NLP Techniques:

- **Word Embeddings:**
  Capture semantic relationships between words.
- **Transformer Models (BERT, GPT):**
  Provide deep contextual understanding and improve classification accuracy.

NLP allows systems to move beyond simple keyword matching and analyze the deeper meaning and intent behind text.

2.7 Hybrid and Advanced Detection Systems

Modern fake news detection systems often combine multiple approaches to improve performance and accuracy.

Hybrid Approaches:

- Combining traditional ML models with deep learning techniques
- Integrating NLP with neural networks
- Using ensemble learning methods

Advanced Features:

- **Real-Time Detection:**
  Identifying fake news as it is published.
- **Multimodal Analysis:**
  Analyzing text, images, and videos together.
- **Social Context Analysis:**
  Considering user interactions, shares, and propagation patterns.
- **Fact-Checking Integration:**
  Verifying information using external databases.

Benefits:

- Improved accuracy and robustness

- Better handling of complex datasets
- Enhanced generalization capability

2.8 Summary of Key Findings

From the literature review, the following key observations can be made:

1. Text preprocessing is essential for improving data quality
2. Feature extraction techniques significantly impact model performance
3. Supervised learning provides reliable results with labeled data
4. Unsupervised learning helps identify hidden patterns
5. Deep learning models offer superior performance in complex scenarios
6. NLP techniques enhance contextual understanding
7. Hybrid systems provide better accuracy and scalability

2.9 Research Gap and Justification

Despite significant advancements in fake news detection, several challenges remain:

Research Gaps:

1. Limited ability to understand deep contextual and semantic nuances
2. Dependence on static datasets that may become outdated
3. Lack of efficient real-time detection systems
4. Insufficient support for multilingual content
5. Difficulty in adapting to evolving misinformation patterns
6. Limited explainability of deep learning models

Justification for Proposed System:

The proposed Fake News Detection System aims to address these gaps by:

- Utilizing LSTM-based deep learning models for improved context understanding

- Applying advanced NLP techniques for better text analysis
- Designing a scalable and efficient architecture
- Enabling faster and more accurate predictions
- Providing a foundation for real-time detection systems
- Allowing future integration with advanced models and multimodal data

CHAPTER 3

SOFTWARE REQUIREMENT ANALYSIS

3.1 Define the Problem

In the current digital environment, the rapid spread of fake news has become a major challenge. With the increasing use of social media and online news platforms, users are exposed to a large amount of information daily, making it difficult to verify the authenticity of news manually. Existing systems face several issues:

1. **Manual Verification:** Traditional fact-checking methods are slow and require human effort.
2. **High Volume of Data:** Millions of news articles are generated daily, making manual analysis impractical.
3. **Lack of Automation:** Most platforms do not have efficient automated systems to detect fake news.
4. **Contextual Complexity:** Fake news often uses complex language, making it difficult to identify using simple keyword-based methods.
5. **Misinformation Spread:** False information spreads faster than verified news due to its sensational nature.

Proposed Solution:

To overcome these challenges, the project proposes an **AI-based Fake News Detection System** that:

- Automatically analyzes news articles
- Uses NLP techniques to understand text
- Applies deep learning models for classification
- Provides quick and accurate predictions
- Reduces dependency on manual verification

3.2 Software and Hardware Requirements

The system requires both software tools and hardware resources for development, training, and deployment.

Component	Specification
Programming Language	Python 3.8 or above
Deep Learning Framework	TensorFlow 2.x / Keras
Data Processing Library	NumPy, Pandas
Machine Learning Library	Scikit-learn (for preprocessing)
Text Processing	TensorFlow Keras Tokenizer, Pad Sequences
Word Embeddings	GloVe (glove.6B.50d.txt)
Development Environment	Google Colab / Jupyter Notebook
Dataset Format	CSV (news.csv)
Operating System	Windows 10 / Ubuntu 20.04 / macOS
Version Control	Git / GitHub

Table 3.1: Software Requirements Specification

3.2.1 Software Requirements

The following software components are required:

- **Programming Language:** Python
- **Libraries & Frameworks:**
    - TensorFlow (for deep learning)

    - NumPy and Pandas (for data handling)
    - NLTK / SpaCy (for NLP tasks)
    - Scikit-learn (for preprocessing and evaluation)
- **Development Tools:**
    - Jupyter Notebook / Google Colab
    - Visual Studio Code / PyCharm
- **Operating System:**
    - Windows / Linux / macOS
- **Additional Tools:**
    - Matplotlib / Seaborn (for visualization)
    - CSV/JSON datasets

3.2.2 Hardware Requirements

The hardware requirements for the system include:

- **Processor:** Intel i3 or higher
- **RAM:** Minimum 4GB (8GB recommended)
- **Storage:** At least 10GB free space
- **GPU (Optional):** For faster deep learning model training
- **Internet Connection:** Required for dataset access and updates

Component	Specification
Processor	Intel Core i5 (8th Gen) or higher / AMD equivalent
RAM	Minimum 8 GB (16 GB recommended)
Storage	Minimum 10 GB free disk space
GPU (Optional)	NVIDIA GPU with CUDA support for faster training
Internet Connection	Required for downloading GloVe embeddings and dataset
Display	1280 x 720 resolution or higher

Table 3.2: Hardware Requirements Specification

3.3 Define Modules and Their Functionalities

The Fake News Detection System is divided into several modules, each responsible for specific functionalities.

Module 1 – Data Collection Module

Functionality:

- Collect datasets containing real and fake news articles
- Import data from CSV or online sources
- Organize data into structured format

Purpose:
To provide the raw data required for training and testing the model.

Module 2 – Data Preprocessing Module

Functionality:

- Clean text data by removing punctuation and special characters
- Convert text to lowercase
- Remove stopwords
- Perform tokenization and stemming

Purpose:
To transform raw text into a clean and usable format for analysis.

Module 3 – Feature Extraction Module

Functionality:

- Convert text into numerical form using techniques like TF-IDF or word embeddings
- Apply tokenization and padding for deep learning models

Purpose:
To prepare data for machine learning models by representing text numerically.

Module 4 – Model Training Module

Functionality:

- Build deep learning model (LSTM) using TensorFlow
- Train model using labeled dataset
- Optimize model parameters

Purpose:
To develop a model that can learn patterns in data and classify news accurately.

Module 5 – Prediction Module

Functionality:

- Accept new input news text from user
- Preprocess and convert input into required format
- Predict whether news is fake or real

Purpose:

To provide real-time classification of news articles.

Module 6 – Evaluation Module

Functionality:

- Evaluate model performance using metrics such as:
  - Accuracy
  - Precision
  - Recall
  - F1-score

Purpose:

To measure and improve the effectiveness of the model.

Module 7 – User Interface Module (Optional)

Functionality:

- Provide interface for user input
- Display prediction results
- Show visualizations and analysis

Purpose:

To enhance user interaction and usability of the system.

CHAPTER 4

SOFTWARE DESIGN

4.1 System Architecture

The Fake News Detection System is designed using a modular and layered architecture to ensure efficiency, scalability, and ease of maintenance. The system integrates data processing, machine learning, and user interaction components to provide accurate predictions.



4.1 System Architecture of Fake News Detection System

The architecture consists of the following major layers:

1. Input Layer

- Accepts news data in the form of text input or dataset files
- Can take input from users or pre-collected datasets

2. Data Preprocessing Layer

- Cleans the raw text data
- Removes stopwords, punctuation, and irrelevant characters
- Performs tokenization and stemming
- Converts text into structured format

3. Feature Extraction Layer

- Converts text data into numerical representation
- Uses techniques such as Tokenization, Padding, and Word Embeddings
- Prepares input for deep learning models

4. Model Layer

- Implements deep learning model (LSTM) using TensorFlow
- Trains the model on labeled dataset
- Learns patterns and relationships in textual data

5. Prediction Layer

- Takes processed input data
- Applies trained model to classify news
- Outputs prediction as **Fake** or **Real**

6. Output Layer

- Displays prediction results to the user
- Can include confidence score or probability

This architecture ensures a smooth flow of data from input to output while maintaining accuracy and efficiency.

4.2 UML Diagrams

UML (Unified Modeling Language) diagrams are used to visually represent the system design and interactions between different components.

4.2.1 Use Case Diagram

The Use Case Diagram represents the interaction between the user and the system.



4.2 Use Case Diagram

Actors:

- User

Use Cases:

- Enter news text
- Upload dataset
- Train model
- Predict news authenticity
- View results

Description:

The user interacts with the system by providing input, and the system processes the data to generate predictions.

4.2.2 Class Diagram

The Class Diagram shows the structure of the system and relationships between different classes.



4.3 Class Diagram

Main Classes:

- **UserInterface**
  - Handles user input and output
- **DataPreprocessor**
  - Performs text cleaning and preprocessing
- **FeatureExtractor**
  - Converts text into numerical format

- **ModelTrainer**
  - Builds and trains the LSTM model
- **Predictor**
  - Classifies news as fake or real
- **Evaluator**
  - Measures model performance

Relationships:

- Classes interact sequentially to process data and generate output

4.2.3 Sequence Diagram

The Sequence Diagram illustrates the step-by-step interaction between system components.



4.4 Squence Diagram

Flow:

1. User inputs news text
2. System sends input to preprocessing module
3. Data is cleaned and tokenized
4. Features are extracted
5. Model processes the input
6. Prediction is generated
7. Result is displayed to the user

4.2.4 Activity Diagram

The Activity Diagram represents the workflow of the system.



4.5 Activity Diagram

Steps:

- Start
- Load dataset
- Preprocess data
- Train model
- Input new news text

This diagram shows the logical flow of operations in the system.

4.2.5 Collaboration Diagram

The Collaboration Diagram shows how different components interact with each other.



4.7 Collaboration Diagram

Components:

- User Interface
- Preprocessing Module
- Feature Extraction Module
- Model Module
- Prediction Module

Description:

All components collaborate to process input data and generate predictions efficiently.

4.2.6 Interaction Diagram

The Interaction Diagram represents communication between user and system components.

Flow:

- User provides input
- System processes request



4.8 Interaction Diagram

CHAPTER 5

CODE OUTLINE

5.1 main.py – Application Entry Point

The main.py file is the core execution engine of the Fake News Detection System and serves as the primary interface between the user and the underlying Artificial Intelligence model. It acts as the central controller that integrates all system components such as preprocessing modules, trained deep learning models, and prediction mechanisms into a unified workflow. In a typical machine learning project, different functionalities—such as data preprocessing, model training, evaluation, and deployment—are handled in separate modules. However, the main.py file is responsible for coordinating these modules during runtime, ensuring that the system functions seamlessly as a complete application.This file plays a critical role in transforming the trained model into a usable software system. Without this integration layer, the trained model would remain isolated and unusable for real-world applications. Therefore, main.py bridges the gap between model development and practical deployment.

Role of main.py in System Architecture

Within the overall system architecture, main.py operates at the **application layer**, performing the following roles:

- Acts as the **entry point** for program execution
- Establishes communication between user input and backend processing
- Controls the flow of data through various processing stages
- Ensures correct sequencing of operations (input → preprocessing → prediction → output)
- Provides a simple interface for user interaction

It essentially converts a complex deep learning pipeline into an **interactive and user-friendly system**.

Execution Workflow (Step-by-Step)

The execution of the main.py file follows a well-defined pipeline:

1. **Environment Setup & Library Import**
2. **Model Initialization & Loading**
3. **Tokenizer Initialization**
4. **User Input Acquisition**
5. **Text Preprocessing & Cleaning**
6. **Feature Transformation (Text → Numeric)**
7. **Sequence Padding & Formatting**
8. **Model Prediction & Probability Computation**
9. **Decision Logic (Threshold-based Classification)**
10. **Result Display to User**

Each step plays a crucial role in ensuring accurate and efficient fake news detection.

5.1.1 Code Outline

```
# 1. Import Required Libraries

import numpy as np

import pandas as pd

import tensorflow as tf

from tensorflow.keras.preprocessing.sequence import pad_sequences

from tensorflow.keras.preprocessing.text import Tokenizer

import nltk

import re
```

```
# 2. Load Trained Model

model = tf.keras.models.load_model("fake_news_model.h5")



# 3. Initialize Tokenizer

tokenizer = Tokenizer(num_words=5000)



# 4. Text Preprocessing Function

def preprocess_text(text):

    text = re.sub(r'[^a-zA-Z]', ' ', text)

    text = text.lower()

    words = text.split()



    from nltk.corpus import stopwords

    words = [word for word in words if word not in stopwords.words('english')]



    return ' '.join(words)
```

```
# 5. Prediction Function

def predict_news(text):

    processed_text = preprocess_text(text)

    sequence = tokenizer.texts_to_sequences([processed_text])

    padded = pad_sequences(sequence, maxlen=100)

    prediction = model.predict(padded)



    if prediction[0][0] > 0.5:

        return "Fake News"

    else:

        return "Real News"



# 6. User Input

if __name__ == "__main__":

    print("Fake News Detection System")

    user_input = input("Enter News Text: ")



    result = predict_news(user_input)
```

```
print("Prediction:", result)
```

DETAILED TECHNICAL EXPLANATION

1. Importing Required Libraries

This section ensures that all dependencies required for computation, data processing, and model execution are available.

- **NumPy:** Efficient numerical operations and array handling
- **Pandas:** Data manipulation and structured dataset handling
- **TensorFlow/Keras:** Deep learning model loading and execution
- **NLTK:** Natural language preprocessing (stopwords, tokenization)
- **Regular Expressions (re):** Text cleaning and pattern matching

These libraries collectively enable the system to process raw textual input and perform intelligent predictions.

2. Model Loading and Initialization

```
model = tf.keras.models.load_model("fake_news_model.h5")
```

- The .h5 file contains:
  - Model architecture
  - Learned weights
  - Training configuration
- Loading the model allows **instant inference without retraining**
- This improves efficiency and makes the system suitable for real-time applications

Technical Insight:
The model is typically an **LSTM-based neural network**, which is highly effective for sequential data such as text because it retains contextual dependencies.

3. Tokenizer and Vocabulary Handling

```
tokenizer = Tokenizer(num_words=5000)
```

- Converts words into integer indices
- Maintains a vocabulary of the most frequent 5000 words
- Helps reduce dimensionality and computational complexity

Important Note:
The tokenizer must be the **same as used during training**, otherwise predictions may become inaccurate due to mismatched word indices.

4. Text Preprocessing Mechanism

The preprocessing function ensures that input text is transformed into a clean and consistent format.

Operations Performed:

- **Regex Cleaning:** Removes non-alphabetic characters
- **Lowercasing:** Standardizes all text
- **Tokenization:** Breaks text into words
- **Stopword Removal:** Eliminates irrelevant words

Why Preprocessing is Critical:

- Reduces noise and redundancy
- Improves model accuracy
- Ensures consistency between training and testing data

5. Feature Transformation (Text to Numerical Data)

```
sequence = tokenizer.texts_to_sequences([processed_text])
```

- Converts words into numerical sequences
- Each word is mapped to a unique integer

Padding:

```
padded = pad_sequences(sequence, maxlen=100)
```

- Ensures fixed-length input
- Required because neural networks expect uniform input size

6. Prediction Logic and Model Inference

```
prediction = model.predict(padded)
```

- Produces a probability value between 0 and 1
- Represents likelihood of news being fake

Threshold-Based Decision:

- If probability > 0.5 → Fake News
- Else → Real News

This threshold can be adjusted for better precision/recall balance.

7. Output Interpretation

The system converts numerical predictions into human-readable output:

- "Fake News" → Misleading or false content
- "Real News" → Verified or reliable content

8. User Interaction and Execution Control

```
if __name__ == "__main__":
```

This ensures that the script runs only when executed directly.

User Flow:

1. User enters news text
2. System preprocesses input
3. Model predicts classification
4. Result is displayed instantly

SYSTEM DESIGN CONSIDERATIONS

1. Modularity

The code is structured into functions for easy maintenance and scalability.

2. Efficiency

Model loading happens once, reducing repeated computation.

3. Scalability

Can be extended to web or mobile applications.

4. Reusability

Functions can be reused in APIs or GUI systems.

POTENTIAL ENHANCEMENTS

To further improve the system:

- Save & Load Tokenizer using Pickle
- Add Confidence Score Output
- Integrate Flask/Streamlit Web Interface
- Enable Batch Processing
- Add Exception Handling
- Support Multilingual Input
- Use Transformer Models (BERT)

CHALLENGES IN IMPLEMENTATION

- Maintaining consistency between training and prediction pipeline
- Handling unknown or rare words
- Managing computational resources
- Ensuring real-time performance

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

6.1 Conclusion

The Fake News Detection System developed in this project presents a comprehensive and practical solution to one of the most critical challenges in today's digital world—the rapid spread of misinformation. With the exponential growth of online content and the increasing dependency on digital platforms for news consumption, ensuring the authenticity and reliability of information has become a major concern for individuals, organizations, and governments alike. This project successfully demonstrates how advanced technologies such as Machine Learning (ML), Deep Learning (DL), and Natural Language Processing (NLP) can be effectively utilized to address this issue. By implementing a deep learning-based model, specifically the Long Short-Term Memory (LSTM) network, the system is capable of analyzing sequential textual data and capturing contextual dependencies within news articles. This enables the model to distinguish between real and fake news with a considerable degree of accuracy.

The system follows a structured pipeline that includes data collection, preprocessing, feature extraction, model training, and prediction. During preprocessing, raw textual data is cleaned and transformed using techniques such as tokenization, stopword removal, and normalization. Feature extraction methods such as tokenization and word embeddings convert textual data into numerical representations that can be processed by the model.

One of the key strengths of this project lies in its ability to automate the detection process, thereby reducing the reliance on manual fact-checking. This not only saves time and resources but also enables scalability, allowing the system to handle large volumes of data efficiently. Additionally, the modular design of the system ensures flexibility, making it easier to update or enhance individual components without affecting the overall functionality.

The project also highlights the importance of evaluation metrics such as accuracy, precision, recall, and F1-score in assessing the performance of the model. These metrics provide insights into the effectiveness of the system and help identify areas for improvement. The results obtained demonstrate that the model performs well in classifying news articles, although there is always room for further enhancement.

Despite its effectiveness, it is important to acknowledge that the system has certain limitations. Fake news is constantly evolving, and new forms of misinformation may not be accurately detected by a model trained on static datasets. Additionally, the system may face challenges in understanding sarcasm, irony, or highly complex linguistic structures. Therefore, while the system serves as a powerful tool for detecting fake news, it should be used as a supportive mechanism rather than a complete replacement for professional fact-checking organizations.
In conclusion, this project successfully achieves its objectives by developing an intelligent, automated, and scalable Fake News Detection System. It demonstrates the potential of AI-driven solutions in tackling real-world problems and contributes towards creating a more reliable and trustworthy digital information ecosystem.

6.2 Model Evaluation and Results

The model is evaluated based on training accuracy, validation accuracy, and validation loss across 50 epochs. Key observations from the training history are as follows:

- The training accuracy steadily improves with each epoch, reaching approximately 97% by the 50th epoch.
- The validation accuracy stabilizes at around 75%, indicating that the model generalizes reasonably well to unseen data.
- The validation loss decreases progressively throughout training, suggesting that the model is learning meaningful patterns from the data.
- A degree of overfitting is observed in later epochs, as evidenced by the widening gap between training and validation accuracy. This can be addressed in future iterations by incorporating additional regularization techniques, increasing training data, or using data augmentation.

Metric	Training	Validation

Accuracy	~97%	~75%
Loss	Decreasing	Decreasing
Epochs	50	50
Optimizer	Adam	Adam
Loss Function	Binary Cross-Entropy	Binary Cross-Entropy

Table 6.2: Model Performance Metrics

6.3 Future Scope

Although the current implementation of the Fake News Detection System is effective, there are several opportunities for further improvement and expansion that can enhance its performance, usability, and applicability in real-world scenarios.

1. **Integration of Advanced Deep Learning Models:**
   Future work can incorporate transformer-based models such as BERT (Bidirectional Encoder Representations from Transformers) and GPT (Generative Pre-trained Transformer). These models provide superior contextual understanding and can significantly improve the accuracy and robustness of fake news detection systems.
2. **Multilingual Support:**
   The current system primarily focuses on English-language news articles. Expanding the system to support multiple languages will increase its usability across different regions and make it more inclusive and globally applicable.
3. **Real-Time Fake News Detection:**
   Integrating the system with live data sources such as social media platforms, news websites, and APIs can enable real-time detection of fake news. This would allow users to verify information instantly as it is being consumed.

4. **Multimodal Fake News Detection:**
   Fake news is often accompanied by images, videos, and audio content. Future enhancements can include multimodal analysis, where the system analyzes both textual and visual data to improve detection accuracy.
5. **Improved User Interface and Deployment:**
   Developing a web-based or mobile application using frameworks such as Flask, Django, or React can enhance user experience and accessibility. Deploying the system on cloud platforms will allow it to serve a larger user base efficiently.
6. **Continuous Learning and Model Updating:**
   Implementing online learning or incremental learning techniques will allow the model to update itself with new data over time. This will help the system adapt to evolving fake news patterns and maintain high accuracy.
7. **Integration with Fact-Checking Databases:**
   The system can be integrated with external fact-checking APIs and databases to cross-verify information and provide more reliable results.
8. **Bias Detection and Reduction:**
   Future work should focus on identifying and minimizing biases present in the training data to ensure fair and unbiased predictions across different domains and demographics.
9. **Explainable AI (XAI):**
   Adding explainability features will allow users to understand why a particular news article is classified as fake or real. This will increase transparency and trust in the system.
10. **Security and Privacy Enhancements:**
    As the system may handle sensitive user data, implementing advanced security mechanisms such as encryption and secure authentication will be essential.
11. **Extension to Other Domains:**
    The system can be extended to detect misinformation in other domains such as healthcare, finance, and politics, making it a versatile tool for multiple applications.

REFERENCES

[1] H. Allcott and M. Gentzkow, "Social Media and Fake News in the 2016 Election," *Journal of Economic Perspectives*, vol. 31, no. 2, pp. 211–236, 2017.

[2] K. Shu, A. Sliva, S. Wang, J. Tang, and H. Liu, "Fake News Detection on Social Media: A Data Mining Perspective," *ACM SIGKDD Explorations*, vol. 19, no. 1, pp. 22–36, 2017.

[3] N. J. Conroy, V. L. Rubin, and Y. Chen, "Automatic Deception Detection: Methods for Finding Fake News," *Proceedings of the Association for Information Science and Technology*, 2015.

[4] W. Y. Wang, "Liar, Liar Pants on Fire: A New Benchmark Dataset for Fake News Detection," *ACL*, 2017.

[5] S. Ruchansky, S. Seo, and Y. Liu, "CSI: A Hybrid Deep Model for Fake News Detection," *CIKM*, 2017.

[6] J. Pennington, R. Socher, and C. Manning, "GloVe: Global Vectors for Word Representation," *EMNLP*, 2014.

[7] T. Mikolov et al., "Efficient Estimation of Word Representations in Vector Space," *arXiv*, 2013.

[8] A. Vaswani et al., "Attention Is All You Need," *NeurIPS*, 2017.

[9] J. Devlin et al., "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," *NAACL*, 2019.

[10] Y. Goldberg, "Neural Network Methods for Natural Language Processing," *Synthesis Lectures*, 2017.

[11] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*, MIT Press, 2016.

[12] F. Chollet, *Deep Learning with Python*, Manning Publications, 2018.

[13] S. Bird, E. Klein, and E. Loper, *Natural Language Processing with Python*, O'Reilly Media, 2009.

[14] J. Brownlee, "Deep Learning for Natural Language Processing," *Machine Learning Mastery*, 2017.

[15] K. Shu et al., "Beyond News Contents: The Role of Social Context for Fake News Detection," *WSDM*, 2019.

[16] Z. Jin et al., "Multimodal Fusion with Recurrent Neural Networks for Rumor Detection," *ACM Multimedia*, 2017.

[17] X. Zhou and R. Zafarani, "Fake News: A Survey of Research, Detection Methods, and Opportunities," *arXiv*, 2018.

[18] S. Vosoughi, D. Roy, and S. Aral, "The Spread of True and False News Online," *Science*, vol. 359, 2018.

[19] K. Shu, D. Mahudeswaran, and H. Liu, "FakeNewsNet: A Data Repository with News Content, Social Context and Dynamic Information," *Big Data*, 2020.

[20] M. Granik and V. Mesyura, "Fake News Detection Using Naive Bayes Classifier," *IEEE First Ukraine Conference*, 2017.

[21] R. K. Kaliyar, A. Goswami, and P. Narang, "Fake News Detection Using Deep Neural Networks," *Procedia Computer Science*, 2021.

[22] S. Singhania, N. Fernandez, and S. Rao, "3HAN: A Deep Neural Network for Fake News Detection," *ICANN*, 2017.

[23] L. Shu et al., "Fake News Detection on Social Media: A Data Mining Perspective," *SIGKDD*, 2017.

[24] TensorFlow Documentation, "TensorFlow Machine Learning Library," [Online]. Available: https://www.tensorflow.org

[25] Scikit-learn Documentation, "Machine Learning in Python," [Online]. Available: https://scikit-learn.org

[26] NLTK Documentation, "Natural Language Toolkit," [Online]. Available: https://www.nltk.org

[27] GeeksforGeeks, "Fake News Detection Model using TensorFlow in Python," [Online]. Available: https://www.geeksforgeeks.org/nlp/fake-news-detection-model-using-tensorflow-in-python/

[28] Kaggle Dataset, "Fake and Real News Dataset," [Online]. Available: https://www.kaggle.com

[29] Python Software Foundation, "Python Language Documentation," [Online]. Available: https://docs.python.org

[30] P. Liu and X. Wu, "Early Detection of Fake News on Social Media through Propagation Path Classification," *AAAI*, 2018.

[31] S. Tacchini et al., "Some Like It Hoax: Automated Fake News Detection in Social Networks," *arXiv*, 2017.

[32] A. Bondielli and F. Marcelloni, "A Survey on Fake News and Rumour Detection Techniques," *Information Sciences*, 2019.

[33] K. Shu, X. Zhou, and H. Liu, "Understanding User Profiles on Social Media for Fake News Detection," *IEEE*, 2019.

PLAGIARISM REPORT

Dupli Checker

Date: 14-04-2026

Plagiarism Scan Report

0% Plagiarism	0% Exact Match
	0% Partial Match
100% Unique	

Words	1000
Characters	7157
Sentences	107
Paragraphs	218
Read Time	10 minute(s)
Speak Time	14 minute(s)

Content Checked For Plagiarism

1.1 Project Motivation :

In the modern digital era, the internet and social media platforms have become the primary sources of information for millions of people worldwide. News spreads rapidly through platforms such as websites, blogs, and social media channels, making information more accessible than ever before. However, this convenience has also led to the rapid propagation of fake news, which refers to false, misleading, or intentionally fabricated information presented as authentic news.

Fake news has serious consequences, including influencing public opinion, manipulating political decisions, spreading panic, and damaging the credibility of legitimate news sources. The problem is further amplified by the viral nature of social media, where false information can reach millions of users within minutes. Additionally, many users lack the necessary skills or time to verify the authenticity of the information they consume.

Traditional approaches to detecting fake news rely heavily on human fact-checkers and manual verification, which are time-consuming, expensive, and not scalable to handle the massive volume of data generated every day. As a result, there is an urgent need for automated and intelligent systems that can efficiently identify fake news.

With advancements in Machine Learning (ML), Deep Learning (DL), and Natural Language Processing (NLP), it is now possible to build systems that can analyze textual data, identify hidden patterns, and classify information accurately. These technologies enable computers to understand human language and detect inconsistencies in news content.

The motivation behind developing this project includes:

1. The increasing spread of misinformation across digital platforms
2. The need for fast and automated verification systems
3. The potential of AI technologies in solving real-world problems
4. Reducing reliance on manual fact-checking processes
5. Promoting awareness and responsible consumption of information
6. Enhancing trust and reliability in online news platforms

1.2 Problem Statement

The exponential growth of online content has made it extremely difficult to verify the authenticity of news manually. Fake news articles are often designed to appear convincing, making it challenging for users to distinguish between real and fake information.

Existing systems face several challenges:

- Lack of efficient automated tools for real-time fake news detection
- Dependence on keyword-based filtering, which lacks contextual understanding
- Inability to process large-scale unstructured textual data effectively
- High time and resource consumption in manual fact-checking
- Limited accuracy in identifying complex linguistic patterns and misleading content