Table of Contents

Swap Number?

```php
function abc($a,$b){
    echo "Value of a: $a</br>";
    echo "Value of b: $b</br>";
    $temp=$a;
    $a=$b;
    $b=$temp;
    echo "Value of a: $a</br>";
    echo "Value of b: $b</br>";
}
$n1 = 4;
$n2 = 2;
abc ($n1,$n2);
```

↑ Back to Top

Swap Number Without Third Variable?

```php
$a = 5;
$b = 9;
```

```
$a =  $a + $b;  // 5 + 6 = 11
$b = $a - $b;   // 11 - 6 = 5
$a = $a - $b;  // 11 - 5 = 6

echo $a . ',' . $b;
```

↑ Back to Top

Reverse String?

```
$s = 'mohit saxena';
$l = strlen($s);
for($i=$l-1; $i>=0; $i--){
    echo $s[$i];
}

Output:- anexas tihom

-----------------------------------------------------------------------
# 2 Option
$str = 'Mohit Saxena';
$length = strlen($str);

$rev = '';
for($i = $length-1; $i >= 0; $i--) {
    $rev .= $str[$i];
}
echo $rev;

Output:- anexaS tihoM
```

↑ Back to Top

Revers number?

```
# Type 1st:-
$num = 2039;
$revnum = 0;
while ($num != 0){
    $revnum = $revnum * 10 + $num % 10;
    $num = (int)($num / 10);
}
echo "Reverse number: $revnum";

-------------------------------------------------------------------------
# Type 2nd:-

$num = 23456;
$revnum = 0;
```

```
while ($num > 1){
    $rem = $num % 10;
    $revnum = ($revnum * 10) + $rem;
    $num = ($num / 10);
}
echo "Reverse number of 23456 is: $revnum";
```

↑ Back to Top

Check the Prime Number or not?

```
function IsPrime($n){
    for($x=2; $x<$n; $x++){
        if($n %$x ==0){
            return 0;
        }
        return 1;
    }
    $a = IsPrime(7);
    if ($a==0)
        echo 'This is not a Prime Number.....'."\n";
    else
        echo 'This is a Prime Number..'."\n";
}
Output :-  This is a Prime Number..
```

↑ Back to Top

Print the prime number?

```
function primeno($n){
    for($i=1;$i<=$n;$i++){  //numbers to be checked as prime
        $counter = 0;
        for($j=1;$j<=$i;$j++){ //all divisible factors
            if($i % $j==0){
                $counter++;
            }
        }
        if($counter==2){
            echo $i." is Prime <br/>";
        }
    }
}

primeno(100);
```

↑ Back to Top

Fibonacci Number print?

Type 1st:-

```
$count = 0 ;
$f1 = 0;
$f2 = 1;
echo $f1." , ";
echo $f2." , ";
while ($count < 20 )
{
    $f3 = $f2 + $f1 ;
    echo $f3." , ";
    $f1 = $f2 ;
    $f2 = $f3 ;
    $count = $count + 1;
}
Output :-
0 , 1 , 1 , 2 , 3 , 5 , 8 , 13 , 21 , 34 , 55 , 89 , 144 , 233 , 377
--------------------------------------------------------------------------

###### Type 2nd:-

define('NUM',5);
$a = 0;
$b = 1;
echo "$a $b "; // 0 1
for($i=1; $i<= NUM-2; $a=$b, $b=$c, $i++ ){
    echo $c = $a+$b;
    echo " ";
}

Output :- 0, 1, 1, 2
--------------------------------------------------------------------------

##### Type 3rd:-
$first = 0;
$second = 1;
echo "Fibonacci Series \n";
echo $first.' '.$second.' ';
for($i = 2; $i < 12; $i++){
    $third = $first + $second;
    echo $third.' ';
    $first = $second;
    $second = $third;
}

Output :- Fibonacci Series 0 1 1 2 3 5 8 13 21 34 55 89
```

↑ Back to Top

Print The Matrix?

```
for($i=0;$i<3;$i++){
    for($j=0;$j<3;$j++)
    {
        if($i==$j)
        {
            echo 1;
        }
        else
        {
            echo 0;
        }
    }
    echo '<br/>';
}
Output:-
1 0 0
0 1 0
0 0 1
```

↑ Back to Top

Find The Number Even Or Odd?

```
function evenOrOdd($n){
if($n%2==0)
    {
        echo 'even number';
    }
    else
    {
        echo 'odd number';
    }
}
$a = '5';
evenOrOdd($a);
Output:- odd number
```

Program to find Palindrome Number?

```
<?php
function check_palindrome($n){
    $inpt = $n;
    $sum = 0;
    while(floor($inpt)) {
        $newnum = $inpt % 10;
        $sum = $sum * 10 + $newnum;
```

```
        $inpt = $inpt/10;
    }
    return $sum;
}

$input = 12321;
$num = check_palindrome($input);

if($input==$num){
    echo "Palindrome number";
}else{
    echo "Not a Palindrome";
}
```

Program to find Palindrome string?

```
$str = 'level';
$strLen = strlen($str)-1;
$revStr = '';
for($i=$strLen; $i>=0; $i--){
    $revStr.=$str[$i];
}
if($revStr == $str)
    echo 'Palindrome';
else
    echo "Not Palindrome";
```

Print the Odd Number

```
function oddNumber($s,$e)
{
for($i=$s; $i<=$e; $i+=2){
    echo '<pre>';
    echo $i;
}
}
oddNumber(1,16);
Output:- 1 3 5 7 9 11 13 15
```

Array Questions

Remove Duplicate Elements or Values from Array

```
$givenArray = array(2,5,2,10,4,5,8,16);
$uniqueArry = array();
```

```
foreach($givenArray as $val) {
   $uniqueArry[] = $val;
}
print_r($uniqueArry);

Output:- Array ( [0] => 2 [1] => 5 [2] => 2 [3] => 10 [4] => 4 [5] => 5 [6] => 8
[7] => 16 )
--------------------------------------------------------------------------------
------

# Type 2nd
$givenArray = array(2,5,2,10,4,5,8,16);
$uniqueArry = array();

foreach($givenArray as $val) { //Loop1
    foreach($uniqueArry as $uniqueValue) { //Loop2
        if($val == $uniqueValue) {
            continue 2; // Referring Outer loop (Loop 1)
        }
    }
    $uniqueArry[] = $val;
}
print_r($uniqueArry);

Output:- Array ( [0] => 2 [1] => 5 [2] => 10 [3] => 4 [4] => 8 [5] => 16 )
--------------------------------------------------------------------------------

# Type 3rd
$inputArray = array(1, 4, 2, 1, 6, 4, 9, 7, 2, 9);
$outputArray = array();

foreach ($inputArray as $val){
    if(!in_array($val,$outputArray)){
        $outputArray[] = $val;
    }
}
print_r($outputArray);

Output:- Array ( [0] => 1 [1] => 4 [2] => 2 [3] => 6 [4] => 9 [5] => 7 )
```

↑ Back to Top

Find duplicate values in array

```
$givenArray = array(16, 2,5,2,10,4,5,8,16);
$duplicateValues = array();
$uniqueValues = array();

foreach($givenArray as $val) {
    if (!isset($uniqueValues[$val])) {
         $uniqueValues[$val] = $val;
```

```
    } else {
        $duplicateValues[] = $val;
    }

}
print_r($duplicateValues);

Output:- Array ( [0] => 2 [1] => 5 [2] => 16 )
```

↑ Back to Top

Sort an Array / Using Bubble sort

```
function bubbleSort(array $arr)
{
    $n = count($arr);
    for ($i = 1; $i<$n; $i++)
        {
        for ($j = $n-1; $j>= $i; $j--)
        {
            if($arr[$j-1] > $arr[$j])
            {
                $tmp = $arr[$j-1];
                $arr[$j-1] = $arr[$j];
                $arr[$j] = $tmp;
            }
        }
    }
     return $arr;
}
echo '<pre>';
$arr = array(255,1,22,3,45,5);
$result = bubbleSort($arr);
print_r($result);

Output:- 1 3 5 22 45 255
```

↑ Back to Top

Minimum value in array:-

```
# using For each loop
$a = array(10, 44, 5, 6, 68, 9);
$blank = $a[0];
foreach($a as $v){
    if($blank > $v)
    $blank = $v;
}
echo $blank;
```

```
-----------------------------------------------------

# 2nd Option  using For loop
$a = array(15,10,20,100,25,30);
$max = max($a);
$l = count($a);
for ($i=0; $i<$l; $i++){
    $chek = $a[$i];
    if($chek<$max){
        $z = $chek;
        $max = $z;
    }
}
echo $z;
```

↑ Back to Top

Higest value in array(Array max value):-

```
     $a = array(1, 44, 5, 6, 68, 9);
     $blank = 0;
     foreach($a as $v)
    {
        if($blank < $v)
        $blank = $v;
    }
 echo $blank;
-----------------------------------------------
# Type 2
 $a =array(2,44,5,6,68,9);
 $l = count($a);
 $res=0;
for($i=0;$i<$l;$i++){
  if($res<$a[$i]){
      $res=$a[$i];
    }
}
echo $res;
```

↑ Back to Top

Find the largest first, second, third, fourth and fifth largest number from the array

```
$array1 = array(2,4,2,3,3,6,5,9,3,15,4,5,6,9);
$first_highest = 0;
$second_highest = 0;
$third_highest = 0;

foreach($array1 as $key=>$val) {
```

```
    if($val > $first_highest) {
        $second_highest = $first_highest;
        $first_highest = $val;
    }else if($val > $second_highest && $val != $first_highest) {
        $second_highest = $val;
    }else if($val > $third_highest && $val != $first_highest && $val != $second_highest) {
        $third_highest = $val;
    }
}

print_r($first_highest);
echo "<br />";
print_r($second_highest);
echo "<br />";
print_r($third_highest);

Output:-
15
9
6
//////////////////////////////////////////
$array1 = array(2,4,2,3,3,6,5,9,11,3,15,4,5,6,9);
$maxV = $minV = $thirdLN = $fourthLN = $fifthLN = 0;
foreach($array1 as $key=>$val) {
    if($val > $maxV) {
        $fifthLN = $fourthLN;
        $fourthLN = $thirdLN;
        $thirdLN = $minV;
        $minV = $maxV;
        $maxV = $val;

    } else if($val > $minV && $val != $maxV) {
        $minV = $val;
    } else if($val > $thirdLN && $val != $maxV && $val != $minV) {
        $thirdLN = $val;
    } else if($val > $fourthLN && $val != $maxV && $val != $minV && $val != $thirdLN) {
        $fourthLN = $val;
    } else if($val > $fifthLN && $val != $maxV && $val != $minV && $val != $thirdLN && $val != $fourthLN) {
        $fifthLN = $val;
    }

}
echo "<pre>";
print_r($fifthLN);
echo "<br />";
print_r($fourthLN);
echo "<br />";
print_r($thirdLN);
echo "<br />";
print_r($minV);
```

```
echo "<br />";
print_r($maxV);
```

↑ Back to Top

Print Even number from the given array

```
$array1 = [2,5,4,2,6,9,4,2,5,8];
$blank_array = array();
foreach($array1 as $key => $val) {
   if(($val % 2) == 0) {
   $blank_array[] = $val;
   }
}

echo "<pre>";
print_r($blank_array);
```

Print Even number from the given array And remove the Duplicate array

```
$evenNo = [];
foreach($blank_array as $key => $val) {
    if($val%2 == 0) {
        $evenNo[$val] = $val;
    }
}
print_r($evenNo);
?>
```

Add space after 2 character:- //my-na-me-is-mo-hi-ts

```
<?php
$str = "my name is mohit saxena";
$len = strlen($str);
for($i=0; $i<$len; $i++)
{
    if($i%2==0 && $i!=0)
    {
        echo "-";
    }
    echo $str[$i];
}
?>
```

String Pattern

```php
<?php
for($i=0;$i<=5;$i++){
for($j=1;$j<=$i;$j++){
echo $i;
}
echo '<br>';
}
?>
```

Output:-

```
1
22
333
4444
55555
```

```php
<?php
for($i=0;$i<=5;$i++){
for($j=1;$j<=$i;$j++){
echo "1";
}
echo '<br>';
}
?>
```

Output:-

```
1
11
111
1111
11111
```

```php
<?php
 for($i=0;$i<=5;$i++){
 for($j=1;$j<=$i;$j++){
 echo $j;
 }
 echo '<br>';
}
?>
```

Output:-

```
1
12
123
1234
12345
```

```
<?php
 for($i=0;$i<=5;$i++){
 for($j=5-$i;$j>=1;$j--){
 echo "*  ";
 }
 echo "<br>";
}
?>

Output:-
* * * * *
* * * *
* * *
* *
*
```

```
<?php
    for($i=0;$i<=5;$i++)
    {
    for($j=1;$j<=$i;$j++)
    {
    echo "* ";
    }
    echo "<br>";
    }
?>

Output:-
*
* *
* * *
* * * *
* * * * *
```

```
<?php
for ($row = 1; $row <= 5; $row++)
{
echo "* </br>";
}
?>
Output:-
*
*
*
*
*
```

```
<?php
for ($row = 1; $row <= 5; $row++)
{
 for ($col = 1; $col <= 5; $col++)
  {
   echo '* ';
  }
   echo "</br>";
}
?>

Output:-
* * * * *
* * * * *
* * * * *
* * * * *
* * * * *
```

```
<?php
$num =23;
for( $j = 2; $j <= $num; $j++ )
{
    for( $k = 2; $k < $j; $k++ )
    {
        if( $j % $k == 0 )
        {
            break;
        }
    }
    if( $j == $k )
    echo $j;
}
?>
Output:- 2 3 5 7 11 13 17 19 23
```

f

Q6 – Print odd number from the given array ? Answer –

$array1 = [2,3,6,9,1,7,4,3,5]; $array2 = array(); foreach($array1 as $key => $val) { if(($val % 2) == 1) { $array2[] = $val; }

}

echo "

```
";
print_r($array2);
```

```
$arr = [2,5,4,2,6,9,4,2,5,8];
$oddNo = [];
foreach($arr as $key => $val) {
if($val%2 == 1) {
$oddNo[$val] = $val;
}
}
print_r($oddNo);
```

Greatest Number

```
 <?php
function abc($a,$b)
{
    if($a>$b)                          {
        echo $a;
    }
    else
    {
        echo $b;
    }
}
$n1 = 21;
$n2 = 20;
abc ($n1,$n2);
?>
Output:- 21
```

Array mai 1 position & 4 position ki value ko add karna

```
<?php
function add($x,$y)
{
        $u = array(5,3,4,6,9);
        $x1 = $u[$x];
        $y1 = $u[$y];
         $sum = $x1 + $y1;
         echo $sum;
}
add(1,4);
```

```
?>
Output:- 12
```

C

```
```php
<?php
$count ='a';            // a
for($i=0;$i<5;$i++)     // b
{   echo $count;        // c
    echo '<br>';        // d
    $count++;
}
?>
```
```

```
<?php
for ($i=2; $i<=100; $i+=2)      //Find all even numbers between 1 to 100
{
    echo $i." ";
}
?>
```

```
<?php
$myarray = array(8,7,5,14,4,5,9,11,9,10);           // array ki even
location wale number add jo jae
$c = count($myarray);
$x = 0;
for ($i=0; $i<$c; $i++)
{
    echo '<pre>';
    echo  $i;
    if ($i % 2 == 0)
    {
        $sum = $myarray[$i] + $x;
        $x = $sum;
        echo $x;
    }
    else
```

```
    {
        echo "odd\n";
    }
}
?>
```

```
<?php
function add($n1)
{   //$a = count($n1);          // array ke sare no add karne ke liye
    $b = 0;
    for($i=0; $i<3 ;$i++)       // array ke 1 to 3 number add ho jae
    {    $x = $n1[$i];
         $y = $b + $x;
         $b = $y;

         echo '<pre>';
         echo $b;
    }
}
$x = array(5,5,4,6,1);
add($x);
?>
```

```
string mai 3 ka baad dot(....) ho jae....
<?php
function abc($a)
{ $l = strlen($a);
  $str='';
 for($i=0; $i<$l; $i++)
    {
     $m = $a[$i];
     $str = $str.$m;
     if(strlen($str)>=4)
      {
        echo $str.'------';
        break;
      }
    }
}
$x = 'abcdefgh';
abc ($x);
?>
Output:-
abc------
```

```
<?php
 for ($i=1; $i<=5; $i++){
 echo "The Number is: ".$i."<br/>";
 }
 ?>
Output:-
The Number is: 1<br>
The Number is: 2<br>
The Number is: 3<br>
The Number is: 4<br>
The Number is: 5<br>
```

https://phpgurukul.com/php-programming-logical-interview-questions-answers/
For Array logic questions link
https://www.mostlikers.com/p/php-logical-interview-questions-and.html
https://www.tutsmake.com/php-logical-interview-questions-and-answers-for-1235-year-experience/

https://www.bestinterviewquestion.com/php-arrays programmes
https://www.letsknowit.com/php-programming-questions

https://www.w3resource.com/php-exercises/php-for-loop-exercises.php

https://tutorialdeep.com/php/print-pyramid-star-patterns-php/

print odd number but remove the dublicate odd number

```
$arr = [2,5,4,2,6,9,4,2,5,8];
$oddNo = [];
foreach($arr as $key => $val) {
if($val%2 == 1) {
$oddNo[$val] = $val;
}
}

print_r($oddNo);
```

Q7:- Check given number is prime or not.
Ans:- Prime number:-A number that is divisible only by itself and 1 is

```
called prime number (e.g. 2, 3, 5, 7, 11).
$num = 11;

$count=0;



for ($i = 1; $i <= $num; $i++) {
if(($num % $i) == 0) {
$count ++;
}
}



if($count == 2) {
echo $num. " Number is prime";
} else {
echo $num. " Number is not prime";
}



Q8:- Print 1 to 100 prime numbers
Ans:-
function primeno($n){



for($i=1;$i<=$n;$i++){  //numbers to be checked as prime
```

```
        $counter = 0;
        for($j = 1; $j <= $i; $j++) { //all divisible factors


              if($i % $j==0) {

                    $counter++;
              }
        }

      //prime requires 2 rules ( divisible by 1 and divisible by itself)
      if($counter==2){

             print $i." is Prime <br/>";
      }
  }
```

```
}
```

```
primeno(100);  //find prime numbers from 1-100
```

Q9:- Print 1 to 100 alternate prime numbers.
Ans:-

```
function primeno($n){
$alternate = 0;
for($i=1;$i<=$n;$i++){  //numbers to be checked as prime
```

```
       $counter = 0;
       for($j=1;$j<=$i;$j++){ //all divisible factors


             if($i % $j==0){

                   $counter++;
             }
       }

     //prime requires 2 rules ( divisible by 1 and divisible by itself)
     if($counter==2){
  if($alternate == 1) {
             $alternate = 0;
             } else {
                 print $i." is Prime <br/>";
                 $alternate = 1;
             }


     }
  }
```

```
}
```

```
primeno(100);  //find prime numbers from 1-100
```

Q:-Print prime no only given number by the user like if suppose user enter 5 then it should print 5 prime no.
Ans:-

```
 $array[$j]) {
```

```
                $temp = $array[$i];
                $array[$i] = $array[$j];
                $array[$j] = $temp;
            }
        }
    }
    echo '
```

```
';
    echo "Ascending Sorted Array is: ";
    print_r($array);
or
$arr = [3,5,10,66,22,31,5,7,34,1,9];
for($i = 0; $i < count($arr); $i++) {
    for($j=0; $j< count($arr)-1; $j++) {
        if($arr[$j] > $arr[$j+1]) {
            $temp = $arr[$j];
            $arr[$j] = $arr[$j+1];
            $arr[$j+1] = $temp;
        }
    }
}
print_r($arr);die;

7.show only duplicate values from an array without built-in function
PHP. ex array $arr = array(8,9,10,3,4,8,7,9,11,3);
Ans:-
 $val)
{
  unset($arr[$key]);
  if (in_array($val,$arr))
  {
    echo $val . ",";
  }
}

### **Remove Duplicate records from an array.**
```php
$array1 = array(2,3,4,2,3,4,5,4,6,3,7,4,7,2,6,4);
$array2 = array();
foreach($array1 as $key=>$val) {
        $array2[$val] = $val;
}

print_r($array2);
```

8. Write a Function that combines two lists by alternatingly taking
element. For example Given two lists [a, b, c] and [1, 2, 3] the
function should return [a, 1, b, 2, c, 3]
Ans:-
'; print_r($new_array);
?>
```

Q:- Sum numberic value from array if array has string and numberic value.
Ans:-

```
$a = ['w',3,'tk','nm', 5,8,'4','9klp','lk'];
$sum = 0;
foreach($a as $key => $val) {


if(is_numeric($val)) {
$sum = $sum+ $val;
}
}
echo $sum;
```

Q:- Write a program to concatenate two strings character by character. e.g : JOHN + SMITH = JSOMHINTH
Ans

```
$str = 'JOHN';
$str2 = 'SMITH';


$arr = str_split($str);
$arr2 = str_split($str2);


// Find the longest string
$max = max(array(strlen($str), strlen($str2)));
or
$max = max(count($arr1), count($arr2));


$result = '';


for($i = 0; $i < $max; $i++){
// Check if array key exists. If so, add it to result
if (array_key_exists($i, $arr)){
$result .= $arr[$i];
}
```

```
if (array_key_exists($i, $arr2)){
    $result .= $arr2[$i];
}
```

```
}


echo $result; //JSOMHINTH


Q:- count occurence of character in a string
exp:-aabbccca
output:-a3,b2,c3


$str = "cdcdcdcdeeeefe";


$arr = str_split($str);
$result = array_count_values($arr);
//print_r($result);die;


$order = '';
foreach($result as $key=>$value) {
$order .= $key.$value;


}


print_r($order);die;


OR Method 2
$str = 'aabbccca';
$arr = str_split($str);
$newArr = [];
foreach($arr as $key=> $val) {
$newArr[$val][] = $val;
}
$string = '';
foreach($newArr as $k => $v) {
$string .= $k.count($v);
}


print_r($string);


Factorial progamme usign recursive function
```

```
function fact ($n)

{

if($n <= 1)

{

return 1;

}

else

{

return $n * fact($n - 1);

}

}


echo "Factorial of 6 is " .fact(6);


Q:-$a = "PHP";
$b = $a + 1;
echo $b;


Q:-


1
    1 2 1
  1 2 3 2 1
1 2 3 4 3 2 1


Ans:-


=1; $m--){
        echo $m . " ";
    }

    echo "\n";
}

Q:-Given a number and arrya find all possible combinations that sum of the
given numbers.
```

```
Ans:-
$arr = [1,2,1,1,1];
$target = 3;
for($i=0; $i < count($arr); $i++) {
$sum = 0;
for($j = $i; $j < count($arr); $j++) {
$sum += $arr[$j];
if($sum === $target){
for($k = $i; $k <= 1 2 100 $j; $k++) { echo $arr[$k]. " "; } "\n"; q7:-
check given number is prime or not. ans:- number:-a that divisible only by
itself and called (e.g. 2, 3, 5, 7, 11). $num="11;" $count="0;" for
($i="1;" $i <="$num;" $i++) if(($num % $i)="=" 0) ++; if($count="=" 2)
$num. prime"; else not q8:- print to numbers function primeno($n){
for($i="1;$i<=$n;$i++){" be checked as $counter="0;" for($j="1;" $j $j++)
all factors if($i $counter++; requires rules ( itself) if($counter="=2){"
$i."
";
        }
    }
}

primeno(100);  //find prime numbers from 1-100


Q9:- Print 1 to 100 alternate prime numbers.
Ans:-
function primeno($n){
  $alternate = 0;
  for($i=1;$i<=$n;$i++){ 1 2 numbers to be checked as prime $counter="0;"
for($j="1;$j<=$i;$j++){" all divisible factors if($i % $j="=0){"
$counter++; } requires rules ( by and itself) if($counter="=2){"
if($alternate="=" 1) { $alternate="0;" else print $i." is
";
                    $alternate = 1;
                }


        }
    }
}

primeno(100);  //find prime numbers from 1-100


Q:- What is the output below.
$search = "Hello";

$string = "Hello welcome to in Chetu India";

if(strpos($search, $string)) {
    echo "found";
}else {
    echo "not found";
}
```

```
Ans:- not found because “Hello” is the zero position and strpos return
position of a string.
```

```
============================++============================++++++++++++++++++
+++++++
```

```PHP
Q2:- Find largest and second largest number from the array
Ans:-
$array1 = array(2,4,2,3,3,6,5,9,3,15,4,5,6,9);
$maxV = $minV = 0;
foreach($array1 as $key=>$val) {
        if($val > $maxV) {
        $minV = $maxV;
        $maxV = $val;

    } else if($val > $minV && $val != $maxV) {
        $minV = $val;
    }

}
echo "
```

```
  ";
  print_r($minV);
  echo "
  ";
  print_r($maxV);
```