No. Python Interview Questions

_
What is Python?
Features of Python?
Python Frameworks?
 How to get Id of any object?
a=1, b=1 does both have same Id or not?
File Extensions in Python?
What is the difference between .py and .pyc files?
What is an Interpreted language?
What is a dynamically typed language?
Python Comments?
What is PEP 8?
Is indentation required in python?
What is python Variables?
What is Scope in Python?
global Keyword?
What are the common built-in data types in Python?
How We can get the data type of any object?
Primitive/Non-Primitive Data Structures?
 What is If Else?
 Python While Loops
Switch Statements?
 Switch Statements Using class?
 Switch Statements Using function?
Python Operators?
 difference between membership and identity operators?
 Type Casting/Type Conversion?
Deep Copy and Shallow Copy?
 What is Decorators?
 What are pickling and unpickling in Python?

No.	Python Interview Questions	
	What is Python JSON?	
	What is Monkey Patching?	
	What is Lambda/Anonymous Function?	
	What is Magic Method Or Dunder Methods?	
	floor() and ceil() Functions?	
No.	Python List Interview Questions	
	What is List?	
	List Length?	
	How to Check if Item Exists?	
	Access List Items?	
	Add List Items?	
	Change or Update List Items?	
	Remove List Items?	
	Copy Lists?	
	Join Lists?	
	Loop Lists?	
	Sort Lists?	
	List Methods?	
No.	Python List Program Interview Questions	
	Find the Length of a List?	
	Length hint function?	
	Finding length of list using loop?	
	Interchange first and last elements in a list?	
	Swap Two Elements in a List?	
	Swap elements in String list?	
No.	Python Tuple Interview Questions	
	What is Tuples?	
	Tuple Length?	
	Create Tuple With One Item?	
	Check if Item Exists in tupple	

No.	Python Tuple Interview Questions
	Tuple() Constructor?
	packing and unpacking Tuples?
	Difference between List and Tuples in Python?
	Access Tuple Items?
	Add Tuples Items?
	Change or Update Tuples?
	Remove Tuples Items?
	Copy tuple?
	Join Tuples?
	Loop Tuples?
	Tuple Methods?
No.	Python Tuple Program Interview Questions
	Convert a list into a tuple?
	How to Sort List Of Tuples By The First Element?
	How to Sort List Of Tuples By The Second Element?
No.	Python Dictionary Interview Questions
	What is Dictionaries?
	Dictionary Length?
	How to Check if Item Exists?
	Access Item of Dictionary?
	Add Dictionary Items?
	Change Or Update Dictionary Items?
	Remove Dictionary Items?
	Copy Dictionaries?
	Loop Dictionaries?
	Dictionary Methods?
	Nested Dictionaries?

Python Programs Questions

No. Python Programs Questions

No.	Python Programs Questions	
1	Hello World	
2	swap two variables	
3	check if a number is Even or odd	
4	Check Prime Number Or Not?	
5	Prime Number Print between lower to upper?	
	To Check if a String is a Palindrome	
	To Check if a Number is a Palindrome	
	Find the Factorial of a Number	
	find Fibonacci series up to n	
	Reverse string?	
	Reverse a Number?	
	check number is an Armstrong number or not	

No. Python array Programs Questions

Find the missing number in the array?

- 1 python
- 2 list
- 3 tuple
- 4 dictinory
- 5 set
- 6 string
- 7 oops
- 8 program
- 9 numpy
- Ques. What are the common built-in data types in Python?
- Ques. What is Decorators?

Python Interview Questions

- 1. What is Python? What are the benefits of using Python?
- 2. What are lists and tuples? What is the key difference between the two?
- 3. What are the common built-in data types in Python?
- 4. What is pass in Python?
- 5. What are modules and packages in Python?
- 6. What are global, protected and private attributes in Python?
- 7. What is the use of self in Python?
- 8. What is __ init __?

- 9. What is break, continue and pass in Python?
- 10. What is docstring in Python?
- 11. What is slicing in Python?
- 12. Explain how can you make a Python Script executable on Unix?
- 13. What is the difference between Python Arrays and lists?
- 14. How is memory managed in Python?
- 15. What are Python namespaces? Why are they used?
- 16. What is Scope Resolution in Python?
- 17. What are Dict and List comprehensions?
- 18. What is lambda in Python? Why is it used?
- 19. How do you copy an object in Python?
- 20. What is the difference between xrange and range in Python?
- 21. What is pickling and unpickling?
- 22. What are generators in Python?
- 23. What is PYTHONPATH in Python?
- 24. What is the use of help() and dir() functions?
- 25. What is the difference between .py and .pyc files?
- 26. How Python is interpreted?
- 27. How are arguments passed by value or by reference in python?
- 28. What are iterators in Python?
- 29. Explain how to delete a file in Python?
- 30. Explain split() and join() functions in Python?
- 31. What does *args and **kwargs mean?
- 32. What are negative indexes and why are they used?

Python OOPS Interview Questions

- 1. How do you create a class in Python?
- 2. How does inheritance work in python? Explain it with an example.
- 3. How do you access parent members in the child class?
- 4. Are access specifiers used in python?
- 5. Is it possible to call parent class without its instance creation?
- 6. How is an empty class created in python?
- 7. Differentiate between new and override modifiers.
- 8. Why is finalize used?
- 9. What is init method in python?
- 10. How will you check if a class is a child of another class?

11.

Python Libraries Interview Questions

- 1. Differentiate between a package and a module in python.
- 2.

Ques. What is Generator Functions?

• Generator are functions that returns a sequens of value. we use **yield** statement to return the from function.

• Yield statement returns the element from a generator function into a genrater object.(EX:- yield a)

- This function is used to retrieve element by element from a generator object.(Ex:- next(gen_obj))
- A generator is a special type of function which does not return a single value, instead, it returns an iterator object with a sequence of values.
- In a generator function, a **yield** statement is used rather than a return statement.
- The generator function cannot include the return keyword. If you include it, then it will terminate the function.
- The difference between yield and return is that yield returns a value and pauses the execution while maintaining the internal states, whereas the return statement returns a value and terminates the execution of the function.

```
def mygenerator():
    print('First item')
    yield 10
    print('Second item')
    yield 20
    print('Last item')
    yield 30
gen = mygenerator()
print(next(gen))
print(gen.__next__()) # 2 option to write the next function
print(next(gen))
print(next(gen))
Output:-
First item
10
Second item
Last item
Traceback (most recent call last):
File "<string>", line 22, in <module>
StopIteration
# 2nd Option
gen = mygenerator()
while True:
    try:
        print ("Received on next(): ", next(gen))
    except StopIteration:
        break
Output: -
First item
Received on next(): 10
Second item
Received on next(): 20
```

```
Last item
Received on next(): 30
# Example 2:-
def bhai(a,b):
   yield a+b
   yield a-b
result = bhai(3,2)
print(next(result))
print(next(result))
Output:-
5
1
# Example 3:-
def numberPrint():
    n = 1
    while n <= 10:
        sq = n*n
        yield sq
        n += 1
values = numberPrint()
for i in values:
    print(i)
Output:-
1
4
9
16
25
36
49
64
81
100
```

Ques. What are global, protected and private attributes in Python?

- **Global variables** are public variables that are defined in the global scope. To use the variable in the global scope inside a function, we use the **global** keyword.
- Protected attributes are attributes defined with an single underscore prefixed to their identifier eg.
 _mohit. They can still be accessed and modified from outside the class they are defined in but a
 responsible developer should refrain from doing so.
- **Private attributes** are attributes with **double underscore** prefixed to their identifier eg. _mohit. They cannot be accessed or modified from the outside directly and will result in an AttributeError if such an attempt is made.

Python Collections (Arrays)?

There are four collection data types in the Python programming language:

- List is a collection which is ordered and changeable. Allows duplicate members.
- **Tuple** is a collection which is ordered and unchangeable. Allows duplicate members.
- **Set** is a collection which is unordered and unindexed. No duplicate members.
- **Dictionary** is a collection which is unordered, changeable and indexed. No duplicate members.

Ques. How would you convert a list to an array?

- Python list is a linear data structure that can hold heterogeneous elements. Python does not have a built-in array data type. If you want to create an array in Python, then use the numpy library.
- To install **numpy** in your system, type the following command.

```
python3 -m pip install numpy
```

• 1. Using numpy.array()

```
import numpy as np
elon_list = [11, 21, 19, 18, 29]
elon_array = np.array(elon_list)
print(elon_array)
print(type(elon_array))
Output:-
[11 21 19 18 29]
<class 'numpy.ndarray'>
# 2. Using numpy.asarray()
import numpy as np
elon_list = [11, 21, 19, 18, 29]
elon array = np.asarray(elon list)
print(elon array)
print(type(elon_array))
Output:- [11 21 19 18 29]
<class 'numpy.ndarray'>
```

Ques. What do * (single asterisk)/args and ** (double asterisk)/kwargs do for parameters in Python?

```
1. *args (Non Keyword Arguments)
```

^{2. **}kwargs (Keyword Arguments)

• **Single Asterisk:-** Single Asterisk allows the developer to pass a variable number of Positional parameters and automatically converts the input values in the form of tuples. At the same time.

```
def print_colors(*args):
    print(args)
print_colors('red','blue','green','yellow')
Output:- ('red', 'blue', 'green', 'yellow')
```

• **Double Asterisks** Double Asterisk allows the users to pass a variable number of Keyword parameters in the form of a Dictionary.

```
def print_numbers(**kwargs):
    for key, value in kwargs.items():
        print (f"{key} is a {value}")
    print_numbers(mohit="TL", two="two",three=3,four="four")

Output:-
    mohit is a TL
    two is a two
    three is a 3
    four is a four
```

Ques. What is built-in module in Python?

https://docs.python.org/3/py-modindex.html Example

```
>>> import html
>>> import html.parser
import mysql.connector
```

ye buil in packege hote hai agar or karne hai to pip ki help sa karenge

Ques. How is memory managed in Python?

- Memory management in Python is handled by the **Python Memory Manager**.
- Python also has an inbuilt garbage collector, which recycles all the unused memory and so that it can be made available to the heap space.
- Memory management in python is managed by Python private heap space. All Python objects and data structures are located in a private heap. The programmer does not have access to this private heap. The python interpreter takes care of this instead.
- The allocation of heap space for Python objects is done by Python's memory manager. The core API gives access to some tools for the programmer to code.

Ques. What is Map, Filter, Reduce?

sdafasf fasf das f

Ques. What is an Iterable?

• An Iterable is an object that implements the **iter**() method and returns an iterator object or an object that implements **getitem**() method (and should raise an IndexError when indices are exhausted).

What is Iterators?

- iterator is an object, its print the value one by one.
- An iterator is an object that contains a countable number of values.
- An iterator is an object that can be iterated upon, meaning that you can traverse through all the values.
- Technically, in Python, an iterator is an object which implements the iterator protocol, which consist of the methods **iter**() and **next**().

```
# Example1
mytuple = ("apple", "banana", "cherry")
myit = iter(mytuple)
print(next(myit))
print(next(myit))
print(next(myit))
Output: -
apple
banana
cherry
# Example 2
mystr = "banana"
myit = iter(mystr)
print(next(myit))
print(next(myit))
print(next(myit))
print(next(myit))
print(next(myit))
print(next(myit))
Output:-
b
а
n
а
n
# Looping Through an Iterator
# The for loop actually creates an iterator object and executes the next() method
for each loop
```

```
mytuple = ("apple", "banana", "cherry")

for x in mytuple:
   print(x)

Output:-
apple
banana
cherry
```

Ques. Difference between Iterators and iterable?

• Every iterator is also an iterable, but not every iterable is an iterator.

Iterable	Iterator
An Iterable is basically an object that any user can iterate over.	An Iterator is also an object that helps a user in iterating over another object (that is iterable).
We can generate an iterator when we pass the object to the iter() method.	We use the next () method for iterating. This method helps iterators return the next item available from the object.
Every iterator is basically iterable.	Not every iterable is an iterator.

Ques. Difference between generator and iterators in python?

Iterator	Generator
Class is used to implement an iterator	Function is used to implement a generator.
Local Variables aren't used here.	All the local variables before the yield function are stored.
Iterators are used mostly to iterate or convert other objects to an iterator using iter() function.	Generators are mostly used in loops to generate an iterator by returning all the values in the loop without affecting the iteration of the loop
Iterator uses iter() and next() functions	Generator uses yield keyword
Every iterator is not a generator	Every generator is an iterator

String to array:-

```
thislist = ["apple", "banana", "cherry"]
str1 = ' '.join(thislist)
counter = dict.fromkeys(str1, 0)
print(counter)
for item in str1:
    counter[item] += 1
print(counter)

import collections
print(collections.Counter("hello"))
```

Use of "get()" function

Ques. What is NumPy?

• NumPy is a library for the Python programming language, adding support for large, multi-dimensional arrays and matrices, along with a large collection of high-level mathematical functions to operate on these arrays.

Ques. Why is NumPy Faster Than Lists?

Ques. What is difference betweenr repr() and str()?

the built-in str() and repr() functions both produce a textual representation of an object.

- str():- The str() function returns a user-friendly description of an object.
- repr():- The repr() method returns a developer-friendly string representation of an object.

```
import datetime
today = datetime.datetime.now()
print(str(today))
print(repr(today))

Output:-
2021-08-14 08:18:25.138663
datetime.datetime(2021, 8, 14, 8, 18, 25, 138663)
```

Ques. What is Scope Resolution in Python?

- scope resolution in python follows the LEGB rules.
- 1. Local(L): Defined inside function/class
- 2. Enclosed(E): Defined inside enclosing functions(Nested function concept)
- 3. Global(G): Defined at the uppermost level
- 4. Built-in(B): Reserved names in Python builtin modules
- Local, Enclosed, and Global Scopes in Python

```
pi = 'global pi variable'

def outer():
    pi = 'outer pi variable'
    def inner():
        # pi = 'inner pi variable'
        nonlocal pi
        print(pi)
        inner()

outer()
print(pi)

Output:-
outer pi variable
global pi variable
```

What is docstring in Python?

What are Python namespaces?

A namespace in python refers to the name which is assigned to each object in python. The objects are variables and functions. As each object is created, its name along with space(the address of the outer function in which the object is), gets created. The namespaces are maintained in python like a dictionary where the key is the namespace and value is the address of the object. There 4 types of namespace in python-

Built-in namespace—These namespaces contain all the built-in objects in python and are available whenever python is running. Global namespace—These are namespaces for all the objects created at the level of the main program. Enclosing namespaces—These namespaces are at the higher level or outer function. Local namespaces—These namespaces are at the local or inner function.

```
a = "mohit kumar"
new_list = [1,2,3,4,3,2,1,5,6,7]
list4 = []
for item in a:
    list4.append(item)
print(list4)
```

```
list5 = []
[list5.append(item*5) for item in new_list if item not in list5]
print(list5)
dict1 = {}
# for item in List:
# dict1[len(item)] = item
# print(dict1)
dict1 = {len(item): item for item in List}
print(dict1)
abc = sorted(dict1)
list6 = [dict1[item] for item in abc]
print(list6)
```

Unique dictionary from list?

Ques. What is the purpose of the range() function?

- The range() function in Python is used to generate a sequence of numbers, which is often used for iterating over a loop a specific number of times.
- The range() function can take up to three arguments:
 - start (optional): The starting value of the sequence (default is 0).
 - o stop: The stopping value of the sequence. The sequence will go up to, but not include, this value.
 - o step (optional): The difference between each number in the sequence (default is 1).

```
# Using range with only one argument (stop)
for i in range(5):
    print(i) # Prints 0, 1, 2, 3, 4

# Using range with two arguments (start and stop)
for i in range(2, 8):
    print(i) # Prints 2, 3, 4, 5, 6, 7

# Using range with all three arguments (start, stop, step)
```

```
for i in range(1, 10, 2):
    print(i) # Prints 1, 3, 5, 7, 9
```

Ques. How do you open and close a file in Python?

```
file = open("example.txt", "r") # Opens the file in read mode
content = file.read() # Read the content of the file
print(content)
file.close() # Close the file when done
```

g. WAP to count from a string? I. Count occurrence of each number in list. s. Write a custom insert() function for list eg. def custom_insert (list, index, item). bb. Can we pass list or tuple as a key in dictionary? ee. What is property decorator? ii. What is lazy evaluation in python? b. Static file contains which type of file normally? c. How can be file read in specific location? d. How do you remove a file from a folder? e. If user upload excel file check file format if it is valid or invalid. f. What is context manager? g. What is Garbage Collector? g. What is the difference between Static method and Class method? h. Private variable and how we can access that? i. Inheritance and types of inheritance. j. Difference multilevel and multiple inheritance and drawback?

- 1. Exception Handling a. How can we handle errors in python? b. How many ways exception in python?
- 2. Multithreading a. What is GIL?
- 3. Numpy a. Tell me some python libraries .. Numpy b. Convert a list into numpy

https://pynative.com/python-constructors/

####### chatgpt Certainly, here are some Python interview questions across different levels of complexity:

Beginner:

How can you iterate over a dictionary?

Intermediate:

What are decorators in Python, and how do they work? Explain the Global Interpreter Lock (GIL) in Python. How does it affect multi-threading? What are list comprehensions? Provide an example. What is the purpose of the **init** method in a Python class? How does exception handling work in Python? Provide examples of using try, except, finally. Describe the difference between shallow copy and deep copy in Python.

Advanced:

What are generators and iterators in Python? How are they different from each other? Explain the concept of "duck typing" in Python. How can you profile and optimize Python code for performance? Describe the use of context managers using the with statement. Explain the concept of metaclasses in Python. What are async functions in Python? How do they relate to asynchronous programming?

Problem-Solving:

Write a function to check if a given string is a palindrome. Implement a binary search algorithm. Given a list of numbers, write a function to find the two numbers that add up to a specific target sum. Implement a basic

AbstractUser vs AbstractBaseUser The default User model in Django uses a username to uniquely identify a user during authentication. If you'd rather use an email address, you'll need to create a custom User model by either subclassing AbstractUser or AbstractBaseUser.

Options:

AbstractUser: Use this option if you are happy with the existing fields on the User model and just want to remove the username field. AbstractBaseUser: Use this option if you want to start from scratch by creating your own, completely new User model.

https://books.agiliq.com/projects/django-orm-cookbook/en/latest/null_vs_blank.html