

# Wordpress-Interview-Question-And-Answer

---

No.	Questions
1	<a href="#">What is Wordpress?</a>
2	<a href="#">Difference between pages and post?</a>
3	<a href="#">How many default tables are the WordPress?</a>
4	<a href="#">What is default table prefix for wordpress?</a>
5	<a href="#">How to Create template?</a>
6	<a href="#">Find the path img, css &amp; js</a>
7	<a href="#">How to call a Site title &amp; description?</a>
8	<a href="#">How to set logo dynamically?</a>
9	<a href="#">How to display page content in a page template?</a>
10	<a href="#">How to call widget section</a>
11	<a href="#">How to disable all updates Plugin &amp; Theme?</a>
11	<a href="#">Author</a>
	<a href="#">Rearrange the admin menu</a>
	<a href="#">Logout Redirection</a>

## Ques. What Is WordPress?

- Wordpress is a free open source content management system(CMS) written PHP language.
- It allows users to create dynamic websites from personal blogs to e-commerce.

## Ques. Difference between pages and post?

- Posts can be categorized vs. Pages are hierarchical.
- Posts Usually Have A Public Author, But Pages Don't
- Posts Display In Your RSS Feed, But Pages Don't
- Posts Have Custom "Formats", But Pages Only Sometimes Have Templates

## Ques. How many default tables are the WordPress?

There are 11 table in wordpress, they are:-

- Wp\_options
- Wp\_links
- Wp\_users
- Wp\_usermeta
- wp\_comments

- Wp\_commentmeta
- Wp\_posts
- Wp\_postmeta
- Wp\_terms
- Wp\_term\_taxonomy
- Wp\_term\_relationships
- Wp\_termmeta // include new table

### Ques. What is default table prefix for wordpress?

**Ans.** wp\_ is default prefix for WordPress.

### Ques. What is the difference between the wp\_title and the\_title tags?

**Ans.** wp\_title() function is for use outside "the Loop" to display the title of a Page. the\_title() on the other hand is used within "the\_loop".

### Ques. What's the difference between site\_url() and home\_url()?

**Ans.** The site\_url() will always be the location where you can reach the site by tacking on /wp-admin on the end, while home\_url() would not reliably be this location. The home\_url() would be where you have set your homepage by setting genral>setting "site Address(url)" field.

### Ques. How to Create Custom Post Type?

**Ans.** Custom post types are new post types you can create. A custom post type can be added to WordPress via the register\_post\_type() function.

Ques. How to Create template?

```
<?php /* Template Name: Custom Page */ ?>
```

Ques. How to disable new textarea?

```
====in functions.php=====
add_filter('use_block_editor_for_post', '__return_false', 10);
```

Ques. Find the path img, css & js?

```
<link href="<?php echo get_template_directory_uri(); ?>/css/animate.min.css"
rel="stylesheet">
```

- using function

```
wp_enqueue_style( $handle, $src, $deps, $ver, $media );
wp_enqueue_script('my_amazing_script');
```

Ques. How to call a Site title & description?

```
<?php echo esc_attr( get_bloginfo( 'name', 'display' ) ); ?> (OR)
<?php bloginfo( 'name' ); ?> // For Site Name
<?php bloginfo( 'description' ); ?> // For Tag line or description
```

Ques. How to set logo dynamically?

```
<?php twentyseven_the_custom_logo(); ?> instead of 
<?php the_custom_logo(); ?>

<title><?php if (is_front_page() ) { bloginfo('name'); }
else { wp_title(''); ?> | <?php bloginfo('name'); } ?></title>

<?php bloginfo( 'description' ); ?>

<?php bloginfo('name'); ?>

<?php get_site_icon_url(); ?>

if (!has_custom_logo()) {
    ?>
    <h1><?php bloginfo('name'); ?></h1>
    <?php
}
```

Ques. How to display page content in a page template?

```
<?php
while (have_posts()) : the_post();
the_title();
the_content();
the_post_thumbnail();
endwhile;
wp_reset_postdata();
?>
```

Ques. How to call widget section?

```
<?php dynamic_sidebar('widget_name/widget_slug_name'); ?>
```

## Ques. How to disable all updates Plugin & Theme ?

Open the file file wp.config.php and put the code.

```
define('DISALLOW_FILE_MODS',true);
```

## Ques: How to Remove P and Br tags in WordPress posts?

Open functions.php in your current active theme.

Add following lines

```
remove_filter( 'the_content', 'wpautop' );  
remove_filter( 'the_excerpt', 'wpautop' );
```

## Ques: What is a Plugin?

A Wordpress Plugin is a Program or a set of one or more function written in the PHP scripting language, that adds a specific language, that adds a specific set of features or services to the wordpress site.

## Ques. How to Create Child Theme?

- wp-content -> themes folder.
- twentyseventeen-child

```
@import url('../twentyseventeen/style.css');  
/*  
Theme Name: Twenty Seventeen Child  
Template: twentyseventeen  
Theme URL: http://yourdomain.com  
Description: Twenty Seventeen Child  
Theme Author: Your Name  
Author URL: http://yourdomain.com  
Version: 1.0.0  
Text Domain: twentyseventeen-child  
*/
```

## Ques. Create Custom post Type?

```
function slider_register_post_type()  
{  
$homeslider = array(  
    'public' => true,  
    'label' => 'job hai',  
    "show_in_nav_menus" => true,
```

```

    "supports" => array( "title", "editor", "thumbnail", 'excerpt', 'comments' ),
    );
register_post_type('job', $homeslider);
}
add_action('init','slider_register_post_type');

```

```

function hindi_register() {
    $labels = array(
        'name' => _x('Hindi', 'post type general name'),
        'singular_name' => _x('Hindi Item', 'post type singular name'),
        'add_new' => _x('Add New', 'hindi item'),
        'add_new_item' => __('Add New Hindi'),
        'edit_item' => __('Edit Hindi Item'),
        'new_item' => __('New Hindi Item'),
        'view_item' => __('View Hindi Item'),
        'search_items' => __('Search Hindi Items'),
        'not_found' => __('Nothing found'),
        'not_found_in_trash' => __('Nothing found in Trash'),
        'parent_item_colon' => ''
    );
    $args = array(
        'labels' => $labels,
        'public' => true,
        'menu_icon' => 'dashicons-format-gallery',
        'publicly_queryable' => true,
        'show_ui' => true,
        'query_var' => true,
        'rewrite' => true,
        'capability_type' => 'post',
        'hierarchical' => false,
        'menu_position' => 8,
        'supports' => array('title','editor','thumbnail')
    );
    register_post_type( 'hindi' , $args );
}
add_action('init', 'hindi_register');
function create_hindi_taxonomies() {
    $labels = array(
        'name' => _x( 'Categories', 'taxonomy general name' ),
        'singular_name' => _x( 'Category', 'taxonomy singular name' ),
        'search_items' => __ ( 'Search Categories' ),
        'all_items' => __ ( 'All Categories' ),
        'parent_item' => __ ( 'Parent Category' ),
        'parent_item_colon' => __ ( 'Parent Category:' ),
        'edit_item' => __ ( 'Edit Category' ),
        'update_item' => __ ( 'Update Category' ),
        'add_new_item' => __ ( 'Add New Category' ),
        'new_item_name' => __ ( 'New Category Name' ),
        'menu_name' => __ ( 'Categories' ),
    );
}

```

```

    $args = array(
        'hierarchical'      => true, // Set this to 'false' for non-hierarchical
taxonomy (like tags)
        'labels'            => $labels,
        'show_ui'           => true,
        'show_admin_column' => true,
        'query_var'         => true,
        'rewrite'           => array( 'slug' => 'categories' ),
    );

    register_taxonomy( 'hindi_categories', array( 'hindi' ), $args );
}
add_action( 'init', 'create_hindi_taxonomies', 0 );

```

Ques. How to fetch data from a custom post type?

```

<?php $args = array( 'post_type' => 'slider', 'posts_per_page' => -1, 'post_status' =>
'publish',
    'category_name' => 'mobile_apps', 'order' => 'DESC',
    'product_cat' => '3-d-photo-popouts-with-background' );
    $loop = new WP_Query( $args );
    while ( $loop->have_posts() ) : $loop->the_post();?>
        <?php $i = 1; while (have_posts() && $i < 6) : the_post(); ?>

            <?php $i++; endwhile; ?>
        <?php endwhile; ?>


<?php echo the_post_thumbnail( array(70, 70, true) ); ?> //img src nahi lagega
<?php echo the_post_thumbnail( 'thumbnail' ); ?>
<?php the_post_thumbnail( 'thumbnail', array( 'class' => 'img-responsive img-
circle' )); ?>
<?php echo get_the_post_thumbnail( $post_id, 'thumbnail', array( 'class' => 'img-
responsive img-circle' )); ?>

        <?php
            if( has_post_thumbnail() ) {
                //Add in featured image & class
                the_post_thumbnail( 'medium', array( 'class' => 'img-responsive' )
);
            } else{
                ?>


                <?php
                    }
                ?>

```

```

        title="<?php the_title_attribute(); ?>"
        <?php echo $post->post_title ?>
        <?php echo $post->post_content ?>
        <?php echo substr($post->post_content, 0, 150); ?>
        <?php echo get_the_time( 'F j, Y', $post->ID ) ?>
        <a href="<?php echo get_permalink( $post->ID ); ?>">
        <?php the_time(); ?>
        <?php the_tags(); ?>
        <?php next_posts_link(); ?>
        <?php previous_posts_link(); ?>
        <?php the_post_thumbnail(); ?>
        <?php the_excerpt(); ?>
        <?php comment_form(); ?>
        <?php comments_popup_link('No Comments ', '1 Comment ', '% Comments
    '); ?>
        <?php echo timeago(); ?>
    <?php echo human_time_diff(get_the_time('U'), current_time('timestamp')) . ' ago';
    ?>

    <section class="inn-pagebanner" style="background-image: url('<?php echo
wp_get_attachment_url
    ( get_post_thumbnail_id( $post->ID ) ); ?>'); background-position:
center;">

```

Ques. What is a WordPress taxonomy ?

In WordPress, a “taxonomy” is a grouping mechanism for some posts (or links or custom post types). There are four default taxonomies in WordPress they are-

- Category
- Tag
- Link Category
- Post Formats

Ques. What are the types of hooks in WP and what are their functions ?

#### Action Hooks:-

- We can add new css and js by action hooks.
- An Action hook in WordPress is a hook that is triggered at a specific time when WordPress is running and lets you take action.
- Doing something new. Ex:- adding css and js

Below are list of some Action hooks functions:-

- has\_action()
- add\_action()
- do\_action()
- do\_action\_ref\_array()

- `did_action()`
- `remove_action()`
- `remove_all_actions()`
- `doing_action()`

### Filter Hooks:-

- A Filter hook in WordPress allows you to get and modify WordPress data before it is sent to the database or the browser.
- Doing something which is already in wordpress.

Below are list of some Filter hooks functions:-

- `has_filter()`
- `add_filter()`
- `apply_filters()`
- `apply_filters_ref_array()`
- `current_filter()`
- `remove_filter()`
- `remove_all_filters()`
- `doing_filter()`

```
add_filter('use_block_editor_for_post', '__return_false');
```

How do you enable debug mode in WP?

You can enable **debug mode** in WP by editing **wp-config.php** file and changing **WP\_DEBUG** constant value to **true**.

Ques. How to create a folder if it doesn't already exist in Wordpres?

```
$pathname='path/to/directory';
if (!file_exists($pathname)) {
    mkdir($pathname, 0777, true);
}
```

\_\_Pathname: \_\_ path where you want to create the folder Folder  
 \_\_Permission: \_\_ Permission of folder.  
 \_\_Recursive: \_\_ **true** for all sub directory, **false** for current directory only.

Ques. What is difference between mode value 0777 and 777 in mkdir/chmod function?

In PHP, 0777 and 777 have same meaning and no difference.

When you are providing 4 digit in for permission, it means 1 digit will be used for sticky bit.

**sticky bit** is access right flag that can be assigned to files and directories on Unix-like systems.

Ques: Where to place to insert the google analytics Code?



You should add "Google analytics code" in Every page, so that you can get all pages tracking report. As per google, you should add "Google Analytics code" just before the closing of "head" for better results. In wordpress, when we are using some theme for displaying your website. there might be textbox in admin section, to add the "Google Analytics" code for tracking purpose. (May OR may not available in your current theme)

Ques: How to get the current page name in WordPress? You can get the page name from below of two?

```
$slug = basename(get_permalink());  
OR  
$pagename = get_query_var( 'pagename' );
```

Ques: How do I get the version of wordpress?

```
echo bloginfo( 'version' );  
OR  
Above is get from below file. You can check in wp-includes/version.php  
$wp_version = '4.1.2';
```

Ques: How to turn off the Notice/Warning from my wordpress website?

Open the wp-config.php file and WP\_DEBUG set the false.

```
define( 'WP_DEBUG', false );
```

Ques: What is use of \_\_() and \_e() functions in wordpress?

These are function used when you website multilingual. each of this function have two parameter.

1st parameter: String which you want to convert from one language to another.

2nd parameter: domain name.

```
$translatedText = __( 'TEXT_FOR_TRANSLATION', 'textdomain' ); //This will return  
the translated text  
_e( 'TEXT_FOR_TRANSLATION', 'textdomain' ); //This will print the translated text
```

Ques: How to get wordpress post featured image URL?

```
if ( has_post_thumbnail( $post->ID ) ){  
$image = wp_get_attachment_image_src( get_post_thumbnail_id( $post->ID ), 'single-  
post-thumbnail' );
```

```
echo $image[0]; //image url  
}
```

Ques: How to get last inserted row id from wordpress database?

```
global $wpdb;  
/** insert query here with $wpdb**/  
/** insert query here with $wpdb**/  
$lastId = $wpdb->insert_id; //This is last insert id
```

Ques: How do I get current taxonomy "term id" on wordpress?

```
$obj = get_queried_object();  
echo $obj->term_id;
```

Ques: How do I add Syntax Highlighting on wordpress.com?

As you can't install plugin for syntax high lighting in wordpress.com, you can use existing syntax highlighter.

```
[sourcecode language='python']  
[/sourcecode]
```

Ques: How to check admin login or Not?

```
if(is_admin()) {  
/** Write your code here */  
/** Write your code here */  
}
```

Ques. How to protect your website from DDos Attack?

Add following code in your .htaccess file.

```
<files xmlrpc.php>  
order allow,deny  
deny from all  
</files>
```

Ques: Logout Redirection?

```

=====function.php=====
add_action('wp_logout','ms_redirect_after_logout');
function ms_redirect_after_logout(){
    wp_redirect( home_url() );
    exit();
}

```

## Logout Link

```

http://mywebsitenamere.com/wp-login.php?action=logout
http://www.website.com/?customer-logout=true

```

## Ques. Displaying Logged-In User Name in Wordpress Menu?

```

=====Apprence-> menu-> custom_link.=====
#profile_name#

```

```

=====function.php=====
function give_profile_name($atts){
    $user=wp_get_current_user();
    $name=$user->user_firstname;
    return $name;
}

add_shortcode('profile_name', 'give_profile_name');

add_filter( 'wp_nav_menu_objects', 'my_dynamic_menu_items' );
function my_dynamic_menu_items( $menu_items ) {
    foreach ( $menu_items as $menu_item ) {
        if ( '#profile_name#' == $menu_item->title ) {
            global $shortcode_tags;
            if ( isset( $shortcode_tags['profile_name'] ) ) {
                // Or do_shortcode(), if you must.
                $menu_item->title = call_user_func(
                    $shortcode_tags['profile_name'] );
            }
        }
    }

    return $menu_items;
}

```

## Ques. Rearrange the admin menu?

```
// Rearrange the admin menu
function custom_menu_order($menu_ord) {
    if (!$menu_ord) return true;
    return array(
        'index.php', // page
        'edit.php?post_type=slider', // Custom type one
    );
}

add_filter('custom_menu_order', 'custom_menu_order'); // Activate
custom_menu_order
add_filter('menu_order', 'custom_menu_order');
```

=====

```
<?php $i=0; } ?>
```

=====

ID, 'rating', true);

for(\$i=1; \$i<=5; \$i++){ if(\$rat>=\$i){

echo ' '; } else{ echo ' '; } } ?>

## Header Menu

```
<?php
    $args = wp_nav_menu(array(
        'menu_class' => 'nav navbar-nav right chevron',
        'menu'        => '(header-menu)'
    ));
    ?>

<?php
    wp_nav_menu( array(
        'menu' => 'menu-nav',
        'items_wrap' => '<ul class="nav navbar-nav">%3$s</ul>',
    ) );
    ?>

<?php
    wp_nav_menu( array(
        'theme_location' => 'primary',
        'items_wrap' => '<ul>%3$s</ul>',
        'container' => 'ul',
        'menu_id' => 'cssmenu',
        'depth' => '2'
    ) );
```

```

?>

<?php $defaults = array(
    'theme_location' => ,
    'menu'           => 'menu-nav',
    'container'      => 'div',
    'container_class' => 'menu-{menu slug}-container',
    'container_id'    => ,
    'menu_class'      => 'menu',
    'menu_id'         => ,
    'echo'            => true,
    'fallback_cb'     => 'wp_page_menu',
    'before'          => ,
    'after'           => ,
    'link_before'     => ,
    'link_after'      => ,
    'items_wrap'      => '<ul id="%1$s" class="%2$s">%3$s</ul>',
    'depth'           => 0,
    'walker'          => );
?>

```

Advanced Custom Fields(<https://wordpress.org/plugins/advanced-custom-fields/>)

```

<?php the_field("service_work_process",8); ?>

" alt="" />

```

=====

=====

=== slider ko dynamic banane ke liye.....

---

```
request ); $url = site_url().'/treinamentos-tech-consulting'; if($current_url == $url){?>
```

```
===== if ( is_front_page() ) { }
```

```
0, 'category' => 3 ); // category id admin sa chek karna hai $myposts = get_posts( $args ); foreach (
    $myposts as $post ) : ?>
```

- post\_content ?>

```
=====
```

```
=====
```

```
'chooseus','posts_per_page'=>-1,'post_status' => 'publish'); $loop = new WP_Query( $args ); $i='0'; while (
$loop->have_posts() ) : $loop->the_post();?>
```

```
post_title ?>
```

```
post_content ?>
```

function mai array banya dropdown ka... phir page par call karya

```
function priceList()
{
    return $priceList =
    array('Any','50000','100000','150000','200000','250000','300000','350000','400000'
    , '450000','500000','550000','600000','650000','700000','750000','800000','850000',
    '900000','950000','1000000','1250000','1500000','1750000','2000000','2500000','300
    0000','4,000,000','5,000,000','10,000,000');
}

<select class="form-control price" type="text" name="search_max_price"
id="search_max_price">
    <option value="" >Max Price</option>
    <?php $priceListValue = priceList();
        foreach($priceListValue as $valList){?>
        <option value="<?php echo $valList;?>">$ <?php echo $valList;?></option>
        <?php }?>
</select>
```

wp

```
<?php
    for($i=0; $i<count($location); $i++){
        $selected=ucfirst($lastword)==$location[$i]?'selected':'';
        echo '<option value="'. $location[$i].'"
        '.$selected.'>'.getStrToUpper($location[$i]).'</option>';

    }

<?php }?>
```

///

alternet loop

```
<?php $args = array('post_type' => 'profiles','posts_per_page'=>-1,'post_status'
=> 'publish');
$loop = new WP_Query( $args );
$i=0;
```

```

while ( $loop->have_posts() ) : $loop->the_post();
if($i%2==0){?>
    // Some Code
<?php }else{?>
    // Some Code
<?php } $i++;?>
<?php endwhile; ?>

```

=====

- [Mission](#)
- [Vision](#)
- [Ideas](#)

Mission-To be a most preferred quality software developmentand Resourcing Partner throughout the world by providing quality services.

To be a successful service Oriented company globally by meet or exceed our customer needs and expectations by delivering cost effective, right quality and customer oriented technology solutions on time. Attach with DNA App Store, an online store for information about your genes will make it cheap and easy to learn more about your health risks and predispositions.

=====

'ourstory','posts\_per\_page'=>-1,'post\_status' => 'publish');

```

        $loop = new WP_Query( $args );?>
<!-- Nav Tabs -->
<div class="align-center mb-40 mb-xxs-30">
    <ul class="nav nav-tabs tpl-minimal-tabs animate">
        <?php $i='1';while ( $loop->have_posts() ) : $loop->the_post();?>
            <li class="<?php if($i=='1'){?>active<?php }?>">
                <a href="#"<?php echo $i;?>" data-toggle="tab"><?php echo $post->
post_title ?></a>
            </li>
            <?php $i++;endwhile;?>
        </ul>
    </div>
    <div class="tab-content tpl-minimal-tabs-cont section-text align-center">
        <?php $j='1';while ( $loop->have_posts() ) : $loop->the_post();?>
            <div class="tab-pane fade in <?php if($j=='1'){?>active<?php }?>" id="<?
php echo $j;?>">
                <?php echo $post->post_content; ?>
            </div>
            <?php $j++;endwhile;?>
        </div>
    </div>

```

---

'health','category\_name' => 'health-adver'); \$myposts = get\_posts( \$args ); \$i='1'; foreach ( \$myposts as \$post ) :?>

```
) post_title, 0, 70); ?>..
```

```
===== get_price_html(); ?> post, $product ); ?>
```

insert data in wordpress

```
<?php
get_header();
if(isset($_POST["submit"])){
    global $wpdb;
    print_r($_POST);
    $positions = $_POST["positions"];
    $fname = $_POST["fname"];

    $sql = "INSERT INTO `apply_now_form`(`positions`, `name`) VALUES
('$positions','$fname')";

    if($wpdb->query($sql)){
        echo "Success Fully Insert.";
    }else{
        echo "Insert Error ...";
    }
}
```

**When also Mail sent**

```
$sql = "INSERT INTO `apply_now_form`(`positions`, `name`) VALUES
('$positions','$fname')";

$wpdb->query($sql);
$to = 'mksaxena27@gmail.com';
$to = array(
    'recipient1@example.com',
    'recipient2@foo.example.com'
);
$subject = $_POST["fname"];
$message = "<b>Name = </b>".$_POST["fname"]."<br><br>."<b>Email =
</b>".$_POST["email"]."<br><br>".
    "<b>Phone = </b>".$_POST["phone"]."<br><br>."<b>State =
</b>".$_POST["state"]."<br><br>";
$headers = array('Content-Type: text/html; charset=UTF-8');
if(wp_mail( $to, $subject, $message, $headers ))
{
    echo "<p style=' width: 90%; border: solid 1px #ccc; border-radius: 5px;
padding: 4px; margin-top: 10px; color: #2e7ebe;'>Your mail is
successfully sent</p>";
}else{
    echo "Failed";
}
?>
```



## After 3 Post Clearfix

```
<?php $i++; if($i==3){ ?> <div class="clearfix"></div> <?php $i=0; } ?>
```

## Default editor

```
add_filter('use_block_editor_for_post', '__return_false');
```

## rating Star

```
<div class="rating-star">
<?php
$rat = get_post_meta($post->ID, 'rating', true);
for($i=1; $i<=5; $i++){
if($rat>=$i){
echo '<i class="fa fa-star yellow" aria-hidden="true"></i> ';
}
else{
echo '<i class="fa fa-star " aria-hidden="true"></i> ';
}
}
?>
</div>
```

## if Condtion

```
<?php if (is_page(20) ){?> <?php } ?>
<?php if( $post->ID == 172) { ?> <?php } ?>
```

Date Recieved:

+++++

# mohit

/=====

```
function wpbsearchform( $form ) {
```

```

$form = '<form role="search" method="get" id="searchform" action="" . home_url(
 '/' ) . "" >
<div>
<input type="text" value="" . get_search_query() . "" name="s" id="s" />
<input type="submit" id="searchsubmit" value="" . esc_attr__( 'Search' ) . "" />
</div>
</form>';

return $form;

```

```

}

```

```

add_shortcode('wpbsearch', 'wpbsearchform');

```

---

## Pagination

---

```

__( '<<', 'twentysixteen' ), 'next_text' => __( '>>', 'twentysixteen' ), 'screen_reader_text' => __( ' ', 'twentysixteen' )
// 'before_page_number' => " . __( 'Page', 'twentysixteen' ) . ' ', ); ?>

```

```

+++++

```

```

===== category image display

```

```

 cat_name; ?>

```

```

// 2 days ago

```

```

function timeago( $type = 'post' ) { $d = 'comment' == $type ? 'get_comment_time' : 'get_post_time'; return
human_time_diff($d('U'), current_time('timestamp')) . " " . __( 'ago' ); }

```

```

blog page+++++

```

```

tag show-----

```

```

Tags:

```

```

name; ?>

```

Disable All Update Notifications: Insert Code In Function.php:-

```

function remove_core_updates(){ global $wp_version;return(object) array('last_checked'=>
time(),'version_checked'=> $wp_version,); } add_filter('pre_site_transient_update_core','remove_core_updates');
add_filter('pre_site_transient_update_plugins','remove_core_updates');
add_filter('pre_site_transient_update_themes','remove_core_updates');

```

Post show state wise:-

## State:

--Select State-- ▼

Submit

```
'gallery','posts_per_page'=>-1,'post_status' => 'publish','gallery_categories'=>isset($_REQUEST['state'])?
$_REQUEST['state']:'' ); $loop = new WP_Query( $args ); while ( $loop->have_posts() ) : $loop->the_post();?>
```

```
Create custom admin bar menu items: function custom_adminbar_menu( $meta = TRUE ) { global
$wp_admin_bar; if ( !is_user_logged_in() ) { return; } if ( !is_admin_bar_showing() ) { return; } $wp_admin_bar-
>add_menu( array( 'id' => 'custom_menu', 'title' => __( 'Magazine' ) ) ); $wp_admin_bar->add_menu( array(
'parent' => 'custom_menu', 'title' => 'My posts', 'href' => '/wp-admin/edit.php' ) ); $wp_admin_bar-
>add_menu( array( 'parent' => 'custom_menu', 'title' => 'Home Page', 'href' => '/lifestyle/', 'meta' => array(
target => '_blank' ) ) ); } add_action( 'admin_bar_menu', 'custom_adminbar_menu', 15 );
```

How to call comment in template page:

```
'approve', 'posts_per_page'=>1 ); // The comment Query $comments_query = new WP_Comment_Query;
$comments = $comments_query->query( $args ); // Comment Loop if ( $comments ) { foreach ( $comments
as $comment ) { ?>
```

```
<div class="testi-item">
```



**comment\_author ?>**

comment\_content; ?>

[Read more](#)

Breadcrumb :

- [Projects](#)  
parent > 0){ \$tmpTerm = get\_term(\$tmpTerm->parent, get\_query\_var("taxonomy")); \$crumb = '
  - ['. \\$tmpTerm->name . '](#)  
'; array\_push(\$tmpCrumbs, \$crumb); } echo  
implode(", array\_reverse(\$tmpCrumbs)); echo '
    - ['. \\$term->name . '](#)  
'; ?>

```
$home"); // Find out the index for the last value in our path array $last = end(array_keys($path)); // Build the
rest of the breadcrumbs foreach ($path AS $x => $crumb) { // Our "title" is the text that will be displayed
(strip out .php and turn '_' into a space) $title = ucwords(str_replace(Array('.php', '_'), Array(' ', ' '), $crumb)); // If
we are not on the last index, then display an tag if ($x != $last) $breadcrumbs[] = "<a href='$title'>$title"; // Otherwise, just
display the title (minus) else $breadcrumbs[] = $title; } // Build our temporary array (pieces of bread) into one
big string :) return implode($separator, $breadcrumbs); } ?> // echo breadcrumbs(' > '); // Change 'Home' to
'Index' and » to ^^ // echo breadcrumbs(' ^^ ', 'Index'); ?>
```

Category Description in html format :

```
foreach ( array( 'pre_term_description' ) as $filter ) { remove_filter( $filter, 'wp_filter_kses' ); } foreach ( array(
'term_description' ) as $filter ) { remove_filter( $filter, 'wp_kses_data' ); }
```

```
=====
```

```
'health','category_name' => 'health-adver'); $myposts = get_posts( $args ); $i='1'; foreach ( $myposts as $post
):?>
```

```
) post_title, 0, 70); ?>..
```

```
===== get_price_html(); ?> post, $product ); ?>
```

```
?>
```

Date Recieved:

```
+++++
```

## mohit

Ques. How to call shortcode?

```
<?php echo do_shortcode( '[contact-form-7 id="27" title="Contact form 1"]' ); ?>
```

Ques. particular page ke liye

```
<?php if(is_page('projects') || is_page('to-qualify')):?>
// Some Code
<?php endif; ?>
-----
if(!is_page('about-us')){
get_sidebar();
}
<?php if(!is_page('next/ID'))
{
```

```
dynamic_sidebar( 'sidebar-2' );
}
```

## Create Widget

```
class my_first_widgt extends wp_widget
{
    function __construct(){
        parent::__construct(false, $name = __('MY FIRST widget'));
    }
    function widget($args, $instance){ ?>

        plz write html code here
    <?php
    }
}
add_action('widgets_init',function(){
    register_widget('my_first_widgt');
});
```

## Blog Page

---

### Post Show

```
<?php $args = array('post_type' => 'post','posts_per_page'=>3,'post_status' =>
'publish','paged' => get_query_var('paged') ? get_query_var('paged') : 1);
$loop = new WP_Query( $args );
while ( $loop->have_posts() ) : $loop->the_post();?>

Comment: <?php echo $post->comment_count; ?>
view: <?php echo getPostViews(get_the_ID()); ?>
view <?php echo setPostViews(get_the_ID()); ?>
Days Ago: <?php echo human_time_diff(get_the_time('U'), current_time('timestamp'))
. ' ago'; ?>
Auther: <a href="<?php echo get_author_posts_url( get_the_author_meta( 'ID' ) ); ?
"><?php echo get_the_author(); ?></a><br>
image: <?php echo the_post_thumbnail( array(70, 70, true) ); ?>
<!-- image:  -->
<br><br>
<?php endwhile; ?>
<ul class="pagination">
<?php
$big = 999999999; // need an unlikely integer
echo paginate_links( array(
    'base' => str_replace( $big, '%#%', get_pagenum_link( $big ) ),
    'format' => '?paged=%#%',
```

```

        'current' => max( 1, get_query_var('paged') ),
        'total' => $loop->max_num_pages
    ) );
?>
</ul>

```

## Search box on blog page

```

<form role="search" method="get" id="searchform" class="searchform"
    action="php echo esc_url( home_url( '/' ) ); ?"><div>
<label class="screen-reader-text" for="s">Search for:</label>
<input type="text" value="" name="s" id="s" />
<input type="submit" id="searchsubmit" value="Search" />
</div>
</form>

```

## Author

```

<p>Written by: <?php the_author_posts_link(); ?></p>

<h2>List of authors:</h2>
<ul>
<?php //wp_list_authors(); ?>
<?php wp_list_authors('exclude_admin=0'); ?>
</ul>

```

## Ques. How to fetch categories in a blog page ?

```

<?php
    $args = array(
        'orderby'    => 'ID',
        'order'      => 'ASC',
        'hide_empty' => false
    );
    $tax_terms = get_terms('category', $args);
?>
<?php foreach($tax_terms as $term_single) { ?>
<a href="php echo home_url();?&gt;/category/&lt;?php echo $term_single-&gt;slug; ?&gt;"&gt;&lt;?
php echo $term_single-&gt;name; ?&gt; &lt;span&gt;&lt;?php echo $term_single-&gt;count; ?&gt;&lt;/span&gt;
&lt;/a&gt;
&lt;a href="<?php echo get_category_link($term_single-&gt;term_id); ?&gt;"&gt;&lt;?php echo
$term_single-&gt;name; ?&gt;&lt;/a&gt;
&lt;?php echo $term_single-&gt;count; ?&gt;
&lt;?php echo $term_single-&gt;description; ?&gt;
&lt;?php } ?&gt; (OR)
</pre

```

```

<?php
$categories = get_categories( array(
    'orderby' => 'name',
    'order'    => 'ASC'
) );

foreach( $categories as $category ) { ?>
    <a href="<?php echo get_category_link($category->term_id); ?>"><?php echo
$category->name; ?></a>
    <?php
} ?>

```

Ques. How to fetch Tag in blog page ?

```

<?php $tags = get_tags(); ?>

<?php foreach ( $tags as $tag ) { ?>
<a href="<?php echo get_tag_link( $tag->term_id ); ?> " rel="tag"><?php echo $tag-
>name; ?></a>
<?php } ?>

```

Show The Product Image In Checkout Page.

```

/*
 * Show The Image In Checkout Page.
 */

add_filter( 'woocommerce_cart_item_name', 'ts_product_image_on_checkout', 10, 3 );
function ts_product_image_on_checkout( $name, $cart_item, $cart_item_key ) {

    /* Return if not checkout page */
    if ( ! is_checkout() ) {
        return $name;
    }

    /* Get product object */
    $product = apply_filters( 'woocommerce_cart_item_product',
$cart_item['data'], $cart_item, $cart_item_key );

    /* Get product thumbnail */
    $thumbnail = $product->get_image();

    /* Add wrapper to image and add some css */
    $image = '<div class="ts-product-image" style="width: 52px; height: 45px;
display: inline-block; padding-right: 7px; vertical-align: middle;">
        . $thumbnail .
    '</div>';

    /* Prepend image to name and return it */

```

```

    return $image . $name;
}

```

## language changing in drop down

```

<script type="text/javascript">
function googleTranslateElementInit() {
new google.translate.TranslateElement({pageLanguage: 'en',includedLanguages:
'en,es,zh', layout: google.translate.TranslateElement.InlineLayout.SIMPLE},
'google_translate_element');
}
</script>
<script type="text/javascript" src="//translate.google.com/translate_a/element.js?
cb=googleTranslateElementInit">
</script>
<div id="google_translate_element"></div>
<style type="text/css">
.goog-te-banner-frame.skiptranslate {display: none !important;}
body { top: 0px !important; }
img.goog-te-gadget-icon {
display: none;
}
.goog-te-gadget-simple {
border-radius: 3px;
margin-left: 7px;
}
</style>

```

## form update and image update in databse and folder

```

if(isset($_POST['Updatebutton']))
{
    $id = $_POST['id'];

    $source_path = $_FILES['fileToUpload']['tmp_name'];
    $name = $_FILES['fileToUpload']['name'];
    $find_img = mysqli_query($conn, "SELECT pro_img FROM wp_product where id =
'$id'");
    $product_img = mysqli_fetch_array($find_img);

    if( $name == ""){
        $img = $product_img['pro_img'];
    }else{
        $rand = time().'_';
        $des_path =ABSPATH."wp-content/themes/mytheme/img/" . $rand.$name;
        move_uploaded_file($source_path,$des_path);
        $img = $rand.$name;
        unlink(ABSPATH."wp-content/themes/mytheme/img/" .
$product_img['pro_img']);
    }
}

```



```

    }
    $product_name      = trim($_POST['product_name']);
    $types_of_pro      = $_POST['types_of_pro'];
    $product_description = $_POST['product_description'];
    $recipe             = implode(',', $_POST['recipe']);
    $ingredients        = $_POST['ingredients'];
    $nutrition          = $_POST['nutrition'];

    global $wpdb;

    $proUpdate = $wpdb->query($wpdb->prepare(
        "UPDATE wp_product SET
            product_name = '$product_name',
            pro_cat = '$types_of_pro',
            product_description = '$product_description',
            recipe = '$recipe',
            ingredients = '$ingredients',
            nutrition = '$nutrition',
            pro_img = '$img'
            WHERE id = $id"
    ));

    $wpdb->query('DELETE FROM wp_product_recipe WHERE product_id =
    "'. $id. '"');

    $recipe_table = "wp_product_recipe";
    foreach ($_POST['recipe'] as $key => $value) {
        $wpdb->insert( $recipe_table, array(
            'product_id'      => $id,
            'recipe_id'       => $value
        ));
    }
    if(count($proUpdate) > 0){
        $_SESSION['msg1'] = "Product updated!";
        wp_redirect( home_url('product-listing') );
    }
}

```

Form Insert and insert data another table and image & name already exists

```

if(isset($_POST['SubmitButton']))
{
    global $wpdb;
    $product_table = "wp_product";

    $source_path = $_FILES['fileToUpload']['tmp_name'];
    $name = $_FILES['fileToUpload']['name'];
    $rand = time().'_';
    $des_path = ABSPATH."wp-content/themes/mytheme/img/" . $rand.$name;
    move_uploaded_file($source_path,$des_path);
    $img = $rand.$name;
}

```

```

$barcode          = $_POST['barcode'];
$product_name      = trim($_POST['product_name']);
$types_of_pro      = $_POST['types_of_pro'];
$product_description = $_POST['product_description'];
$recipe            = implode(',', $_POST['recipe']);

$find_barcode = $wpdb->get_results( "SELECT barcode FROM $product_table
where barcode = '$barcode'" );
$find_product = $wpdb->get_results( "SELECT product_name FROM $product_table
where product_name = '$product_name'" );

if(count($find_barcode) > 0){
    $barcodemsg = 'Barcode Already exists!';
}else if(count($find_product) > 0){
    $product_msg = 'Product Already exists!';
}else{
    $sql = $wpdb->insert( $product_table, array(
        'user_id'      => $getuserid,
        'barcode'       => $barcode,
        'product_name' => $product_name,
        'pro_cat'       => $types_of_pro,
        'product_description' => $product_description,
        'recipe'        => $recipe,
        'pro_img'       => $img
    ));
    // Last Insert ID
    $lastid = $wpdb->insert_id;
    // Insert Data into Product_Recipe Table
    $recipe_table = "wp_product_recipe";
    $recipe1 = $_POST['recipe'];
    foreach ($recipe1 as $key => $value) {
        $wpdb->insert( $recipe_table, array(
            'product_id'      => $lastid,
            'recipe_id'       => $value
        ));
    }
    if(count($sql) > 0){
        $_SESSION['msg1'] = "New Product created successfully !";
        wp_redirect( home_url('product-listing') );
    }
}
}

```

## Edit data in form

```

if (isset($_GET['edit'])) {
    $id = $_GET['edit'];
    $record = $wpdb->get_results( "SELECT * FROM table_name where id=$id");
    foreach ($record as $key => $value) {
        $varibale          = $value->input_name;
    }
}

```

```

        $varibale          = $value->input_name;
        $Recipe_exp        = explode(',', $value->recipe);
        $img_path          = home_url().'/wp-content/themes/mytheme/img/'. $value->
    >pro_img;
    }
}

```

## Mail Function in php

```

<?php
$email = "mksaxena27@gmail.com";
$subject = "Test Email";
$body = "Hi, This is test email send by PHP Script";

$headers = 'From: xyz@gmail.com' . "\r\n" .
           'Reply-To: zyz@gmail.com' . "\r\n" .
           'X-Mailer: PHP/' . phpversion();
if (mail($email, $subject, $body, $headers)) {
    echo "Email successfully sent to $email...";
} else {
    echo "Email sending failed...";
}
?>

```

## Some Link

<https://bootsnipp.com/snippets/featured/image-gallery-with-fancybox> (light box image gallery)  
<https://www.ajax-zoom.com/examples/example5.php> (light box)  
<http://www.elevateweb.co.uk/image-zoom/examples> (light box)  
[https://de.rosler.com/fileadmin/ajax\\_zoom/examples/example6.php](https://de.rosler.com/fileadmin/ajax_zoom/examples/example6.php) (light box)  
<http://www.dwuser.com/education/content/click-to-zoom-for-photos-adding-lightbox-effect-to-your-images/> (light box)  
[www.wp-hasty.com](http://www.wp-hasty.com)  
<https://reduxframework.com/>

## Plugins

---

contact form 7 recaptre:-

<https://wordpress.org/plugins/really-simple-captcha/#description> shotcode:- [captchar captcha-1]

Mathcaptcha:-

<https://wordpress.org/plugins/wp-math-captcha/>

Contact Form 7 – Conditional Fields

<https://wordpress.org/plugins/cf7-conditional-fields/>

```
[select* day1 "-- Select Your Day --" "Sunday" "Monday" "Tuesday" "Wednesday"
"Thursday" "Friday" "Saturday"]

[group mon-wed]
[select* mon-wed "9:00 AM" "9:30 AM" "10:00 AM" "10:30 AM" "11:00 AM" "11:30 AM"
"12:00 PM" "12:30 PM" "01:00 PM" "01:30 PM" "02:00 PM" "02:30 PM" "03:00 PM"
"03:30 PM" "04:00 PM" "04:30 PM" "05:00 PM" "05:30 PM"]
[/group]

[group thr-sat]
[select* mon-wed "9:00 AM" "9:30 AM" "10:00 AM" "10:30 AM" "11:00 AM" "11:30 AM"
"12:00 PM" "12:30 PM" "01:00 PM" "01:30 PM" "02:00 PM" "02:30 PM" "03:00 PM"
"03:30 PM" "04:00 PM" "04:30 PM" "05:00 PM" "05:30 PM" "06:00 PM" "06:30 PM"
"07:00 PM"]
[/group]

Conditinal field
show- mon-wed if day1 is equal to sunday
show- thr-sat if day1 is equal to monday
```

## Advanced Custom Fields

<https://wordpress.org/plugins/advanced-custom-fields/>

## Popup Maker – Popup Forms

<https://wordpress.org/plugins/popup-maker/>

add class on button

## All in one migration backup

<https://wordpress.org/plugins/all-in-one-wp-migration/>

## Wordpress Website speed increase plugin

<https://wordpress.org/plugins/autoptimize/>

<https://wordpress.org/plugins/w3-total-cache/>

## Image compress Links

<https://tinypng.com/>

<https://imagecompressor.com/>

<https://compressor.io/compress>

<https://kraken.io/web-interface>