```
MariaDB [vijendra0862]> SELECT DISTINCT job FROM employee;
+-----------+
| job       |
+-----------+
| CLERK     |
| SALESMAN  |
| MANAGER   |
| ANALYST   |
| PRESIDENT |
+-----------+
5 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT * FROM employee WHERE deptno = 30;
+-------+--------+----------+------+------------+------+------+--------+
| empno | ename  | job      | mgr  | hiredate   | sal  | comm | deptno |
+-------+--------+----------+------+------------+------+------+--------+
| 7499  | ALLEN  | SALESMAN | 7698 | 1981-02-20 | 1600 | 300  | 30     |
| 7521  | WARD   | SALESMAN | 7698 | 1981-02-22 | 1250 | 300  | 30     |
| 7654  | MARTIN | SALESMAN | 7698 | 1981-09-28 | 1250 | 1400 | 30     |
| 7698  | BLAKE  | MANAGER  | 7839 | 1981-05-01 | 2850 | NULL | 30     |
| 7844  | TURNER | SALESMAN | 7698 | 1981-09-08 | 1500 | 0    | 30     |
| 7900  | JAMES  | CLERK    | 7698 | 1981-12-03 | 950  | NULL | 30     |
+-------+--------+----------+------+------------+------+------+--------+
6 rows in set (0.009 sec)
```

```
MariaDB [vijendra0862]> SELECT DISTINCT deptno FROM employee WHERE deptno > 20;
+--------+
| deptno |
+--------+
|     30 |
|     40 |
+--------+
2 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> select * from employee where deptno = 30 AND (job = "MANAGER" OR job = "CLERK");
+-------+-------+---------+------+------------+------+------+--------+
| empno | ename | job     | mgr  | hiredate   | sal  | comm | deptno |
+-------+-------+---------+------+------------+------+------+--------+
| 7698  | BLAKE | MANAGER | 7839 | 1981-05-01 | 2850 | NULL |     30 |
| 7900  | JAMES | CLERK   | 7698 | 1981-12-03 |  950 | NULL |     30 |
+-------+-------+---------+------+------------+------+------+--------+
2 rows in set (0.002 sec)
```

Date
Page No.

Topic :

2. Perform following Query using Employee Table.

1. List all distinct job in Employee.

MariaDB[Vijendra0862]> SELECT DISTINCT job FROM employee;

2. List all information about employee in department number 30.

MariaDB[Vijendra0862]> SELECT * FROM employee WHERE deptno = 30;

3 Find all department number with department name greater than 20.

MariaDB[Vijendra0862]> SELECT DISTINCT deptno FROM employee WHERE deptno > 20;

4 Find all information about all the managers as well as the Clerks in department 30.

MariaDB[Vijendra0862]> SELECT * FROM employee WHERE deptno = 30 AND (job = "MANAGER" OR job = "CLERK")

Teacher's Sign.

```
MariaDB [vijendra0862]> select ename, empno, deptno from employee where job = "CLERK";
+-------+-------+--------+
| ename | empno | deptno |
+-------+-------+--------+
| SMITH | 7369  |     20 |
| ADAMS | 7876  |     20 |
| JAMES | 7900  |     30 |
| MILLER | 7934 |     10 |
+-------+-------+--------+
4 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> select * from employee where job = "MANAGER" AND deptno != 30;
+-------+-------+---------+------+------------+------+------+--------+
| empno | ename | job     | mgr  | hiredate   | sal  | comm | deptno |
+-------+-------+---------+------+------------+------+------+--------+
| 7566  | JONES | MANAGER | 7839 | 1981-04-02 | 2975 | NULL |     20 |
| 7782  | CLARK | MANAGER | 7839 | 1981-06-09 | 2450 | NULL |     20 |
+-------+-------+---------+------+------------+------+------+--------+
2 rows in set (0.009 sec)
```

```
MariaDB [vijendra0862]> select ename, job, sal from employee where sal between 1200 and 1400;
+--------+---------+------+
| ename  | job     | sal  |
+--------+---------+------+
| WARD   | SALESMAN | 1250 |
| MARTIN | SALESMAN | 1250 |
| MILLER | CLERK   | 1300 |
+--------+---------+------+
3 rows in set (0.001 sec)
```

Date
Page No.

Topic :

5. List the employee Name, Employee numbers and department of all Clerks.

```
MariaDB [Vijendra0862]> SELECT ename, empno, deptno
                        FROM employee WHERE job = "CLERK";
```

6. Find all managers not in department 30.

```
MariaDB [Vijendra0862]> SELECT * FROM employee WHERE
                        job = "MANAGER" AND deptno != 30;
```

7. List information about all Employee in department 10 who are not manager or Clerks.

```
MariaDB [Vijendra0862]> SELECT * FROM employee
                        WHERE deptno = 10 AND job
                        NOT IN("MANAGER", "CLERK");
```

8. Find Employees and jobs earning between 1200 and 1400.

```
MariaDB [Vijendra0862]> SELECT ~~*~~ ename, job, sal FROM
                        employee WHERE sal BETWEEN
                        1200 AND 1400;
```

Teacher's Sign.

```
MariaDB [vijendra0862]> SELECT ename, deptno
    -> FROM employee
    -> WHERE job IN ('CLERK', 'ANALYST', 'SALESMAN');
+--------+--------+
| ename  | deptno |
+--------+--------+
| SMITH  |     20 |
| ALLEN  |     30 |
| WARD   |     30 |
| MARTIN |     30 |
| SCOTT  |     30 |
| TURNER |     40 |
| ADAMS  |     30 |
| JAMES  |     20 |
| FORD   |     30 |
| MILLER |     20 |
+--------+--------+
10 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, deptno
    -> FROM employee
    -> WHERE ename LIKE 'M%';
+--------+--------+
| ename  | deptno |
+--------+--------+
| MARTIN |     30 |
| MILLER |     10 |
+--------+--------+
2 rows in set (0.002 sec)
```

Date
Page No.

Topic :

9. List Name and Department Number of employee who are Clerks, analyst, or Salesman.

MariaDB [Vijendra0862]> SELECT ename, deptno FROM employee WHERE job in ("CLERK", "ANALYST", "SALESMAN");

10. List Name and Department Number of employee whose names begin with M.

MariaDB [Vijendra0862]> SELECT ename, deptno FROM employee WHERE ename like "M%";

14/02/26

Teacher's Sign.