```
MariaDB [vijendra0862]> SELECT * FROM employee WHERE deptno = 30 order by sal desc;
+-------+--------+----------+------+------------+------+------+--------+
| empno | ename  | job      | mgr  | hiredate   | sal  | comm | deptno |
+-------+--------+----------+------+------------+------+------+--------+
| 7698  | BLAKE  | MANAGER  | 7839 | 1981-05-01 | 2850 | NULL |     30 |
| 7499  | ALLEN  | SALESMAN | 7698 | 1981-02-20 | 1600 |  300 |     30 |
| 7844  | TURNER | SALESMAN | 7698 | 1981-09-08 | 1500 |    0 |     30 |
| 7521  | WARD   | SALESMAN | 7698 | 1981-02-22 | 1250 |  500 |     30 |
| 7654  | MARTIN | SALESMAN | 7698 | 1981-09-28 | 1250 | 1400 |     30 |
| 7900  | JAMES  | CLERK    | 7698 | 1981-12-03 |  950 | NULL |     30 |
+-------+--------+----------+------+------------+------+------+--------+
6 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, job, deptno FROM employee WHERE ename Like "A__N";
+-------+----------+--------+
| ename | job      | deptno |
+-------+----------+--------+
| ALLEN | SALESMAN |     30 |
+-------+----------+--------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, job, deptno FROM employee WHERE ename Like "A%N" and length(ename) = 5;
+-------+----------+--------+
| ename | job      | deptno |
+-------+----------+--------+
| ALLEN | SALESMAN |     30 |
+-------+----------+--------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, job, deptno FROM employee WHERE ename Like "%S";
+-------+---------+--------+
| ename | job     | deptno |
+-------+---------+--------+
| JONES | MANAGER |     20 |
| ADAMS | CLERK   |     20 |
| JAMES | CLERK   |     30 |
+-------+---------+--------+
3 rows in set (0.001 sec)
```

Date
Page No.

Topic :

3(1) List all employees and jobs in Department 30 in descending order by Salary.

MariaDB[Vijendra0862]> SELECT * FROM employee WHERE deptno = 30 order by sal desc;

2. List job and Department Number of employee whose name are five letters long begin with "A" and end with "N".

MariaDB [Vijendra0862]> SELECT ~~FROM~~ ename, job, deptno FROM employee WHERE ename Like "A---N";

MariaDB [Vijendra0862]> SELECT ename, job, deptno, FROM employee WHERE ename Like "A%N" and length(ename)=5;

3 Display the name of employees whose name start with alphabet S.

MariaDB [Vijendra0862]> SELECT ename, job, deptno FROM employee WHERE ename Like "%S";

Teacher's Sign.

TRYON

```
MariaDB [vijendra0862]> SELECT * FROM employee WHERE deptno IN (10,20,40) OR job IN ("CLERK", "SALESMAN","ANALYST");
+-------+--------+----------+------+------------+------+------+--------+
| empno | ename  | job      | mgr  | hiredate   | sal  | comm | deptno |
+-------+--------+----------+------+------------+------+------+--------+
| 7369  | SMITH  | CLERK    | 7902 | 1980-12-17 | 800  | NULL |     20 |
| 7499  | ALLEN  | SALESMAN | 7698 | 1981-02-20 | 1600 |  300 |     30 |
| 7521  | WARD   | SALESMAN | 7698 | 1981-02-22 | 1250 |  300 |     30 |
| 7566  | JONES  | MANAGER  | 7839 | 1981-04-02 | 2975 | NULL |     20 |
| 7654  | MARTIN | SALESMAN | 7698 | 1981-09-28 | 1250 | 1400 |     30 |
| 7782  | CLARK  | MANAGER  | 7839 | 1981-06-09 | 2450 | NULL |     10 |
| 7788  | SCOTT  | ANALYST  | 7566 | 1982-12-09 | 3000 | NULL |     20 |
| 7839  | KING   | PRESIDENT | NULL | 1981-11-17 | 5000 | NULL |     10 |
| 7844  | TURNER | SALESMAN | 7698 | 1981-09-08 | 1500 |    0 |     30 |
| 7876  | ADAMS  | CLERK    | 7788 | 1983-01-12 | 1100 | NULL |     20 |
| 7900  | JAMES  | CLERK    | 7698 | 1981-12-03 | 950  | NULL |     30 |
| 7902  | FORD   | ANALYST  | 7566 | 1981-12-03 | 3000 | NULL |     20 |
| 7934  | MILLER | CLERK    | 7782 | 1982-01-23 | 1300 | NULL |     10 |
+-------+--------+----------+------+------------+------+------+--------+
13 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT * FROM employee WHERE deptno IN (10,20,40) AND job IN ("CLERK", "SALESMAN","ANALYST");
+-------+--------+----------+------+------------+------+------+--------+
| empno | ename  | job      | mgr  | hiredate   | sal  | comm | deptno |
+-------+--------+----------+------+------------+------+------+--------+
| 7369  | SMITH  | CLERK    | 7902 | 1980-12-17 | 800  | NULL |     20 |
| 7876  | ADAMS  | ANALYST  | 7566 | 1983-01-12 | 1100 | NULL |     20 |
| 7902  | FORD   | CLERK    | 7788 | 1981-12-03 | 3000 | NULL |     20 |
| 7934  | MILLER | ANALYST  | 7566 | 1982-01-23 | 1300 | NULL |     10 |
+-------+--------+----------+------+------------+------+------+--------+
5 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, empno, comm from employee where comm IS not null AND comm > 0;
+--------+-------+------+
| ename  | empno | comm |
+--------+-------+------+
| ALLEN  |  7499 |  300 |
| WARD   |  7521 |  300 |
| MARTIN |  7654 | 1400 |
+--------+-------+------+
rows in set (0.001 sec)
```

Date _____
Page No. _____

Topic : _____

4. Display the names of employees whose name ends with alphabet S.

MariaDB [Vijendra0862]> SELECT ename, job, deptno FROM employee WHERE ename like "%S";

5. Display the names of employees working in department number 10 or 20 or 40 or employees working as Clerks, Salesman or analyst.

MariaDB [Vijendra0862]> SELECT * FROM employee WHERE deptno IN (10,20,40) OR job IN ("CLERK", "SALESMAN", "ANALYST");

MariaDB [Vijendra0862]> SELECT * FROM employee WHERE deptno IN (10,20,40) AND job IN ("CLERK", "SALESM "ANALYST");

6. Display employee number and names for employees who earn commission.

MariaDB [Vijendra0862]> SELECT ename, empno, comm FROM employee where comm IS not NULL AND comm > 0;

Teacher's Sign.

TRYON

```
MariaDB [vijendra0862]> SELECT empno, ename, sal + IFNULL(comm, 0) AS Totalsal FROM employee;
+-------+--------+----------+
| empno | ename  | Totalsal |
+-------+--------+----------+
|  7369 | SMITH  |      800 |
|  7499 | ALLEN  |     1900 |
|  7521 | WARD   |     1550 |
|  7566 | JONES  |     2975 |
|  7654 | MARTIN |     2650 |
|  7698 | BLAKE  |     2850 |
|  7782 | CLARK  |     2450 |
|  7788 | SCOTT  |     3000 |
|  7839 | KING   |     5000 |
|  7844 | TURNER |     1500 |
|  7876 | ADAMS  |     1100 |
|  7900 | JAMES  |      950 |
|  7902 | FORD   |     3000 |
|  7934 | MILLER |     1300 |
+-------+--------+----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT empno, ename, sal + CASE WHEN comm is null THEN 0 ELSE comm end AS totalsal From employee;
+-------+--------+----------+
| empno | ename  | totalsal |
+-------+--------+----------+
|  7369 | SMITH  |      800 |
|  7499 | ALLEN  |     1900 |
|  7521 | WARD   |     1550 |
|  7566 | JONES  |     2975 |
|  7654 | MARTIN |     2975 |
|  7698 | BLAKE  |     2850 |
|  7782 | CLARK  |     2450 |
|  7788 | SCOTT  |     3000 |
|  7839 | KING   |     5000 |
|  7844 | TURNER |     1500 |
|  7876 | ADAMS  |     1100 |
|  7900 | JAMES  |      950 |
|  7902 | FORD   |     3000 |
|  7934 | MILLER |     1300 |
+-------+--------+----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, (sal + ifnull(comm, 0)) * 12 AS Annualsal FROM employee;
+--------+-----------+
| ename  | Annualsal |
+--------+-----------+
| SMITH  |      9600 |
| ALLEN  |     22800 |
| WARD   |     18600 |
| JONES  |     35700 |
| MARTIN |     31800 |
| BLAKE  |     34200 |
| CLARK  |     29400 |
| SCOTT  |     36000 |
| KING   |     60000 |
| TURNER |     18000 |
| ADAMS  |     13200 |
| JAMES  |     11400 |
| FORD   |     36000 |
| MILLER |     15600 |
+--------+-----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, (sal + ifnull(comm, 0)) * 12 FROM employee WHERE job = 'CLERK' and (sal + IFNULL(comm,0)) * 12 > 3000;
+--------+-----------------------------------------+
| ename  | (sal + ifnull(comm, 0)) * 12            |
+--------+-----------------------------------------+
| SMITH  |                                    9600 |
| ADAMS  |                                   13200 |
| JAMES  |                                   11400 |
| MILLER |                                   15600 |
+--------+-----------------------------------------+
4 rows in set (0.001 sec)
```

Date
Page No.

Topic :

7. Display employee number and total Salary for each employee.

MariaDB[Vijendra0862]> SELECT empno, ename, Sal + IFNULL(Comm,0) AS TotalSal FROM employee;

MariaDB[Vijendra0862]> SELECT empno, ename, Sal + CASE WHEN Comm is null THEN 0 ELSE Comm end AS totalsal FROM employee;

8. Display employee number and annual Salary for each employee.

MariaDB[Vijendra0862]> SELECT ename, (Sal + IfNull(Comm,0))*12 AS AnnualSal FROM employee;

9. Display the names of all employee working as Clerks and drawing a Salary more than 3000.

MariaDB[Vijendra0862]> SELECT ename, (Sal + ifnull(Comm,0))*12 FROM employee WHERE job = "CLERK" and (Sal + IfNull(Comm,0))*12 > 3000;

TRYON

Teacher's Sign.

```
MariaDB [vijendra0862]> SELECT ename, sal from employee where job in("CLERK", "SALESMAN", "ANALYST") AND sal >= 3000;
+-------+------+
| ename | sal  |
+-------+------+
| SCOTT | 3000 |
| FORD  | 3000 |
+-------+------+
2 rows in set (0.001 sec)
```

Date
Page No.

Topic :

10. Display the names of employees who are working as Clerk, Salesman or analyst and drawing a Salary more than 3,000.

```
MariaDB [vijendra0862]> SELECT ename, Sal from employee
                        where job in("CLERK", "SALESMAN",
                        "ANALYST") AND Sal >= 3000;
```

14/02/26