```
MariaDB [vijendra0862]> SELECT COUNT(*) AS total_employees
    -> FROM employee;
+----------------+
| total_employees |
+----------------+
|             14 |
+----------------+
1 row in set (0.018 sec)
```

```
MariaDB [vijendra0862]> SELECT SUM(sal) AS total_salary
    -> FROM employee;
+--------------+
| total_salary |
+--------------+
|        31368 |
+--------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT MAX(sal) AS max_salary
    -> FROM employee;
+------------+
| max_salary |
+------------+
|       5500 |
+------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT MIN(sal) AS min_salary
    -> FROM employee;
+------------+
| min_salary |
+------------+
|        880 |
+------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT AVG(sal) AS avg_salary
    -> FROM employee;
+------------+
| avg_salary |
+------------+
| 2240.5714 |
+------------+
1 row in set (0.001 sec)
```

Experiment No. :- 5

THEORY

Count :- It is a function which tells us how many rows are their in table.

Sum :- It Calculate total of all numeric in Column

Max :- It finds the maximum

Min :- It find the minimum

Avg :- It Calculate the average.

Upper :- It is function which Convert text to Capital letters

Lower :- It is a function which Convert text to lower case

Length :- It finds the length of total Character.

Topic : _____ Date _____
Page No. _____

5 1. Display the total number of employee working in the Company.

```
MariaDB[Vijendra0862]> SELECT COUNT(*) AS total_employees
                       FROM employee;
```

2. Display the total Salary being paid to all employees.

```
MariaDB[Vijendra0862]> SELECT SUM(Sal) AS total_Salary
                       FROM employee;
```

3. Display the maximum Salary from employee table.

```
MariaDB[Vijendra0862]> SELECT MAX(Sal) AS max_Salary
                       FROM employee;
```

4. Display the minimum Salary from employee table.

```
MariaDB[Vijendra0862]> SELECT MIN(Sal) AS min_Salary
                       FROM employee;
```

5. Display the average Salary ~~being paid~~ from employee table.

```
MariaDB[Vijendra0862]> SELECT AVG(Sal) AS avg_Salary
                       FROM employee;
```

TRYON

Teacher's Sign.

```
MariaDB [vijendra0862]> SELECT MAX(sal) AS max_clerk_salary
    -> FROM employee
    -> WHERE job = 'CLERK';
+-----------------+
| max_clerk_salary |
+-----------------+
|            1430 |
+-----------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT MAX(sal) AS max_salary_dept20
    -> FROM employee
    -> WHERE deptno = 20;
+-----------------+
| max_salary_dept20 |
+-----------------+
|            5500 |
+-----------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT MIN(sal) AS min_salesman_salary
    -> FROM employee
    -> WHERE job = 'SALESMAN';
+-----------------+
| min_salesman_salary |
+-----------------+
|            1250 |
+-----------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT AVG(sal) AS avg_manager_salary
    -> FROM employee
    -> WHERE job = 'MANAGER';
+-----------------+
| avg_manager_salary |
+-----------------+
|       3034.3333 |
+-----------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT SUM(sal) AS total_analyst_salary
    -> FROM employee
    -> WHERE job = 'ANALYST'
    -> AND deptno = 40;
+-----------------+
| total_analyst_salary |
+-----------------+
|            3300 |
+-----------------+
1 row in set (0.009 sec)
```

Page No.

Topic :

6. Display the maximum sal being paid to Clerk

```
MariaDB[Vijendra0862]> SELECT MAX(Sal) AS max_clerk_Salary
                       FROM employee WHERE job="CLERK";
```

7. Display the maximum Salary being paid in dept no 20.

```
MariaDB[Vijendra0862]> SELECT Max(Sal) As max_Salary_dept 20
                       FROM employee WHERE deptno = 20;
```

8. Display the minimum Salary paid to any Salesman.

```
MariaDB[Vijendra0862]> SELECT MIN(Sal) AS min_Salesman_Salary
                       FROM employee WHERE job = "SALESMAN";
```

9. Display the average Salary drawn by managers.

```
MariaDB[Vijendra0862]> SELECT AVG(Sal) As avg_manager_Salary
                       FROM employee WHERE job = "MANAGER";
```

10. Display the total Salary drawn by analyst working in dept no 40.

```
MariaDB[Vijendra0862]> SELECT SUM(Sal) As total_analyst_Salary
                       FROM employee WHERE job = "ANALYST"
                       AND deptno = 40;
```

Teacher's Sign.

TRYON

```
MariaDB [vijendra0862]> SELECT UPPER(ename) AS upper_name
    -> FROM employee;
+-----------+
| upper_name |
+-----------+
| SMITH     |
| ALLEN     |
| WARD      |
| JONES     |
| MARTIN    |
| BLAKE     |
| CLARK     |
| SCOTT     |
| KING      |
| TURNER    |
| ADAMS     |
| JAMES     |
| FORD      |
| MILLER    |
+-----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT LOWER(ename) AS lower_name
    -> FROM employee;
+-----------+
| lower_name |
+-----------+
| smith     |
| allen     |
| ward      |
| jones     |
| martin    |
| blake     |
| clark     |
| scott     |
| king      |
| turner    |
| adams     |
| james     |
| ford      |
| miller    |
+-----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT CONCAT(
    ->         UPPER(LEFT(ename,1)),
    ->         LOWER(SUBSTRING(ename,2))
    ->         ) AS proper_name
    -> FROM employee;
+-----------+
| proper_name |
+-----------+
| Smith     |
| Allen     |
| Ward      |
| Jones     |
| Martin    |
| Blake     |
| Clark     |
| Scott     |
| King      |
| Turner    |
| Adams     |
| James     |
| Ford      |
| Miller    |
+-----------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT LENGTH('Vijendra') AS name_length;
+-----------+
| name_length |
+-----------+
|         8 |
+-----------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT ename, LENGTH(ename) AS name_length
    -> FROM employee;
+-----------+-----------+
| ename     | name_length |
+-----------+-----------+
| SMITH     |         5 |
| ALLEN     |         5 |
| WARD      |         4 |
| JONES     |         5 |
| MARTIN    |         6 |
| BLAKE     |         5 |
| CLARK     |         5 |
| SCOTT     |         5 |
| KING      |         4 |
| TURNER    |         6 |
| ADAMS     |         5 |
| JAMES     |         5 |
| FORD      |         4 |
| MILLER    |         6 |
+-----------+-----------+
14 rows in set (0.001 sec)
```

Date _____
Page No. _____

Topic : _____

11. Display the names of the employee in Uppercase.

```
MariaDB [Vijendra0862]> SELECT UPPER(ename) AS upper_name
                        FROM employee;
```

12. Display the names of the employee in lowercase.

```
MariaDB [Vijendra0862]> SELECT LOWER(ename) AS lower_name
                        FROM employee;
```

13. Display the names of the employee in Proper Case.

```
MariaDB [Vijendra0862]> SELECT CONCAT(
                        UPPER(LEFT(ename,1)),
                        LOWER(SUBSTRING(ename,2))
                        ) AS proper_name
                        FROM employee;
```

14. Display the length of your name using appropriate function.

```
MariaDB [Vijendra0862]> SELECT Length("Vijendra") AS name_length
```

15. Display the length of all the employee names.

```
MariaDB [Vijendra0862]> SELECT ename, Length(ename) AS
                        name_length FROM employee;
```

27/02/26

Teacher's Sign.

TRYON