Experiment No :- 6

THEORY

- Join :- Used to Continue data from two table based on a Common Column.
- using (deptno) :- A Shortcut in join when both tables have Same Column name.
- Concates :- Used to join String and Column Values into one Sentence.
- Date formate :- Used to display date in formate like day name, month name, year etc.
- CURDATE() :- Return the Current System date
- CURTIME() :- Return the Current System time
- DATEDIFF (date1, date2) Return number of date between two dates.
- PERIOD_DIFF() :- Return difference b/w two dates in month.
- DATE_SUB (date, INTERVAL MONTH) :- Return a date before 'n' months from given data.
- DATE_ADD (date, INTERVAL n DAY) :- Add day to a date.
- WEEKDAY (date) :- Helps in Calculating Specific week days
- Month (date) :- Extract month from data
- year (date) :- Extract year from date
- Exists :- Check if Subquery return any matching row.

```
MariaDB [(none)]> use vijendra0862;
Database changed
MariaDB [vijendra0862]> SELECT empno,
    ->        ename,
    ->        CASE deptno
    ->            WHEN 10 THEN 'ACCOUNTING'
    ->            WHEN 20 THEN 'RESEARCH'
    ->            WHEN 30 THEN 'SALES'
    ->            WHEN 40 THEN 'OPERATIONS'
    ->            ELSE 'UNKNOWN'
    ->        END AS department_name
    -> FROM employee;
+-------+--------+-----------------+
| empno | ename  | department_name |
+-------+--------+-----------------+
|  7369 | SMITH  | RESEARCH        |
|  7499 | ALLEN  | SALES           |
|  7521 | WARD   | SALES           |
|  7566 | JONES  | RESEARCH        |
|  7654 | MARTIN | SALES           |
|  7698 | BLAKE  | SALES           |
|  7782 | CLARK  | RESEARCH        |
|  7788 | SCOTT  | OPERATIONS      |
|  7839 | KING   | RESEARCH        |
|  7844 | TURNER | SALES           |
|  7876 | ADAMS  | RESEARCH        |
|  7900 | JAMES  | SALES           |
|  7902 | FORD   | RESEARCH        |
|  7934 | MILLER | ACCOUNTING      |
+-------+--------+-----------------+
14 rows in set (0.077 sec)
```

```
MariaDB [vijendra0862]> SELECT DATEDIFF(CURDATE(), '2004-01-01') AS age_in_days;
+-------------+
| age_in_days |
+-------------+
|        8092 |
+-------------+
1 row in set (0.000 sec)
```

```
MariaDB [vijendra0862]> SELECT TIMESTAMPDIFF(MONTH, '2004-01-01', CURDATE()) AS age_in_months;
+---------------+
| age_in_months |
+---------------+
|           265 |
+---------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT DATE_FORMAT(CURDATE(), '%D %M %W %Y') AS formatted_date;
+-----------------------------+
| formatted_date              |
+-----------------------------+
| 26th February Thursday 2026 |
+-----------------------------+
1 row in set (0.001 sec)
```

61 Display empno, ename, deptno from employee table. Instead of display department numbers display the related department name (Use decode function).

```
MariaDB [Vijendra0862] > SELECT empno,
                         ename,
                         CASE deptno
                           WHEN 10 THEN 'ACCOUNTING'
                           WHEN 20 THEN 'RESEARCH'
                           WHEN 30 THEN 'SALES'
                           WHEN 40 THEN 'OPERATIONS'
                           ELSE 'UNKNOWN'
                         END AS department_name
                       FROM employee;
```

2 Display your age in days.

```
MariaDB[Vijendra0862]> SELECT Datediff(CURDATE(),'2004-01-01')
                       AS age_in_days;
```

3. Display your age in months.

```
MariaDB[Vijendra0862]> SELECT TIMESTAMPDIFF(MONTH,'2004-01-01',
                       CURDATE()) AS age_in_months;
```

4. Display the current date as 15th August Friday Nineteen Ninety - Seven.

```
MariaDB[Vijendra0862]> SELECT DATE_FORMAT(CURDATE(),'%D
                       %M %W %Y') AS formatted_date;
```

www.PrintablePaper.net

```
MariaDB [vijendra0862]> SELECT CONCAT(
    -> ename,
    -> ' has joined the company on ',
    -> DATE_FORMAT(hiredate, '%d %D %M %Y')
    -> ) AS joining_info
    -> FROM employee;
+-----------------------------------------------------------+
| joining_info                                              |
+-----------------------------------------------------------+
| SMITH has joined the company on Wednesday 17th December 1980 |
| ALLEN has joined the company on Friday 20th February 1981 |
| WARD has joined the company on Thursday 22nd February 1981 |
| JONES has joined the company on Tuesday 2nd April 1981 |
| MARTIN has joined the company on Monday 28th September 1981 |
| BLAKE has joined the company on Friday 1st May 1981 |
| CLARK has joined the company on Tuesday 9th June 1981 |
| SCOTT has joined the company on Tuesday 9th December 1982 |
| KING has joined the company on Tuesday 17th November 1981 |
| TURNER has joined the company on Tuesday 8th September 1981 |
| ADAMS has joined the company on Saturday 12th January 1983 |
| JAMES has joined the company on Thursday 3rd December 1981 |
| FORD has joined the company on Thursday 3rd December 1981 |
| MILLER has joined the company on Saturday 23rd January 1982 |
+-----------------------------------------------------------+
14 rows in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT CONCAT(
    -> ename,
    -> ' has joined the company on ',
    -> DATE_FORMAT(hiredate, '%d %D %M %Y')
    -> ) AS joining_info
    -> FROM employee
    -> WHERE ename='SCOTT';
+-----------------------------------------------------------+
| joining_info                                              |
+-----------------------------------------------------------+
| SCOTT has joined the company on Thursday 9th December 1982 |
+-----------------------------------------------------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT DATE_ADD(
    -> CURDATE(),
    -> INTERVAL (7 - DAYOFWEEK(CURDATE()) + 7) % 7 DAY
    -> ) AS next_saturday;
+---------------+
| next_saturday |
+---------------+
| 2026-02-28    |
+---------------+
1 row in set (0.001 sec)
```

5. Display the following output for each row from employee table.

```
MariaDB[Vijendra0862]> SELECT CONCAT(
                        ename,
                        ' has joined the Company on',
                        DATE_FORMAT(hiredate, '%w %D %M %Y')
                      ) AS joining_info
                    FROM employee;
```

6. Scott has joined the Company on Wednesday 13th August Nineteen Ninety

```
MariaDB[Vijendra0862]> SELECT CONCAT(
                        ename,
                        ' has joined the Company on',
                        DATE_FORMAT(hiredate, '%w %D %M %Y')
                      ) AS joining_info
                    FROM employee
                    WHERE ename = 'SCOTT';
```

7. Find the date for nearest Saturday after Current date.

```
MariaDB[Vijendra0862]> SELECT DATE_ADD(
                        CURDATE(),
                        INTERVAL (7 - DAYOFWEEK(CURDATE()
                        +7) % 7 DAY)
                        AS Next_Saturday;
```

www.PrintablePaper.net

```
MariaDB [vijendra0862]> SELECT CURTIME();
+-----------+
| CURTIME() |
+-----------+
| 22:45:49  |
+-----------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT DATE_SUB(CURDATE(), INTERVAL 3 MONTH);
+-----------------------------------------+
| DATE_SUB(CURDATE(), INTERVAL 3 MONTH)   |
+-----------------------------------------+
| 2025-11-26                              |
+-----------------------------------------+
1 row in set (0.001 sec)
```

```
MariaDB [vijendra0862]> SELECT *
    -> FROM employee
    -> WHERE MONTH(hiredate)=12;
+-------+-------+-------+------+------------+------+------+--------+
| empno | ename | job   | mgr  | hiredate   | sal  | comm | deptno |
+-------+-------+-------+------+------------+------+------+--------+
| 7369  | SMITH | CLERK | 7902 | 1980-12-17 | 800  | NULL |     20 |
| 7788  | SCOTT | ANALYST | 7566 | 1982-12-09 | 3300 | NULL |     40 |
| 7900  | JAMES | CLERK | 7698 | 1981-12-03 | 1045 | NULL |     30 |
| 7902  | FORD  | ANALYST | 7566 | 1981-12-03 | 3300 | NULL |     20 |
+-------+-------+-------+------+------------+------+------+--------+
4 rows in set (0.001 sec)
```

8. Display Current time.

MariaDB [Vijendra0862]> SELECT CURTIME();

9. Display the date three months Before the Current date.

MariaDB [Vijendra0862]> SELECT DATE_SUB(CURDATE(), INTERVAL 3 MONTH);

10. Display those employees who joined in the Company in the month of Dec.

MariaDB [Vijendra0862]> SELECT * FROM employee WHERE MONTH(hiredate) = 12;

11. Display those employee whose first 2 Characters from hire date - left 2 Character of Salary.

MariaDB [Vijendra0862]> SELECT ename, CONCAT(LEFT(hiredate,2), RIGHT(sal,2)) AS result FROM employee;

12. Display those employees whose 10% of Salary is equal to the year of joining.

www.PrintablePaper.net

```
MariaDB [vijendra0862]> SELECT *
    -> FROM employee
    -> WHERE DAY(hiredate) < 15;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7566	JONES	MANAGER	7839	1981-04-02	3273	NULL	20
7698	BLAKE	MANAGER	7839	1981-05-01	3135	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3300	NULL	40
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1210	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	1045	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300	NULL	20

8 rows in set (0.001 sec)

```
MariaDB [vijendra0862]> select * from employee
    -> where hiredate is not null;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7369	SMITH	CLERK	7902	1980-12-17	880	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANAGER	7839	1981-04-02	3273	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BLAKE	MANAGER	7839	1981-05-01	3135	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695	NULL	30
7788	SCOTT	ANALYST	7566	1982-12-09	3300	NULL	20
7839	KING	PRESIDENT	NULL	1981-11-17	5500	NULL	40
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1210	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	1045	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1430	NULL	10

14 rows in set (0.001 sec)

13. Display those employees who joined the company before 15 of the months.

MariaDB [Vijendra0862]> SELECT * FROM employee
WHERE DAY(hiredate) < 15;

14. Display those employees who has joined before 15th of the month.

MariaDB [Vijendra0862]> SELECT * FROM employee
WHERE DAY(hiredate) < 15;

15. Display those employees whose joining DATE is available in deptno.

MariaDB [Vijendra0862]> SELECT * FROM employee
WHERE hiredate is not null;

Teacher
27/04/26

www.PrintablePaper.net