9. Perform the following Query

1. **Display the name of emp name who earns highest salary.**

```
MariaDB [vijendra0862]> SELECT EMPNO, ENAME, SAL
    -> FROM EMPLOYEE
    -> WHERE SAL = (SELECT MAX(SAL) FROM EMPLOYEE);
+-------+-------+------+
| EMPNO | ENAME | SAL  |
+-------+-------+------+
|  7839 | KING  | 5500 |
+-------+-------+------+
1 row in set (0.036 sec)
```

2. **Display the employee number and name of employee working as clerk and earning highest salary among clerks.**

```
MariaDB [vijendra0862]> SELECT EMPNO, JOB, ENAME
    -> FROM EMPLOYEE
    -> WHERE JOB = 'CLERK'
    -> AND SAL = (SELECT MAX(SAL) FROM EMPLOYEE WHERE JOB = 'CLERK');
+-------+-------+--------+
| EMPNO | JOB   | ENAME  |
+-------+-------+--------+
|  7934 | CLERK | MILLER |
+-------+-------+--------+
1 row in set (0.010 sec)
```

3. **Display the names of the salesman who earns a salary more than the highest salary of any clerk.**

```
MariaDB [vijendra0862]> SELECT ENAME, JOB
    -> FROM EMPLOYEE
    -> WHERE JOB = 'SALESMAN'
    -> AND SAL > (SELECT MAX(SAL) FROM EMPLOYEE WHERE JOB = 'CLERK');
+--------+----------+
| ENAME  | JOB      |
+--------+----------+
| ALLEN  | SALESMAN |
| TURNER | SALESMAN |
+--------+----------+
2 rows in set (0.002 sec)
```

4. **Display the names of clerks who earn salary more than that of james of that of sal lesser than that of scott**

```
MariaDB [vijendra0862]> SELECT EMPNO, ENAME, SAL, JOB
    -> FROM EMPLOYEE
    -> WHERE JOB = 'CLERK'
    -> AND SAL >= (SELECT SAL FROM EMPLOYEE WHERE ENAME = 'JAMES')
    -> AND SAL <= (SELECT SAL FROM EMPLOYEE WHERE ENAME = 'SCOTT');
+-------+--------+------+-------+
| EMPNO | ENAME  | SAL  | JOB   |
+-------+--------+------+-------+
|  7876 | ADAMS  | 1210 | CLERK |
|  7900 | JAMES  | 1045 | CLERK |
|  7934 | MILLER | 1430 | CLERK |
+-------+--------+------+-------+
3 rows in set (0.001 sec)
```

5. **Display the names of employees who earn a sal more than that of james or that of salary greater than that of scott.**

```
MariaDB [vijendra0862]> SELECT ENAME
    -> FROM EMPLOYEE
    -> WHERE SAL > (SELECT SAL FROM EMPLOYEE WHERE ENAME = 'JAMES')
    -> OR SAL > (SELECT SAL FROM EMPLOYEE WHERE ENAME = 'SCOTT');
+--------+
| ENAME  |
+--------+
| ALLEN  |
| WARD   |
| JONES  |
| MARTIN |
| BLAKE  |
| CLARK  |
| SCOTT  |
| KING   |
| TURNER |
| ADAMS  |
| FORD   |
| MILLER |
+--------+
12 rows in set (0.001 sec)
```

6. **Display the names of the employees who earn highest salary in their respective departments.**

```
MariaDB [vijendra0862]> SELECT ENAME, DEPTNO, SAL
    -> FROM EMPLOYEE E
    -> WHERE SAL = (
    ->     SELECT MAX(SAL)
    ->     FROM EMPLOYEE
    ->     WHERE DEPTNO = E.DEPTNO
    -> );
+--------+--------+------+
| ENAME  | DEPTNO | SAL  |
+--------+--------+------+
| BLAKE  |     30 | 3135 |
| SCOTT  |     40 | 3300 |
| KING   |     20 | 5500 |
| MILLER |     10 | 1430 |
+--------+--------+------+
4 rows in set (0.011 sec)
```

7. **Display the names of employees who earn highest salaries in their respective job groups.**


```
MariaDB [vijendra0862]> SELECT ENAME, DEPTNO, SAL
    -> FROM EMPLOYEE E
    -> WHERE SAL = (
    ->     SELECT MAX(SAL)
    ->     FROM EMPLOYEE
    ->     WHERE DEPTNO = E.DEPTNO
    -> );
+--------+--------+------+
| ENAME  | DEPTNO | SAL  |
+--------+--------+------+
| BLAKE  |     30 | 3135 |
| SCOTT  |     40 | 3300 |
| KING   |     20 | 5500 |
| MILLER |     10 | 1430 |
+--------+--------+------+
4 rows in set (0.011 sec)
```


8. **Display the employee names who are working in accounting dept.**

9. Display the employee names who are working in Mumbai.

```
MariaDB [vijendra0862]> SELECT empno, ename, deptno
    -> FROM EMPLOYEE
    -> WHERE deptno IN (
    ->     SELECT Deptno
    ->     FROM DEPARTMENT
    ->     WHERE LOCATION = 'MUMBAI'
    -> );
+-------+--------+--------+
| empno | ename  | deptno |
+-------+--------+--------+
|  7499 | ALLEN  |     30 |
|  7521 | WARD   |     30 |
|  7654 | MARTIN |     30 |
|  7698 | BLAKE  |     30 |
|  7844 | TURNER |     30 |
|  7900 | JAMES  |     30 |
+-------+--------+--------+
6 rows in set (0.001 sec)
```

10 Display the job groups having total salary greater than the maximum salary for managers.

```
MariaDB [vijendra0862]> SELECT job, SUM(sal) AS total_salary
    -> FROM EMPLOYEE
    -> GROUP BY job
    -> HAVING SUM(sal) > (
    ->     SELECT MAX(sal)
    ->     FROM EMPLOYEE
    ->     WHERE job = 'MANAGER'
    -> );
+-----------+--------------+
| job       | total_salary |
+-----------+--------------+
| ANALYST   |         6600 |
| CLERK     |         4565 |
| MANAGER   |         9103 |
| PRESIDENT |         5500 |
| SALESMAN  |         5600 |
+-----------+--------------+
5 rows in set (0.002 sec)
```