



# VIT<sup>®</sup>

## Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

### DBMS Project

#### Football Club Management System

Submitted by:

Krishnagopal R. Nair [17BCE2286]

Mohit Anil Manghnani [17BCE0558]

Mustafa Chatriwala [17BCE0186]

Rishabh Singhvi [17BCE0226]

# Index

1. OrientDB Characteristics
2. NoSQL trial commands
3. Final Database
4. Testing Database connection with Frontend using Python
5. Python Interface using Pyorient

# **OrientDB Characteristics**

- It's more than lines in tables—NoSQL frameworks store and recover information from numerous configurations: key-value stores, diagram databases, set family (Bigtable) stores, archive stores, and even lines in tables.
- It's free of joins—NoSQL frameworks enable you to extricate your information utilizing basic interfaces without joins.
- It's sans pattern—NoSQL frameworks enable you to relocate your information into an envelope and after that question it without making an element social model.
- It deals with numerous processors—NoSQL frameworks enable you to store your database on different processors and keep up fast execution.
- It utilizes shared-nothing item PCs—Most (yet not all) NoSQL frameworks use ease product processors that have separate RAM and plate.
- It underpins direct adaptability—When you include more processors, you get a reliable increment in execution.

- It's creative—NoSQL offers alternatives to a solitary method for putting away, recovering, and controlling information. NoSQL supporters (otherwise called NoSQLers) have a comprehensive
- state of mind about NoSQL and perceive SQL arrangements as practical alternatives. To the NoSQL people group, NoSQL signifies "Not just SQL."
- NoSQL applications are driven by the failure of a present application to proficiently scale when enormous information is an issue. In spite of the fact that volume and speed are vital, NoSQL likewise centers around inconstancy and deftness.
- It is anything but a tip top gathering of items—NoSQL isn't a selective club with a couple of items. There are no participation levy or tests required to join. To be viewed as a NoSQLer, you just need to persuade others that you have creative answers for their business issues.

## NoSQL Trial for review 2:

OrientDB console v.2.2.6 (build 2.2.x@r4b1cc998b36ca2ae21a1679938912a8f545a994a; 2016-07-27 15:34:14+0000) www.orientdb.com

Type 'help' to display all the supported commands.

Installing extensions for GREMLIN language v.2.6.0

```
orientdb> create database trial;
```

Error: java.lang.IllegalArgumentException: Invalid URL

```
orientdb> CREATE DATABASE PLOCAL:/opt/orientdb/databses/trial;
```

Creating database [PLOCAL:/opt/orientdb/databses/trial] using the storage type [PLOCAL]...

Database created successfully.

Current database is: PLOCAL:/opt/orientdb/databses/trial

```
orientdb {db=trial}> create class employee
```

Class created successfully. Total classes in database now: 11.

```
orientdb {db=trial}> create property employee.id integer
```

Property created successfully with id=1.

```
orientdb {db=trial}> create property employee.name String
```

Property created successfully with id=2.

```
orientdb {db=trial}> create property employee.address String
```

Property created successfully with id=3.

```
orientdb {db=trial}> create property employee.managerid integer
```

Property created successfully with id=4.

```
orientdb {db=trial}> create property employee.hiredate date
```

Property created successfully with id=5.

```
orientdb {db=trial}> create property employee.dno integer
```

Property created successfully with id=6.

```
orientdb {db=trial}> create property employee.salary integer
```

Property created successfully with id=7.

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (123, 'Krishna', '801, arum, powai, Mumbai', NULL, 12-aug-18, 1, 50000)
```

Inserted record 'employee#17:0{id:123,name:Krishna,address:801, arum, powai, Mumbai,managerid:null,hiredate:null,dno:1,salary:50000} v1' in 0.069000 sec(s).

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (456, 'Mohit', '6969, bighouse, Richkid, Dubai', 123, '25-aug-18', 1, 10000)
```

Error: com.orienttechnologies.orient.core.exception.OQueryParsingException: Error on conversion of date '25-aug-18' using the format: yyyy-MM-dd

DB name="trial"

Error: java.text.ParseException: Unparseable date: "25-aug-18"

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (456, 'Mohit', '6969, bighouse, Richkid, Dubai', 123, 25-aug-18, 1, 10000)
```

Inserted record 'employee#18:0{id:456,name:Mohit,address:6969, bighouse, Richkid, Dubai,managerid:123,hiredate:null,dno:1,salary:10000} v1' in 0.016000 sec(s).

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (789, 'Mustafa', '420, Blazeit, Fam, Indore, Gujrat', 123, 20-aug-18, 1, 30000)
```

Inserted record 'employee#19:0{id:789,name:Mustafa,address:420, Blazeit, Fam, Indore, Gujrat,managerid:123,hiredate:null,dno:1,salary:30000} v1' in 0.000000 sec(s).

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (101, 'Rishab', '2, Ram Nagar, Udaipur, Rajasthan', NULL, 13-aug-18, 2, 40000)
```

Inserted record 'employee#20:0{id:101,name:Rishab,address:2, Ram Nagar, Udaipur, Rajasthan,managerid:null,hiredate:null,dno:2,salary:40000} v1' in 0.000000 sec(s).

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (102, 'Manav', '360, Greek Colony, Ramganj, Chattisgarh', 101, 15-aug-18, 2, 20000)
```

Inserted record 'employee#17:1{id:102,name:Manav,address:360, Greek Colony, Ramganj, Chattisgarh,managerid:101,hiredate:null,dno:2,salary:20000} v1' in 0.000000 sec(s).

```
orientdb {db=trial}> insert into employee (id, name, address, managerid, hiredate, dno, salary)
values (103, 'Pranav', '399, Cyka Bliat, Butkenyudodis, Moscow', 101, 27-aug-18, 2, 5000)
```

Inserted record 'employee#18:1{id:103,name:Pranav,address:399, Cyka Bliat, Butkenyudodis, Moscow,managerid:101,hiredate:null,dno:2,salary:5000} v1' in 0.000000 sec(s).

```
orientdb {db=trial}> select from employee
```

```
+---+---+---+---+---+---+---+---+---+---+---+---+
|# |@RID |@CLASS |id |name |address |managerid|hiredate|dno |salary|
+---+---+---+---+---+---+---+---+---+---+---+---+
|0 |#17:0|employee|123 |Krishna|801, arum, powai, Mumbai | | |1 |50000 |
|1 |#17:1|employee|102 |Manav |360, Greek Colony, Ramganj, Chattisgarh|101 | |2
|20000 |
|2 |#18:0|employee|456 |Mohit |6969, bighouse, Richkid, Dubai |123 | |1 |10000 |
|3 |#18:1|employee|103 |Pranav |399, Cyka Bliat, Butkenyudodis, Moscow |101 | |2
|5000 |
|4 |#19:0|employee|789 |Mustafa|420, Blazeit, Fam, Indore, Gujrat |123 | |1 |30000 |
|5 |#20:0|employee|101 |Rishab |2, Ram Nagar, Udaipur, Rajasthan | | |2 |40000 |
+---+---+---+---+---+---+---+---+---+---+---+---+
```

6 item(s) found. Query executed in 0.016 sec(s).

```
orientdb {db=trial}> update employee set hiredate = 2018-08-12 where id = 123
```

```
orientdb {db=trial}> commit
```

Error: no active transaction is currently open.

```
orientdb {db=trial}> begin
```



Transaction 1 is running

```
orientdb {db=trial tx=[0 entries]}> commit
```

Transaction 1 has been committed in 1ms

```
orientdb {db=trial}> list databases
```

Not connected to the Server instance. You've to connect to the Server using server's credentials  
(look at orientdb-\*server-config.xml file)

```
orientdb {db=trial}> select from employee where name like 'm%'
```

0 item(s) found. Query executed in 0.023 sec(s).

```
orientdb {db=trial}> select from employee where name like 'M%'
```

```
+---+-----+-----+---+-----+-----+-----+-----+
|# |@RID |@CLASS |name |id |address |managerid|hiredat|dno |salary|
+---+-----+-----+---+-----+-----+-----+-----+
|0 |#17:1|employee|Manav |102 |360, Greek Colony, Ramganj, Chattisgarh|101 | |2
|20000 |
|1 |#18:0|employee|Mohit |456 |6969, bighouse, Richkid, Dubai |123 | |1 |10000 |
|2 |#19:0|employee|Mustafa|789 |420, Blazeit, Fam, Indore, Gujrat |123 | |1 |30000 |
+---+-----+-----+---+-----+-----+-----+-----+
```

3 item(s) found. Query executed in 0.005 sec(s).

```
orientdb {db=trial}> select from employee where name.left(1) = 'k'
```

0 item(s) found. Query executed in 0.008 sec(s).

orientdb {db=trial}> select from employee where name.left(1) = 'K'

```
+---+-----+-----+-----+-----+-----+-----+-----+
|# |@RID |@CLASS |name  |id |address          |managerid|hiredat|dno |salary|
+---+-----+-----+-----+-----+-----+-----+-----+
|0 |#17:0|employee|Krishna|123 |801, arum, powai, Mumbai|    |    |1 |50000 |
+---+-----+-----+-----+-----+-----+-----+-----+
```

1 item(s) found. Query executed in 0.005 sec(s).

orientdb {db=trial}> select name.toLowerCase() FROM employee

```
+---+-----+
|# |name  |
+---+-----+
|0 |krishna|
|1 |manav  |
|2 |mohit  |
|3 |pranav |
|4 |mustafa|
|5 |rishab |
+---+-----+
```

6 item(s) found. Query executed in 0.008 sec(s).

orientdb {db=trial}> select from employee where salary in [30000, 60000]

```
+---+-----+-----+-----+-----+-----+-----+-----+
```

#	@RID	@CLASS	salary	id	name	address	managerid	hiredate	dno
0	#19:0	employee	30000	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1

1 item(s) found. Query executed in 0.003 sec(s).

orientdb {db=trial}> select from employee where any() like '%af%'

#	@RID	@CLASS	id	name	address	managerid	hiredate	dno	salary
0	#19:0	employee	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1	30000

1 item(s) found. Query executed in 0.006 sec(s).

orientdb {db=trial}> orientdb {db = demo}> select from employee order by salary desc

!Unrecognized command: 'orientdb {db = demo}> select from employee order by salary desc'

orientdb {db=trial}> orientdb {db = demo}> select from employee order by id desc

!Unrecognized command: 'orientdb {db = demo}> select from employee order by id desc'

orientdb {db=trial}> select from employee order by id desc

#	@RID	@CLASS	id	name	address	managerid	hiredate	dno	salary
0	#19:0	employee	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1	30000

1	#18:0 employee 456	Mohit	6969, bighouse, Richkid, Dubai	123		1	10000	
2	#17:0 employee 123	Krishna	801, arum, powai, Mumbai			1	50000	
3	#18:1 employee 103	Pranav	399, Cyka Bliat, Butkenyudodis, Moscow	101		2	5000	
4	#17:1 employee 102	Manav	360, Greek Colony, Ramganj, Chattisgarh	101		2	20000	
5	#20:0 employee 101	Rishab	2, Ram Nagar, Udaipur, Rajasthan			2	40000	

-----

6 item(s) found. Query executed in 0.078 sec(s).

orientdb {db=trial}> select from employee order by salary desc

#	@RID	@CLASS	salary	id	name	address	managerid	hiredate	dno
---	------	--------	--------	----	------	---------	-----------	----------	-----

-----

0	#17:0 employee 50000	123	Krishna	801, arum, powai, Mumbai			1	
1	#20:0 employee 40000	101	Rishab	2, Ram Nagar, Udaipur, Rajasthan			2	
2	#19:0 employee 30000	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1	
3	#17:1 employee 20000	102	Manav	360, Greek Colony, Ramganj, Chattisgarh	101		2	
4	#18:0 employee 10000	456	Mohit	6969, bighouse, Richkid, Dubai	123		1	
5	#18:1 employee 5000	103	Pranav	399, Cyka Bliat, Butkenyudodis, Moscow	101		2	

-----

6 item(s) found. Query executed in 0.003 sec(s).

orientdb {db=trial}> select from employee order by salary desc parallel

-----

#	@RID	@CLASS	salary	id	name	address	managerid	hiredate	dno
0	#17:0	employee	50000	123	Krishna	801, arum, powai, Mumbai			1
1	#20:0	employee	40000	101	Rishab	2, Ram Nagar, Udaipur, Rajasthan			2
2	#19:0	employee	30000	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1
3	#17:1	employee	20000	102	Manav	360, Greek Colony, Ramganj, Chattisgarh	101		2
4	#18:0	employee	10000	456	Mohit	6969, bighouse, Richkid, Dubai	123		1
5	#18:1	employee	5000	103	Pranav	399, Cyka Bliat, Butkenyudodis, Moscow	101		2

6 item(s) found. Query executed in 0.005 sec(s).

orientdb {db=trial}> select name from employee group by dno

#	name
0	Mustafa
1	Rishab

2 item(s) found. Query executed in 0.003 sec(s).

orientdb {db=trial}> select name from employee group by dno

#	name
---	------

```

+----+-----+
|0  |Mustafa|
|1  |Rishab |
+----+-----+

```

2 item(s) found. Query executed in 0.002 sec(s).

orientdb {db=trial}> list properties

#### DATABASE PROPERTIES

```

+----+-----+-----+
|#  |NAME      |VALUE      |
+----+-----+-----+
|0  |Version    |-1          |
|1  |Conflict-Strategy|          |
|2  |Date-Format  |yyyy-MM-dd  |
|3  |Datetime-Format |yyyy-MM-dd HH:mm:ss|
|4  |Timezone     |Asia/Calcutta  |
|5  |Locale-Country |US            |
|6  |Locale-Language |en           |
|7  |Charset       |UTF-8        |
|8  |Schema-RID    |#0:1         |
|9  |Index-Manager-RID|#0:2        |
|10 |Dictionary-RID |            |
+----+-----+-----+

```

DATABASE CUSTOM PROPERTIES:

```
+---+-----+---+
```

```
|# |NAME |VALUE|
```

```
+---+-----+---+
```

```
|0 |strictSql|true |
```

```
+---+-----+---+
```

```
orientdb {db=trial}> create database fordelete
```

Error: java.lang.IllegalArgumentException: Invalid URL

```
orientdb {db=trial}> create database PLOCAL:/opt/orientdb/databses/fordrop
```

Creating database [PLOCAL:/opt/orientdb/databses/fordrop] using the storage type [PLOCAL]...

Database created successfully.

Current database is: PLOCAL:/opt/orientdb/databses/fordrop

```
orientdb {db=fordrop}> create class del
```

Class created successfully. Total classes in database now: 11.

```
orientdb {db=fordrop}> drop class del
```

Removed class in 0.381000 sec(s).

```
orientdb> CONNECT PLOCAL:/opt/orientdb/databases/trial admin admin
```

Disconnecting from the database [null]...OK

Connecting to database [PLOCAL:/opt/orientdb/databases/trial] with user 'admin'...OK

```
orientdb {db=trial}> backup database ./backup-trial.zip
```

Executing full backup of database 'trial' to: database ./backup-trial.zip...

- Compressing file command-cache.json...ok size=114b compressedSize=98 ratio=15% elapsed=11ms
- Compressing file database.ocf...ok size=2.56KB compressedSize=441 ratio=84% elapsed=0ms
- Compressing file default.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file default.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=2ms
- Compressing file dictionary.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file dictionary.sbt...ok size=65.00KB compressedSize=122 ratio=100% elapsed=2ms
- Compressing file dirty.fl...ok size=1b compressedSize=3 ratio=-200% elapsed=1ms
- Compressing file e.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=1ms
- Compressing file employee.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=1ms
- Compressing file employee.pcl...ok size=129.00KB compressedSize=425 ratio=100% elapsed=1ms
- Compressing file employee\_1.cpm...ok size=65.00KB compressedSize=124 ratio=100% elapsed=3ms
- Compressing file employee\_1.pcl...ok size=129.00KB compressedSize=437 ratio=100% elapsed=2ms
- Compressing file employee\_2.cpm...ok size=65.00KB compressedSize=120 ratio=100% elapsed=3ms
- Compressing file employee\_2.pcl...ok size=129.00KB compressedSize=345 ratio=100% elapsed=3ms
- Compressing file employee\_3.cpm...ok size=65.00KB compressedSize=118 ratio=100% elapsed=3ms
- Compressing file employee\_3.pcl...ok size=129.00KB compressedSize=338 ratio=100% elapsed=6ms
- Compressing file e\_1.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e\_1.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=4ms



- Compressing file e\_2.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file e\_2.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=3ms
- Compressing file e\_3.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e\_3.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=5ms
- Compressing file index.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file index.pcl...ok size=65.00KB compressedSize=119 ratio=100% elapsed=5ms
- Compressing file internal.cpm...ok size=65.00KB compressedSize=128 ratio=100% elapsed=3ms
- Compressing file internal.pcl...ok size=129.00KB compressedSize=10658 ratio=92% elapsed=14ms
- Compressing file manindex.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=5ms
- Compressing file manindex.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=4ms
- Compressing file name\_id\_map.cm...ok size=1.93KB compressedSize=421 ratio=79% elapsed=3ms
- Compressing file ofunction.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file OFunction.name.hib...ok size=16.00MB compressedSize=21414 ratio=100% elapsed=174ms
- Compressing file OFunction.name.him...ok size=65.00KB compressedSize=120 ratio=100% elapsed=1ms
- Compressing file OFunction.name.hit...ok size=65.00KB compressedSize=640 ratio=100% elapsed=2ms
- Compressing file OFunction.name.hnb...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file ofunction.pcl...ok size=65.00KB compressedSize=119 ratio=100% elapsed=1ms
- Compressing file orole.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=2ms
- Compressing file ORole.name.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file ORole.name.sbt...ok size=65.00KB compressedSize=185 ratio=100% elapsed=1ms
- Compressing file orole.pcl...ok size=129.00KB compressedSize=626 ratio=100% elapsed=2ms
- Compressing file oschedule.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file oschedule.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=1ms
- Compressing file osequence.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file osequence.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=1ms
- Compressing file ouser.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=1ms

- Compressing file OUser.name.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file OUser.name.sbt...ok size=65.00KB compressedSize=178 ratio=100% elapsed=1ms
- Compressing file ouser.pcl...ok size=129.00KB compressedSize=638 ratio=100% elapsed=2ms
- Compressing file trial.wmr...ok size=40b compressedSize=19 ratio=53% elapsed=1ms
- Compressing file v.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file v.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=1ms
- Compressing file v\_1.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file v\_1.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=1ms
- Compressing file v\_2.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file v\_2.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=1ms
- Compressing file v\_3.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file v\_3.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=0ms

Backup executed in 0.60 seconds

orientdb {db=trial}> RESTORE DATABASE backup-trial.zip

Restoring database 'DATABASE backup-trial.zip' from full backup...

- Uncompressing file command-cache.json...
- Uncompressing file database.ocf...
- Uncompressing file default.cpm...
- Uncompressing file default.pcl...
- Uncompressing file dictionary.nbt...
- Uncompressing file dictionary.sbt...
- Uncompressing file dirty.fl...
- Uncompressing file e.cpm...
- Uncompressing file e.pcl...
- Uncompressing file employee.cpm...
- Uncompressing file employee.pcl...

- Uncompressing file employee\_1.cpm...
- Uncompressing file employee\_1.pcl...
- Uncompressing file employee\_2.cpm...
- Uncompressing file employee\_2.pcl...
- Uncompressing file employee\_3.cpm...
- Uncompressing file employee\_3.pcl...
- Uncompressing file e\_1.cpm...
- Uncompressing file e\_1.pcl...
- Uncompressing file e\_2.cpm...
- Uncompressing file e\_2.pcl...
- Uncompressing file e\_3.cpm...
- Uncompressing file e\_3.pcl...
- Uncompressing file index.cpm...
- Uncompressing file index.pcl...
- Uncompressing file internal.cpm...
- Uncompressing file internal.pcl...
- Uncompressing file manindex.cpm...
- Uncompressing file manindex.pcl...
- Uncompressing file name\_id\_map.cm...
- Uncompressing file ofunction.cpm...
- Uncompressing file OFunction.name.hib...
- Uncompressing file OFunction.name.him...
- Uncompressing file OFunction.name.hit...
- Uncompressing file OFunction.name.hnb...
- Uncompressing file ofunction.pcl...
- Uncompressing file orole.cpm...
- Uncompressing file ORole.name.nbt...

- Uncompressing file ORole.name.sbt...
- Uncompressing file orole.pcl...
- Uncompressing file oschedule.cpm...
- Uncompressing file oschedule.pcl...
- Uncompressing file osequence.cpm...
- Uncompressing file osequence.pcl...
- Uncompressing file ouser.cpm...
- Uncompressing file OUser.name.nbt...
- Uncompressing file OUser.name.sbt...
- Uncompressing file ouser.pcl...
- Uncompressing file trial.wmr...
- Uncompressing file v.cpm...
- Uncompressing file v.pcl...
- Uncompressing file v\_1.cpm...
- Uncompressing file v\_1.pcl...
- Uncompressing file v\_2.cpm...
- Uncompressing file v\_2.pcl...
- Uncompressing file v\_3.cpm...
- Uncompressing file v\_3.pcl...

Database restored in 0.93 seconds

```
orientdb {db=trial}> update employee set name= 'Rohit' where name= 'Mohit'
```

Updated record(s) '1' in 0.007000 sec(s).

```
orientdb {db=trial}> select name from employee
```

```
+----+-----+
```

#	name
0	Krishna
1	Manav
2	Rohit
3	Pranav
4	Mustafa
5	Rishab

6 item(s) found. Query executed in 0.003 sec(s).

orientdb {db=trial}> select from employee

#	@RID	@CLASS	id	name	address	managerid	hiredate	dno	salary
0	#17:0	employee	123	Krishna	801, arum, powai, Mumbai			1	50000
1	#17:1	employee	102	Manav	360, Greek Colony, Ramganj, Chattisgarh	101		2	20000
2	#18:0	employee	456	Rohit	6969, bighouse, Richkid, Dubai	123		1	10000
3	#18:1	employee	103	Pranav	399, Cyka Bliat, Butkenyudodis, Moscow	101		2	5000
4	#19:0	employee	789	Mustafa	420, Blazeit, Fam, Indore, Gujrat	123		1	30000
5	#20:0	employee	101	Rishab	2, Ram Nagar, Udaipur, Rajasthan			2	40000

6 item(s) found. Query executed in 0.0 sec(s).

```
orientdb {db=trial}> backup database ./backup-trial.zip
```

Executing full backup of database 'trial' to: database ./backup-trial.zip...

- Compressing file cache.stt...ok size=3.22KB compressedSize=573 ratio=83% elapsed=4ms
- Compressing file command-cache.json...ok size=114b compressedSize=98 ratio=15% elapsed=1ms
- Compressing file database.ocf...ok size=2.56KB compressedSize=441 ratio=84% elapsed=1ms
- Compressing file default.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file default.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=3ms
- Compressing file dictionary.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file dictionary.sbt...ok size=65.00KB compressedSize=122 ratio=100% elapsed=2ms
- Compressing file dirty.fl...ok size=1b compressedSize=3 ratio=-200% elapsed=0ms
- Compressing file e.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=3ms
- Compressing file employee.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=3ms
- Compressing file employee.pcl...ok size=129.00KB compressedSize=425 ratio=100% elapsed=4ms
- Compressing file employee\_1.cpm...ok size=65.00KB compressedSize=124 ratio=100% elapsed=2ms
- Compressing file employee\_1.pcl...ok size=129.00KB compressedSize=437 ratio=100% elapsed=5ms
- Compressing file employee\_2.cpm...ok size=65.00KB compressedSize=120 ratio=100% elapsed=2ms
- Compressing file employee\_2.pcl...ok size=129.00KB compressedSize=345 ratio=100% elapsed=6ms
- Compressing file employee\_3.cpm...ok size=65.00KB compressedSize=118 ratio=100% elapsed=2ms
- Compressing file employee\_3.pcl...ok size=129.00KB compressedSize=338 ratio=100% elapsed=3ms
- Compressing file e\_1.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e\_1.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=3ms
- Compressing file e\_2.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file e\_2.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=2ms

- Compressing file e\_3.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file e\_3.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=2ms
- Compressing file index.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file index.pcl...ok size=65.00KB compressedSize=119 ratio=100% elapsed=2ms
- Compressing file internal.cpm...ok size=65.00KB compressedSize=128 ratio=100% elapsed=2ms
- Compressing file internal.pcl...ok size=129.00KB compressedSize=10658 ratio=92% elapsed=10ms
- Compressing file manindex.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file manindex.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=4ms
- Compressing file name\_id\_map.cm...ok size=1.93KB compressedSize=421 ratio=79% elapsed=1ms
- Compressing file ofunction.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file OFunction.name.hib...ok size=16.00MB compressedSize=21414 ratio=100% elapsed=220ms
- Compressing file OFunction.name.him...ok size=65.00KB compressedSize=120 ratio=100% elapsed=1ms
- Compressing file OFunction.name.hit...ok size=65.00KB compressedSize=640 ratio=100% elapsed=3ms
- Compressing file OFunction.name.hnb...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file ofunction.pcl...ok size=65.00KB compressedSize=119 ratio=100% elapsed=1ms
- Compressing file orole.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=1ms
- Compressing file ORole.name.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file ORole.name.sbt...ok size=65.00KB compressedSize=185 ratio=100% elapsed=1ms
- Compressing file orole.pcl...ok size=129.00KB compressedSize=626 ratio=100% elapsed=3ms
- Compressing file oschedule.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file oschedule.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=1ms
- Compressing file osequence.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file osequence.pcl...ok size=65.00KB compressedSize=120 ratio=100% elapsed=1ms
- Compressing file ouser.cpm...ok size=65.00KB compressedSize=126 ratio=100% elapsed=1ms
- Compressing file OUser.name.nbt...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file OUser.name.sbt...ok size=65.00KB compressedSize=178 ratio=100% elapsed=1ms

- Compressing file ouser.pcl...ok size=129.00KB compressedSize=638 ratio=100% elapsed=1ms
- Compressing file trial.wmr...ok size=40b compressedSize=20 ratio=50% elapsed=1ms
- Compressing file v.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=1ms
- Compressing file v.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=1ms
- Compressing file v\_1.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file v\_1.pcl...ok size=65.00KB compressedSize=122 ratio=100% elapsed=1ms
- Compressing file v\_2.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file v\_2.pcl...ok size=65.00KB compressedSize=121 ratio=100% elapsed=1ms
- Compressing file v\_3.cpm...ok size=1024b compressedSize=15 ratio=99% elapsed=0ms
- Compressing file v\_3.pcl...ok size=65.00KB compressedSize=123 ratio=100% elapsed=1ms

Backup executed in 0.49 seconds

orientdb {db=trial}> TRUNCATE RECORD #17:0

Truncated 1 record(s) in 0.006000 sec(s).

orientdb {db=trial}> select from employee

```

+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|# |@RID |@CLASS |id |name |address |managerid|hiredate|dno |salary|
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+
|0 |#17:1|employee|102 |Manav |360, Greek Colony, Ramganj, Chattisgarh|101 | |2
|20000 |
|1 |#18:0|employee|456 |Rohit |6969, bighouse, Richkid, Dubai |123 | |1 |10000 |
|2 |#18:1|employee|103 |Pranav |399, Cyka Bliat, Butkenyudodis, Moscow |101 | |2
|5000 |
|3 |#19:0|employee|789 |Mustafa|420, Blazeit, Fam, Indore, Gujrat |123 | |1 |30000 |
|4 |#20:0|employee|101 |Rishab |2, Ram Nagar, Udaipur, Rajasthan | | |2 |40000 |
+---+---+---+---+---+---+---+---+---+---+---+---+---+---+

```



5 item(s) found. Query executed in 0.002 sec(s).

orientdb {db=trial}> delete from employee where id = 456

Delete record(s) '1' in 0.030000 sec(s).

orientdb {db=trial}> select from employee

```
+---+-----+---+-----+-----+-----+-----+-----+
|# |@RID |@CLASS |id |name |address |managerid|hiredat|dno |salary|
+---+-----+---+-----+-----+-----+-----+-----+
|0 |#17:1|employee|102 |Manav |360, Greek Colony, Ramganj, Chattisgarh|101 | |2
|20000 |
|1 |#18:1|employee|103 |Pranav |399, Cyka Bliat, Butkenyudodis, Moscow |101 | |2
|5000 |
|2 |#19:0|employee|789 |Mustafa|420, Blazeit, Fam, Indore, Gujrat |123 | |1 |30000 |
|3 |#20:0|employee|101 |Rishab |2, Ram Nagar, Udaipur, Rajasthan | | |2 |40000 |
+---+-----+---+-----+-----+-----+-----+-----+
```

4 item(s) found. Query executed in 0.003 sec(s).

Tables in NoSQL for project:

Decompressing file 0-3.pcl...  
Database restored in 2.81 seconds  
orientdb <db=screenshot>> select from player

#	ERID	CLASS	kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	EmpId	teamid
0	#17:2	player	1	187	85	right	GK	40	4	90	al	aa	da
1	#17:3	player	9	182	86	right	forward	200	20	80	ao	ae	da
2	#17:4	player	3	178	72	right	defender	109	15	85	am	ag	db
3	#18:0	player	23	182	75	left	defender	30	10	88	am	ab	da
4	#18:1	player	25	165	60	right	GK	120	20	90	al	af	db
5	#18:2	player	22	170	66	left	forward	150	90	88	an	ah	db
6	#19:0	player	7	172	68	right	midfielder	38	30	89	an	ac	da
7	#19:1	player	11	172	69	right	forward	148	154	94	an	ai	db
8	#20:0	player	10	170	72	left	forward	400	380	93	an	ad	da
9	#20:1	player	18	178	66	left	midfielder	250	10	69	ao	aj	db

10 item(s) found. Query executed in 0.003 sec(s).  
orientdb <db=screenshot>> select from manager

#	ERID	CLASS	EmpId	wins	losses	nationality	trophies
0	#21:1	manager	ak	30	10	indian	10
1	#22:0	manager	ba	69	20	spanish	30

2 item(s) found. Query executed in 0.001 sec(s).  
orientdb <db=screenshot>> select from coach

#	ERID	CLASS	EmpId	nationality	fieldOfWork	height	weight
0	#25:0	coach	al	indian	goalkeeping	170	62
1	#26:0	coach	am	british	defending	175	60
2	#27:0	coach	an	senegalese	playmaking	160	55
3	#28:0	coach	ao	nigerian	shooting	190	70

4 item(s) found. Query executed in 0.002 sec(s).

orientdb <db=screenshot>> select from bid

#	ERID	CLASS	bidNo	amount	status	manager
0	#33:0	bid	100	100000	accepted	ak
1	#34:0	bid	101	9000	rejected	ba
2	#35:0	bid	103	8000000	rejected	ak

orientdb <db=screenshot>> select from services

#	ERID	CLASS	EmpId	role
0	#37:0	services	ap	cleaner
1	#37:1	services	aq	physiotherapist
2	#38:0	services	ar	psychiatrist
3	#39:0	services	as	nutritionist

4 item(s) found. Query executed in 0.002 sec(s).

orientdb <db=screenshot>> select from fixture

#	ERID	CLASS	fixid	teamid	opponents	time
0	#41:0	fixture	200	da	Real Madrid	2018-10-28 21:00:00
1	#42:0	fixture	201	da	Sevilla	2018-11-05 20:00:00
2	#43:0	fixture	202	db	Leganes	2018-10-28 20:00:00
3	#44:0	fixture	203	db	Alaves	2018-11-06 18:00:00

4 item(s) found. Query executed in 0.003 sec(s).

orientdb <db=screenshot>> select from ticketing

#	ERID	CLASS	fixId	price
0	#45:0	ticketing	200	800
1	#46:0	ticketing	201	600
2	#47:0	ticketing	202	100
3	#48:0	ticketing	203	900

4 item(s) found. Query executed in 0.002 sec(s).

orientdb <db=screenshot>> select from transaction

#	ERID	CLASS	Tno	empId	date	amount	description
0	#53:0	transaction	10000	at	2018-10-16 23:34:56	-100000	Stadium repair
1	#54:0	transaction	10001	av	2018-10-04 06:09:56	10000000	Sponsorship

2 item(s) found. Query executed in 0.001 sec(s).

orientdb <db=screenshot>> select from finandmark

#	ERID	CLASS	EmpId	department	designation	yearofgrad	qualification	year
0	#49:0	FinAndMark	at	finance	head	1970-01-01 00:00:00	MBA	1999
1	#49:1	FinAndMark	au	finance	manager		BCom.	2005
2	#50:0	FinAndMark	av	marketing	head		MCom.	1996
3	#51:0	FinAndMark	aw	marketing	manager		Doctorate in economics	2000

orientdb <db=screenshot>> select from boardofdir

#	ERID	CLASS	empid	designation
0	#57:0	BoardOfDir	ax	President
1	#58:0	BoardOfDir	ax	Chairman
2	#59:0	BoardOfDir	ax	Sporting Director

3 item(s) found. Query executed in 0.001 sec(s).

orientdb <db=screenshot>> select from team

#	ERID	CLASS	teamid	name
0	#61:0	team	da	FC Barcelona Men
1	#62:0	team	db	FC Barcelona Women

```
orientdb <db=screenshot>> select from employee limit 30
```


#	ERID	CLASS	DOB	EmpId	name	sex	yearsOfExp	address	wage	joined
0	#29:0	employee	1992-04-30 00:00:00	aa	terstegen	m	12	502, 1_street	100000	2016-10-12 00:00:00
1	#29:1	employee	1987-01-24 00:00:00	ae	suarez	m	18	508, 5_street	50000	2015-01-30 00:00:00
2	#29:2	employee	1999-01-23 00:00:00	af	gemma	f	12	632, 33_street	1000	2017-01-10 00:00:00
3	#29:3	employee	1992-01-16 00:00:00	ah	martens	f	15	467, 2_street	50000	2014-01-23 00:00:00
4	#29:4	employee	1977-01-27 00:00:00	ha	sanchez	m	18	321, 4_street	50000	2017-01-14 00:00:00
5	#29:5	employee	1967-01-17 00:00:00	al	mustafa	m	13	711, 1_street	10000	2013-01-15 00:00:00
6	#29:6	employee	1990-01-14 00:00:00	ap	melissa	f	15	477, 4_street	7000	2015-01-10 00:00:00
7	#29:7	employee	1991-01-27 00:00:00	ar	lany	f	13	137, 6_street	18000	2017-01-20 00:00:00
8	#29:8	employee	1972-01-19 00:00:00	av	lily	f	17	113, 3_street	80000	2014-01-11 00:00:00
9	#29:9	employee	1980-01-15 00:00:00	az	abidal	m	13	193, 8_street	100000	2018-01-01 00:00:00
10	#30:0	employee	1993-11-14 00:00:00	ab	untiti	m	11	501, 2_street	120000	2017-01-15 00:00:00
11	#30:1	employee	1992-01-16 00:00:00	ag	gragt	f	14	212, 3_street	10000	2015-01-24 00:00:00
12	#30:2	employee	1994-01-04 00:00:00	ai	alexia	f	13	401, 4_street	60000	2015-01-21 00:00:00
13	#30:3	employee	1988-01-30 00:00:00	am	krishna	m	10	400, 2_street	20000	2010-01-25 00:00:00
14	#30:4	employee	1995-01-14 00:00:00	aq	howard	m	12	127, 5_street	10000	2016-01-10 00:00:00
15	#30:5	employee	1989-01-17 00:00:00	as	brock	m	14	246, 3_street	20000	2015-01-20 00:00:00
16	#30:6	employee	1980-01-24 00:00:00	aw	james	m	14	273, 4_street	50000	2015-01-31 00:00:00
17	#31:0	employee	1992-06-12 00:00:00	ac	coutinho	m	13	504, 3_street	150000	2016-01-23 00:00:00
18	#31:1	employee	1994-01-04 00:00:00	aj	hamraoui	f	13	401, 4_street	70000	2016-01-13 00:00:00
19	#31:2	employee	1985-01-02 00:00:00	an	rishabh	m	15	300, 6_street	5000	2015-01-22 00:00:00
20	#31:3	employee	1979-01-19 00:00:00	at	mark	m	15	244, 2_street	20000	2016-01-20 00:00:00
21	#31:4	employee	1970-01-14 00:00:00	ax	bartoneu	m	15	193, 1_street	1000000	2010-01-19 00:00:00
22	#32:0	employee	1987-06-24 00:00:00	ad	messi	m	10	506, 4_street	250000	2012-01-20 00:00:00
23	#32:1	employee	1964-01-09 00:00:00	ak	valverde	m	15	401, 4_street	1000000	2017-01-14 00:00:00
24	#32:2	employee	1980-01-02 00:00:00	ao	mohit	m	17	200, 7_street	4000	2014-01-12 00:00:00
25	#32:3	employee	1982-01-29 00:00:00	au	rebecca	f	16	213, 9_street	50000	2015-01-01 00:00:00
26	#32:4	employee	1978-01-27 00:00:00	ax	rosa	f	10	193, 1_street	500000	2012-01-09 00:00:00

```
27 item(s) found. Query executed in 0.004 sec(s).
```

```
orientdb <db=screenshot>>
```

# Testing Database connection with Frontend using Python

1)




Study

## Football Club Management

Flask App

Username:   
password:

2)



Study

## Football Club Management

Flask App

Username:   
password:

3)

127.0.0.1:5000/login

×

+

← → ↻ 🏠

127.0.0.1:5000/login

Hello system,  
What would you like to do?

1. ADD
2. MODIFY
3. LIST
4. VIEW
5. DELETE
6. SEARCH

Functions imported: 2,3 and 6

Choice:

[Back to login](#)

4)

127.0.0.1:5000/login

×

+

← → ↻ 🏠

127.0.0.1:5000/login

Hello system,  
What would you like to do?

1. ADD
2. MODIFY
3. LIST
4. VIEW
5. DELETE
6. SEARCH

Functions imported: 2,3 and 6

Choice:

[Back to login](#)

5)

127.0.0.1:5000/choice × +

← → ↻ 🏠 ⓘ 127.0.0.1:5000/choice

Column Name:

New data type:

Table Name:

```
SQL> desc works_on;
Name                               Null?    Type
-----
EMP_SSN                            CHAR(9)
PRJ_NO                             NUMBER(5)
HOURS                             NOT NULL NUMBER(3,1)
```

We will change column Name data type from number(5) to number(8)

6)

127.0.0.1:5000/choice × +


← → ↻ 🏠 ⓘ 127.0.0.1:5000/choice

Column Name:

New data type:

Table Name:

7)



Success

We see that it has updated

```
SQL> desc works_on;
Name                               Null?   Type
-----
EMP_SSN                            CHAR(9)
PRJ_NO                             NUMBER(8)
HOURS                             NOT NULL NUMBER(3,1)
```

8)



Hello system,  
What would you like to do?  
1. ADD  
2. MODIFY  
3. LIST  
4. VIEW  
5. DELETE  
6. SEARCH  
Functions imported: 2,3 and 6  
Choice:

[Back to login](#)

9)



127.0.0.1:5000/choice × +

← → ↻ 🏠 ⓘ 127.0.0.1:5000/choice

Table Name:

Column Name:

10)

127.0.0.1:5000/choice × +

← → ↻ 🏠 ⓘ 127.0.0.1:5000/choice

Table Name:

Column Name:

11)



Just as depicted in the nosql

```
SQL> select emp_ssn from works_on;

EMP_SSN
-----
123456789
123456789
666884444
554433221
453453453
453453453
999887777
999887777
543216789

9 rows selected.
```

12)

127.0.0.1:5000/login × +

← → ↺ 🏠 ⓘ 127.0.0.1:5000/login

Hello system,  
What would you like to do?

1. ADD
2. MODIFY
3. LIST
4. VIEW
5. DELETE
6. SEARCH

Functions imported: 2,3 and 6

Choice:

[Back to login](#)

13)

127.0.0.1:5000/choice × +

← → ↺ 🏠 ⓘ 127.0.0.1:5000/choice

Table Name:

Enter search value:

14)



127.0.0.1:5000/search × +




← → ↺ 🏠 ⓘ 127.0.0.1:5000/search

Found Here: ('123456789', 1945, 7.5)

# Pyorient &

# Tkinter






The screenshot displays a Windows desktop environment with three open windows:

- Python 3.7.0 Shell:** A standard Python interpreter window with the menu bar (File, Edit, Shell, Debug, Options, Window, Help). The command prompt shows the user running `python` and then `RESTART: C:\Users\Mohit\Desktop\III Sem\DBMS\Project Programmes\Project.py`.
- C:\Windows\System32\cmd.exe:** A Windows Command Prompt window showing the output of the Python script. The output includes log messages from the `orientdb-server` application, such as `Installing dynamic plugin 'studio-2.2.zip'...`, `Installed GREMLIN language v.2.6.0`, and `OrientDB Server is active v2.2.6`. It also shows a warning about the server not being closed properly and a message about a FUZZY checkpoint.
- Football Club Management.exe:** A small application window titled "Football Club Management.exe". It contains a text box labeled "What table would you like to work with?" and a button labeled "List". Below the text box, it says "Click on List to view the tables available." and "Table Name:" followed by a text input field.

Football Club Management - LIST			
finandmark	employee_2	ticketing	ticketing_3
services_2	boardofdir_3	transaction_1	transaction
transaction_3	default	boardofdir_2	bid_2
e	v_2	employee_3	ticketing_1
boardofdir	team_2	player_3	team_1
bid_1	transaction_2	services_3	ouser
player	ticketing_2	v	manager_2
bid_3	team_3	fixture_3	team
finandmark_2	v_1	e_2	
coach	e_1	services_1	
finandmark_3	coach_3	player_1	
fixture_1	manager_1	manager	
index	manindex	osequence	
coach_2	employee_1	player_2	
services	bid	internal	
manager_3	employee	ofunction	
finandmark_1	boardofdir_1	coach_1	
orole	oschedule	fixture	
v_3	e_3	fixture_2	





Football Club Management.exe

What table would you like to work with?

Click on List to view the tables available.

Table Name:

List Next



Football Club Management - ADD

kitnumber

height

weight

pref\_foot

position

appearance

goals

rating

coach

Empld

teamid

Back

Submit

Football Club Management - ADD

kitnumber

height

weight

pref\_foot

position

appearance

goals

rating

coach

Empld

teamid

Back

Submit

Football Club Management - ADD

Added Successfully

Continue



Football Club Management - VIEW

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid
1	187	85	right	GK	40	4	90	al	aa	da
9	182	86	right	forward	200	20	80	ao	ae	da
3	178	72	right	defender	109	15	85	am	ag	db
11	175	71	right	forward	42	10	87	al	1100	da
23	182	75	left	defender	30	10	88	am	ab	da
25	165	60	right	GK	120	20	90	al	af	db
22	170	66	left	forward	150	90	88	an	ah	db
7	172	68	right	midfielder	38	30	89	an	ac	da
11	172	69	right	forward	148	154	94	an	ai	db
10	170	72	left	forward	400	380	93	an	ad	da
18	178	66	left	midfielder	250	10	69	ao	aj	db

Back

added using 'Add'

Football Club Management - EDIT(modify/delete)

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid		
1	187	85	right	GK	40	4	90	al	aa	da	Modify	Delete
9	182	86	right	forward	200	20	80	ao	ae	da	Modify	Delete
3	178	72	right	defender	109	15	85	am	ag	db	Modify	Delete
11	175	71	right	forward	42	10	87	al	1100	da	Modify	Delete
23	182	75	left	defender	30	10	88	am	ab	da	Modify	Delete
25	165	60	right	GK	120	20	90	al	af	db	Modify	Delete
22	170	66	left	forward	150	90	88	an	ah	db	Modify	Delete
7	172	68	right	midfielder	38	30	89	an	ac	da	Modify	Delete
11	172	69	right	forward	148	154	94	an	ai	db	Modify	Delete
10	170	72	left	forward	400	380	93	an	ad	da	Modify	Delete
18	178	66	left	midfielder	250	10	69	ao	aj	db	Modify	Delete

Back

Football Club Management - EDIT(modify/delete)

Record Successfully Deleted.

Click VIEW to view updated table or back to go back to menu

VIEW Back

First record is deleted

Football Club Management - EDIT(modify/delete)

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid		
9	182	86	right	forward	200	20	80	ao	ae	da	Modify	Delete
3	178	72	right	defender	109	15	85	am	ag	db	Modify	Delete
11	175	71	right	forward	42	10	87	al	1100	da	Modify	Delete
23	182	75	left	defender	30	10	88	am	ab	da	Modify	Delete
25	165	60	right	GK	120	20	90	al	af	db	Modify	Delete
22	170	66	left	forward	150	90	88	an	ah	db	Modify	Delete
7	172	68	right	midfielder	38	30	89	an	ac	da	Modify	Delete
11	172	69	right	forward	148	154	94	an	ai	db	Modify	Delete
10	170	72	left	forward	400	380	93	an	ad	da	Modify	Delete
18	178	66	left	midfielder	250	10	69	ao	aj	db	Modify	Delete

Back

Football Club Management - EDIT(modify/delete)

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid
11	175	71	right	forward	42	10	87	al	1100	da

Back

Submit

Football Club Management - EDIT(modify/delete)

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid
11	175	71	right	forward	42	10	87	al	1100	da

Back

Submit

Football Club Management - VIEW

kitnumber	height	weight	pref_foot	position	appearance	goals	rating	coach	Empld	teamid
9	182	86	right	forward	200	20	80	ao	ae	da
3	178	72	right	defender	109	15	85	am	ag	db
11	175	71	right	forward	42	10	87	al	xs	da
23	182	75	left	defender	30	10	88	am	ab	da
25	165	60	right	GK	120	20	90	al	af	db
22	170	66	left	forward	150	90	88	an	ah	db
7	172	68	right	midfielder	38	30	89	an	ac	da
11	172	69	right	forward	148	154	94	an	ai	db
10	170	72	left	forward	400	380	93	an	ad	da
18	178	66	left	midfielder	250	10	69	ao	aj	db

Back

Football Club Management - SEARCH

Enter the item to search in the table

Search

Back

Enter the item to search in the table forward

Search

Back

Football Club Management - SEARCH

```
{'kitnumber': 9, 'height': 182, 'weight': 86, 'pref_foot': 'right', 'position': 'Search entry not found', 'goals': 20, 'rating': 80, 'coach': 'ao', 'Empld': 'ae', 'teamid': 'da'}
{'kitnumber': 11, 'height': 175, 'weight': 71, 'pref_foot': 'right', 'position': 'forward', 'appearance': 42, 'goals': 10, 'rating': 87, 'coach': 'al', 'Empld': 'xs', 'teamid': 'da'}
{'kitnumber': 22, 'height': 170, 'weight': 66, 'pref_foot': 'left', 'position': 'forward', 'appearance': 150, 'goals': 90, 'rating': 88, 'coach': 'an', 'Empld': 'ah', 'teamid': 'db'}
{'kitnumber': 11, 'height': 172, 'weight': 69, 'pref_foot': 'right', 'position': 'forward', 'appearance': 148, 'goals': 154, 'rating': 94, 'coach': 'an', 'Empld': 'ai', 'teamid': 'db'}
{'kitnumber': 10, 'height': 170, 'weight': 72, 'pref_foot': 'left', 'position': 'forward', 'appearance': 400, 'goals': 380, 'rating': 93, 'coach': 'an', 'Empld': 'ad', 'teamid': 'da'}
```

Back