• What is JavaScript?

java script is a scripting language.a scripting language is a lightweight programming language. a java script is usually embedded directly into html pages.

What is the use of isNaN function?

>nan==nan false

>is nan(nan) true

What is negative Infinity?

the same as the negative value of the global object's infinity property.

Which company developed JavaScript?

netscape

What are undeclared and undefined variables?

variable hass been declared but it does not have a value.undeclared variable means that the variable does not exist in the prohram at all.

Write the code for adding new elements dynamically?

document.getelement("<tagname>");

What is the difference between ViewState and SessionState?

view state is to manage state at the client's end, making sessionstate management easy for enduser while session state manages state at the server's end.

What is === operator?

arithmatic operator, assignment operator, identify operator, bitwise operators

How can the style/class of an element be changed?

hide

show

changecolor

How to read and write a file using JavaScript?

readfile(), writefile()

What are all the looping structures in JavaScript?

for/in-loops through the properties of an object.

for/of-loops through the value of an iterable object.

How can you convert the string of any base to an integer in JavaScript?

javascript parseint() function is used to convert the passed is string parameter or value to an interger value itself.

What is the function of the delete operator?

the delete operator removes a given property from an object.

What are all the types of Pop up boxes available in JavaScript?

javascript has three kind of popupboxes:alertbox,confirmbox,promptbox,

How can a page be forced to load another page in JavaScript?

approach:we can use window.location property inside the script tag to forcefully load another page in javascriot.