. Polynomial-time 'Reductions':

- If we knew that a problem A does not have an efficient algorithm (i.e, if A & P), how can we use this fact to show another problem B is also hard? - i.e., if $A \notin P$, then $B \notin P$.

(SUDEEP)

. It is not so difficult. It is same as proving that if B is in P, then A is also in P. · For this, just give an algorithm for A, using an algorithm (TM) for B. . Make sure 'B' is called at most nktimes, for some constant k.

(SUDEEP)

(Z)

. This is called a Polynomial-time reduction. Algo for A

(SUDEEP)

- This concept can be applied for problems other than YES/NO questions also.
- we shall see some examples, to understand this kind of reductions in some of them, we call B only once.

(SUDEEP)

· Problem A:

Given a graph G and a positive integer k, Does G have a clique of Size k?

· B: Given (G, K), Does G have an independent size of size k?

(show: 4 A is hard, so is B).

EEP)

(3)

• Easy! ·If B had an algorithm that runs in polynomial time, we will show that A also has.

(q3;

· Another Example:

When one is a YES NO problem, the other one is NOT so.

- · A: Same (Does G have a k-clique?)
- . B: Find a clique of size k in G.

(SUDEEP)

· This is also easy. If B finds a clique, answer for A is YES. Else NO. What if it was the other way rould?

. If we knew B is hard, how to show A is hard?

(SUDEEP)

· Proof idea: Keep removing vertices, and keep running the YES/NO algorithm for A. . Do not remove a vertex

if removal results in No answer.

. We end with only k vertices.

· Vertex cover: A set of vertices that 'cover' all edges of the graph.

Levery edge has at least one endpoint in this set).

· an: Given GLK, Does G have a vertex cover of size k?

(SUDSEP)

10)

{v, vs} {u2, u4} is also a vertex cover. · If independent set problem is hard, how to show vertex cover is also hard?

GEP)

D

· Idea: If we remove a vertex cover call vertices in a vertex cover) from G, what remains is an independent set. The other way also.

G, K - G, n-k [V.C] NO Ind. Set

(SUDEEP)

(12)

· Convince yourself that this is cornect.

- YES (G has a vortex cover of size n-k), then a has an ind. set of size k. YES. -No. (if G has an ind. set of size k, it can not say No. Because removal of the indiset gives a vertex cover, size n-ts). So, NO answer is also correct.

(43°

(13)