

Uber Rides Analytics

Published

Event Hubs → Lakeflow Declarative Pipelines → Unity Catalog · refreshed 2 min ago

Date range Jun 1 – Aug 22, 2026 ▾

Pickup city All (8) ▾

Payment method All (5) ▾


Vehicle type All (5) ▾

Time of day All ▾

Overview Operations Revenue & riders

Pickup density

Coordinates snapped to a ~1 km grid. Circle size is ride volume; colour is average surge.



No surge 1.5–2.0× 2.0×+


Dataset pickup_hotspots · Point map


Ride outcomes

Share of all bookings by final status.

Revenue by pickup city

Completed rides only.





Completed · 91.6% Cancelled by rider · 5.0%

Cancelled by driver · 2.4%


No driver found · 1.0%

Dataset `rides_detail` · Pie

Dataset `rides_detail` · Bar

Wait time by time of day


Minutes from booking to pickup.



Dataset `rides_detail` · Bar

Fare per mile by surge band


Confirms surge pricing behaves as designed.



Dataset `rides_detail` · Bar

Distance versus fare


Each point is a ride, coloured by surge band. The fan above the baseline is surge pricing.



Dataset `rides_detail` · Scatter

Rides by trip distance

Most demand sits in the short-hop bands.



Dataset `rides_detail` · Bar

This is a layout reference, not live data. Every number here is synthetic. Rebuild each widget in Databricks against the dataset named at the bottom of its card — the card titles, subtitles, chart types and grid spans are the parts worth copying.